

185

CONSTRUCTION RECORD

SERVICE RECORD

STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS	
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East
6+00	38.8	33.44	5.4									
	39.0	33.61	5.4	6+44								
7+00	39.1	33.84	5.3		7+21.8	7+55						
8+00	39.3	34.24	5.1		8+77.4							
9+00	39.4	34.64	4.8									
	39.6	35.00	4.6	9+92								
<p><i>PROPOSITION "C"</i></p> <p>0+00 41.8 26.28 15.5 0+00 M.H. built over exist. Outfall sewer</p> <p>1+00 40.8 26.68 14.1</p> <p>2+00 41.0 27.08 13.9</p> <p>3+00 41.0 27.48 13.5</p> <p>4+00 41.6 27.88 13.7</p> <p>5+00 42.0 28.38 13.6</p> <p>6+00 41.1 28.38 12.7</p> <p>7+00 41.7 29.18 12.5</p> <p>8+00 41.6 29.68 11.9</p> <p>9+00 41.5 30.08 11.4</p> <p>4+69</p> <p>4+69</p> <p>7+70</p> <p>9+55</p> <p><i>PROPOSITION "C"</i></p> <p>0+00 13.0' 0+00</p> <p>1+00 " 1+174</p> <p>2+00 " 1+690 (2+48) 82790-8127 W. New York Kennedy Hwy. 2-2-65</p> <p>3+00 " "</p> <p>4+00 12.0' 4+630 (3+06) B6164 - 8202 Babemeyer - Jais Lumber Service - 8-10-64</p> <p>5+00 " 5+080</p> <p>6+00 11.5' 6+990 top (2+49) B-266 - 8201 W. New York - 10-11-63 Kennedy Hwy</p>												

" C 28620 - 7399 N. Central - 10/22/71 - Ba McCoy - Private line set from 10+61 west - 6" PVC opening

" C 39864 - 8429 Hilary - 7/5/73 - Aves (7+75.3)

94 97897 62094 834 N SOORA (Eye Clinic) (Tap 10' N of 0+00 shown in Box I 210) 4" sch 40 PVC

CONSTRUCTION RECORD

SERVICE RECORD

STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS	
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East
Main "F"												
0+00	12.7	04.11	8.6	0100								
1+00	12.8	04.40 out 04.40 in 04.50	8.4	0198 8								
2+00	12.9	05.00	7.9									
3+00	12.9	05.50	7.4									
4+00	12.5	06.00	6.5									
5+00	12.2	06.50	5.7	4+98 2								
6+00	12.1	07.00	5.1									
7+00	12.4	07.50	4.9		7+51		top # 3981		7310 W. Central		7-18-67	Temporary
8+00	12.7	08.00	4.7									
9+00	13.5	08.50 out 08.50 in 08.60	5.0	8+98 2								
10+00	20.0	10.05	10.0									
	16.6	10.96	5.6	10+61 2								
11+00	17.6	11.90	5.7		11+70.6		top # C15021		7301 W. Central		7-21-69	
12+00	20.6	14.30	6.3		11+74 top		290067		7333 W. Central		7-24-71	
13+00	23.6	16.70	6.9		11+74.0		C28503		7399 W. Central		10-8-71	
14+00	28.4	19.10	9.3		11+74 top		310077		7343 W. Central		7-24-71	
	29.5	20.24	9.3	14+48 2			C5812		7335 W. Central		11-20-67	
15+00	30.4	20.40	10.0									
16+00	32.0	20.70	11.3		16+20	6" top	C21344		7327 W. Central		10-13-70	
17+00	31.9	21.00	10.9									
18+00	33.0	21.30	11.7		17+58.1 TAP		252A3		60' N. Ridge		4-25-90	
	33.2	21.39 out 21.39 in 21.48	11.8	18+28 4								
19+00	33.5	21.77	11.7									
20+00	34.6	22.17	12.4									
21+00	35.6	22.57	13.0									
	36.2	22.72 out 22.72 in 22.88	13.5	21+38 2								
22+00	36.2	23.13	13.1									
	36.3	23.41	12.9	22+69 85								
23+00	36.4	23.53	12.9		23+39.45		C23840		7308 W. Central		4-20-71	
24+00	36.4	23.93	12.5		23+63.85		C22985		505 Acadia		2-18-71	
25+00	36.5	24.33	12.2									
	36.0	24.65	11.4	25+78 25			25+04.45		1151 Acadia		12-27-76	
26+00	35.8	24.75	11.1				25+68.95		411 Acadia		12-27-76	
27+00	34.2	25.25	9.0				26+20.8		433 Acadia		10-5-76	
28+00	33.0	25.75	7.3				28+76.6		411 Acadia		11-7-71	
	33.4	26.10	7.3	28+68 2								
29+00	34.0	26.25	7.8									
	33.8	26.38	7.4	29+24 2			C14885		401 Acadia		7-10-69	
Lat. F-2												
0+00	33.3	22.18	11.1	Exist. 0+00	0+39.5 top		3493		515 T. Ridge		6-15-81	
1+00	33.1	22.58	10.5				1+70.0 top	9885	504 Acadia		12-13-84	
2+00	32.9	22.98	9.9				2+26.0 top	9884	503 Acadia		12-13-84	
3+00	32.6	23.38	9.2		top 2+69.4			C25186	454 Acadia		6-30-71	
	32.9	23.60	9.3	3+55 2	3+76.9			C61086	450 Acadia		5-10-77	
4+00	32.4	23.74	8.7									
5+00	32.0	24.04	8.0		top 5+13			C24236	434 Acadia		5-10-71	
6+00	32.1	24.34	7.8									
7+00	32.0	24.64	7.4		7+28.6 top			1633	410 Acadia		10-30-80	
	32.1	24.66	7.4	7+10 2								
8+00	32.3	24.94	7.4		top 8+24			C24766	381 Acadia		6-7-71	
9+00	32.5	25.24	7.3		top 9+37			Repair Permit B6119	366 Acadia		8-3-66 (10+17.7)	
10+00	32.8	25.54	7.3		top 9+50.6			95-14527	380 R. Beunswick		2-1-95	
	32.9	25.71 out 25.71 in 26.35	7.2	10+61 32								
11+00	33.0	26.47	6.5		top			C41816	358 Acadia		10/23/73	
12+00	33.0	26.77	6.2									
13+00	33.0	27.07	5.9				13+04.3		344 Acadia		10-24-77	
	33.1	27.27	5.8	13+72 2								
14+00	33.1	27.38	5.7		top 14+84.6							
15+00	32.9	27.78	5.1									
16+00	32.8	28.18	4.6									
	32.6	28.50	4.1	16+80 2								

per written to be sealed & reconnected to new water main completed.

SW R 2055-02804 12.29.00 7201-33.05 S.D. Central - A & HENNING - slow concrete 2' from main 50' S of MH 10+61 (11+11)

15423-749 7/24/91 - top - 8-8-62 Lady Abby - (top in N.W. 4+98)

00229 7/24/91 - 7333 W. Central - W/C - Jim Morris -

00930 7/24/91 - 7343 W. Central - W/C - Jim Morris -

CONSTRUCTION RECORD						SERVICE RECORD						
STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS	
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East
Lat. F-3												
0+00	36.4	25.75	10.7	Exist. 0+00								
1+00	36.0	26.15	9.9		0+12.9 Tap	1+36	C54491	C25240	7325	7316	3-29-76	7-1-71
2+00	35.6	26.55	9.1		1+48	2+28	C54490	C36370	7335	7336	3-29-76	12-18-72
	35.4	26.86	8.6			2+65.5		C65726	7334	7335		4-19-78
	35.4	26.86	8.5	2+52					7345	7346	3-29-76	6-27-73
3+00	35.2	27.05	8.2		2+27.6	3+12.4	C54488	C39755	7355	7356	3-29-76	4-16-71
4+00	34.9	27.45	7.5		2+80	4+52	C81487	C23973	7405	7406	3-29-76	11-20-70
5+00	35.0	27.85	7.2		4+14	5+32	C54485	C-31874	7411	7412	3-29-76	5-25-71
6+00	35.1	28.25	6.9		4+58	5+98	C54486	C24559	7411	7426	3-29-76	3-29-76
	35.2	28.45	6.8		7+11	7+81	C33269	C94495	504	509	6-29-70	3-29-76
	35.2	28.55	6.7	6+50					532 Brown	515	2-18-71	3-29-76
7+00	35.1	28.75	6.4		7+88	8+28	C22989	C54497	540	525	4-13-71	3-29-76
8+00	35.2	29.15	6.1		8+80	9+68	C27891	C54498	548	535	4-13-71	3-29-76
9+00	35.5	29.55	5.9		9+37	10+12	C27899	C54500	556 N	556 N	2-16-71	
10+00	35.8	29.95	5.9		10+24		C22941		Bramshrub			
	36.0	30.14	5.9	10+48								
11+00	36.2	30.35	5.9									
12+00	36.4	30.75	5.7									
13+00	35.6	31.15	4.5			13+05		C19560	609	Denneworth		6-3-70
	34.8	31.43	3.4	13+45	13+70			C5202	622	Denneworth	3-8-66	9-30-71
14+00	35.6	31.55	4.1			14+21		C37511	630	Denneworth		2-28-73
15+00	36.6	31.95	4.7		14+45			C5203	630	Denneworth		2-8-66
	36.4	32.16	4.2	15+52								
16+00	36.2	32.45	3.8									
	36.2	32.50	3.7	16+12		15+69		C5140	7529	Denneworth		2-25-66
Lat. F-3-C												
0+00	36.2	32.26		Exist. 0+00								
	36.2	32.50		0+60	Tap 0+79.4		C1020		7523	Denneworth	12-6-66	8+29.4
Lat. F-3-B												
0+00	35.2	28.55	6.7	Exist. 0+00	Tap 0+10		C24235		518 Brown	Shrub	5-10-71	
	35.2	28.83	6.4	0+55	0+51		C-21878		742	Denneworth	11-20-70	

CONSTRUCTION RECORD

SERVICE RECORD

STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS	
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East
Lat. F-3-A												
0+00	35.5	27.91	7.6	Exist. 0+00								
1+00	35.7	28.30	7.4									
	35.8	28.21	7.4									
	35.8	1728.51	7.3	1+250	2+57.7		C54494		514 Dunsmuir		3-29-76	
2+00	35.4	28.81	6.6			2+85.2		C61160	524 Dunsmuir	7334 Newell		5-16-78
	35.2	1728.97	6.2	2+390	3+44.6		C54493		524 Dunsmuir		3-29-76	
3+00	35.0	29.31	5.7									
4+00	34.8	29.71	5.1		3+06.8		C54492		514 Dunsmuir		3-29-76	
	34.6	29.94	4.7	4+570								
5+00	34.7	30.11	4.6		tap (5+89)				602 R Dunsmuir		1016-06	
6+00	34.9	30.51	4.4		5+88.1		C41079		610 Country drive		9-5-73	8-2-68
	35.1	1730.81	4.3	6+750	6+28.4	6+99.4	C21680	C12229	618 Dunsmuir	Country drive	11/9/70	1-16-69
	35.2	1730.91	4.2	tap (7+12)	7+63		C41080	C9908	618 Dunsmuir	Country drive	9-5-73	8-2-68
7+00	35.2	31.01	4.2		tap (7+83)	8+45.6	C41081	C9909	636 Dunsmuir	Country drive	9-5-73	8-2-68
8+00	36.0	31.41	4.6		tap (9+43)		C60314		646 Dunsmuir		3-9-77	
9+00	36.4	31.81	4.6		9+47.0	9+22.0	C6586	C0692	7405-09 Central	651 County ARCS	1-25-68	5-17-68
	36.6	32.00	4.6									
Lat. F-2-A												
0+00	32.9	25.83	7.1	Exist. 0+00								
1+00	32.9	26.13	6.8									
2+00	33.0	26.43	6.6									
3+00	33.4	26.73	6.7		2+02.0		22819		376 Brunswick		3-30-89	
	33.5	1726.76	6.7	3+110	3+58		C12031		370 Brunswick		12-16-88	
4+00	33.8	27.13	6.7		4+37		C19293		360 Brunswick		12-20-68	
5+00	34.2	27.43	6.8		4+73.2		C16541		354 Brunswick		5-14-70	
6+00	33.6	27.73	5.9	6+165	6+67.5	6+64.2	C15417	C64228	348 Brunswick		10-30-69	
	33.5	27.77	5.7		5+68.5		C18601		336 Brunswick	Acadia	8-15-69	11-22-77
7+00	33.0	28.11	4.9		8+98.5	8+21 tap	C20414	C94917	342 Brunswick	Acadia	3-27-70	
8+00	32.5	28.51	4.0		8+21 tap				312 Brunswick	Acadia	4-15-88	1-22-92
9+00	32.9	28.91	4.0		9+36.0				300 See next pg for reconnect		2-26-06	
	33.0	29.05	4.0								5-18-65	
Lat. F-4												
0+00	36.2	27.53	8.7	Exist. 0+00								
1+00	35.8	27.93	7.9									
	35.6	1728.07	7.5	1+340								
	35.6	1728.17	7.4			3+03						
2+00	35.2	28.43	6.8			3+83.3						
3+00	35.2	28.83	6.4									
4+00	33.6	29.23	4.4		4+55		C20148		7421 Engle		7-16-70	
5+00	34.6	29.63	5.0									
	34.4	1729.69	4.7	5+140								
	34.7	1729.79	4.6	5+60								
	34.7	30.00	4.7									
Lat. F-4-A												
0+00	34.4	29.79	4.6	Exist. 0+00								
	34.9	29.98	4.9	0+480								

N/C 2518 - 642 Dunsmuir 1-29-81 (9+47.0) (8+83.5) (63.5' S of 1st)

CONSTRUCTION RECORD

SERVICE RECORD

STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS	
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East
Lot. F-5												
0+00	33.2	26.28	6.9	Exist. 0+00	(0+62)	(0+57.4)	C9504	E588	2323	379	7-9-68	6-23-66
1+00	34.3	26.58	7.7		(1+29.1)	1+50	C35616	C22673	7333	375	10-26-72	1-25-71
2+00	35.2	26.88	8.3									
3+00	35.3	27.18	8.1									
	35.2	27.40	7.8									
	35.2	27.50	7.7	3+77 ⁶⁵								
4+00	35.2	27.57	7.6									
	35.2	27.74	7.5									
	35.2	27.84	7.4	4+54 ⁴⁵								
5+00	35.2	27.98	7.2									
6+00	35.1	28.28	6.8									
7+00	35.1	28.58	6.8									
8+00	35.0	28.88	6.1									
	35.0	28.94	6.1	8+20 ²								
9+00	34.6	29.18	5.4									
10+00	34.0	29.48	4.5									
11+00	33.2	29.78	3.4									
	33.4	30.00	3.4	11+74 ⁴								
Lot. F-5-A												
0+00	35.2	27.51	7.7	Exist. 0+00								
	35.2	27.76	7.4	0+50 ²								
2002-01176- 300 Brownthrusn - 4(24)02 Roto-Rooter - 4" SCH 40 17U1WCO												

2001-00414- 2/26/01- 300 N Brunswick - Overnight - slo w/concrete straight w of mt 24'
2001-00371 2/21/01- 300 N Brunswick - Overnight sucs - mt TAP per city sewer - 1H45

J-185c

2002-01225 4/29/02 426 N Brownthrush - Olson Sewer - 4" scudo - 2 Fernco, 1H22, 1TW100

