



6\"/>

1002
Maize Rd
1001



Scale 1" = 150'

NOTE: City does not maintain any of the 4" Leads. Maintains only 8" Lateral and 6" Leads in utility easement only.
 LAT 287, SW INTERCEPTOR 468-82000 (740183) 31896
 Built By WILDCAT CONST. BR
 Booked 3-6-91 from As Built Plan.

sto 2000-02437-111900-570 S Wetmore Ct - HD Hills - so 48' W of EPL + 18' from center of street - No cuts

This 6" Line is part of Bldg Sewer for SSO wetmore and is maintained by homeowner to city MH & NO City Maint on 6" Line Refers LTR M-145 Dtd 11-6-96
 From sewer main 6" to homeowner BR 11696

82.08
500 enclosed
photo this line
not shown

CONSTRUCTION RECORD						SERVICE RECORD							
STATION	ELEVATION		Depth	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS		
	Ground	Grade			North West	South East	North West	South East	North West	South East	North West	South East	
LAT 287, SW I													
0+00	124.36	108.25	16.1	0+00									
	125.4	108.44 OUT 108.56 IN	16.9	0+71.4									
1+00	123.0	108.72	14.3										
2+00	120.3	109.27	11.0										
	121.83	109.72 OUT 116.88 IN	12.1	0+00 L-3 2+82.5	2+03.5 rop		21-0955071	616 South Wetmore	(rear)		3-11-91		
3+00	121.5	116.98	4.5										
	125.06	117.30 OUT 119.70 IN	7.8	3+56.1		104.7'-6" SW SSW		76-26817	1052 Maize		3-1-96		
4+00	129.1	119.88	9.2										
					4+51 4" NE	4+15 4" SW		26552	658 Wetmore		11-13-90		
5+00	128.5	120.30	8.2										
	128.66	120.57	8.1	0+00 L-2 5+46.3		5+26 4"		26958	620 Wetmore		12-13-90		
6+00	127.7	120.71	7.0										
						7+08 4" S							
7+00	126.5	121.13	5.4										
	124.29	121.24	5.1	7+25.1		7+19 4" S		26566	616 S Wetmore	510 10' W of EPL + 29.5 from of Street	10-2-00 11-19-90		
8+00	126.5	121.46	5.0		8+01 4" N	7+98 4" S		27306	26695	660 Wetmore	667 S. Wetmore	3-25-91	12-7-90
9+00	126.3	121.76	4.5		9+02 4" N			26696	668 Wetmore		12-7-90		
10+00	126.0	122.06	3.9			10+01 4" S		26697	26680	678 Wetmore	677 S. Wetmore	12-7-90	12-6-90
					10+07 4" N	10+03 4" S		74-45347	26681	688 S. Wetmore	687 S. Wetmore	3-31-94	12-6-90
11+00	126.0	122.35	3.7			11+10 4" S							
	127.2	122.65	4.6	11+99.2									
12+00													
13+00	130.2	123.93	6.3			13+10 4" E		91-20377		648 Wetmore		4-5-91	4-5-91
14+00	133.3	125.20	8.1			14+51 4" E		72-59827		624 Maize Rd		4-24-92	
15+00	136.5	126.47	10.0			15+41 4" E		94-4187		612 S. Maize Rd		1-6-94	
16+00	139.0	127.73	11.3			16+31 4" E							
17+00	140.0	129.00	11.0										
	140.39	129.28	11.1	17+21.9									
18+00	139.6	129.53	10.1			17+38 4" E		26778		554 Maize		12-18-90	
19+00	138.4	129.84	8.6			19+21 4" E		26775		546 S. Maize		12-18-90	
20+00	136.3	130.14	6.1			19+30 4" E		94-26477		532 S. Maize Rd		2-18-94	
						20+65 4" E		26748		524 S. Maize Rd		12-13-90	
21+00	134.5	130.47	4.0			21+35 4" E		26651		512 S. Maize Rd		11-30-90	
22+00	135.3	130.79	4.5										
	135.81	130.85	5.0	22+20.1		22+43 4" E		20861		504 S Maize Rd		4-12-91	
23+00	135.3	131.26	4.0			23+06 4" E		26723		446 Maize Rd		12-12-90	
24+00	136.3	131.76	4.5			25+81 4" E							
25+00	137.0	132.27	4.7										
26+00	137.7	132.78	4.9			6" stub NE		26664		412 S. Maize Rd		2-4-90	
26+00	138.38	133.14	5.2	26+74.4									
LINE 3	0+00	121.83	118.00	3.8	0+00								
	1+00	121.8	118.35	3.5									
		122.61	118.62	4.0	1+77.6	120'-6" stub NNE		96-18487		550 Wetmore		10-30-96	
LINE 4	0+00	128.45	122.96	5.5	0+00								
	1+00	129.2	123.28	5.9									
						1+60 4" N		19797		538 Wetmore		4-5-91	
2+00	129.0	123.60	5.4										
3+00	128.5	123.91	4.6					2000-02437		570 S16 Wetmore	See next pg	11-9-00	
						3+92 4" N	3+90 4" S	94-22377	27260	542 Wetmore	570 S16 Wetmore	9-12-91	3-18-91
4+00	129.4	124.23	5.2			4+80 4" S		94-8557		562 S. Wetmore		1-21-94	
5+00	130.0	124.55	5.5										

Form #192-020 (July, 1981)

92-2831-7 2/28/92 - 602 S. Maize Rd - Brand Pkwy - D.L. advised job canceled by homeowner. This permit voided. (7/14/92)

96-18148-7 10-30-96 550 S. Wetmore Ct - Old approval as 4" sch 40 PVC Bldg line only. Inspector informed homeowner the 6" line was 4' deep. Running trap may cause problems. Homeowner agreed to accept respons. for 6" line to City M.U.