



CONSTRUCTION RECORD						SERVICE RECORD						
STATION	ELEVATION		DEPTH	MANHOLE	4-INCH "Y" BRANCHES		No. of Permit		House Number		DATE OF PERMITS	
	GROUND	GRADE			North West	South East	North West	South East	North West	South East	North West	South East
LATERAL 1, MAIN 11, FOUR MILE CREEK SEWER (CONT. FROM P-240)												
7+00	201.60	180.68	20.9		6+44 4" E 17V15H							
	201.90	181.04 out	20.9	7+90.7	7+45 4" E 17V15H		2005-2095		12611 Baxthorn			11-28-05
	201.90	181.14 in	20.8									
8+00	201.40	181.18	20.2									
9+00	200.10	181.58	18.5									
10+00	198.00	181.98	16.0		9+89 4" N 13V15H							
11+00	196.30	182.38 out	13.9	11+00.7 = 0+00L-3A								
	196.30	182.48 in	13.8									
12+00	194.00	182.88	11.1				2002-02393		12709 E Baxthorn			8-29-02
13+00	192.10	183.28	8.8									
14+00	190.00	183.68	6.3									
	189.60	183.82 out	5.8	14+35.7								
	189.60	183.92 in	5.7				2002-02394		12713 E Baxthorn			8-29-02
15+00	189.90	184.18	5.7									
16+00	189.00	184.59	4.4				2002-02399		12717 Baxthorn CT			10-16-02
	188.40	184.80	3.6	16+53.1								
0+00 L-3A	196.30	182.48	13.8	0+00 = 11+00.7 L-3								
1+00	195.70	183.96	11.7				2002-02392		12705 Baxthorn			10-29-02
2+00	196.50	185.45	11.1				2002-02454		12701 Baxthorn			9-6-02
	196.20	186.10 out	10.1	2+44.1			2003-02673		12623 Baxthorn			10-16-03
	196.20	186.20 in	10.0									
3+00	196.10	186.45	9.7									
	197.20	186.60 out	10.6	3+33.8								
	197.20	186.70 in	10.5									
4+00	198.40	187.96	10.4									
	199.80	189.00	10.8	4+54.3	4" STUB NW 189.35							
0+00 L-4	203.30	173.03 out	30.3	0+00 EXISTING								
	203.30	193.74 in	9.6	OUTSIDE DROP								
1+00	202.80	195.28	7.5		1+06 4" E 4V13H	2003-01057	2003-02693	2502 Eagle	2501 Woodridge		4-18-03	10-17-03
	202.80	196.02 out	6.8	1+47.6		2003-03326	2003-01087	2503 Eagle	2505 Woodridge		12-10-02	4-22-03
	202.80	196.12 in	6.7									
2+00	203.50	196.33	7.2				2003-05559		2509 Eagle			3-30-03
3+00	205.50	196.73	8.8									
	206.30	196.80	9.5	3+16.7	4" STUB NE 197.15	2003-01721	2003-02069	2513 Woodridge	2509 Woodridge		7-1-03	8-6-03
0+00 L-5	206.20	175.50 out	30.7	0+00 EXISTING								
	206.20	176.08 in	30.1									
1+00	201.60	176.69	24.9									
	200.30	176.92 out	23.4	1+38.4 = 0+00 L-5A								
	200.30	177.02 in	23.3									
2+00	199.60	177.27	22.3									
3+00	199.40	177.67	21.7									
	195.50	178.06 in	17.4	3+97.6 = 0+00 L-5B								
	195.50	178.16 out	17.3									
4+00												
					4+94 4" S 11V15H							
5+00	193.20	178.57	14.6									
	192.00	178.90 out	13.1	5+80.3								
	192.00	179.00 in	13.0									
6+00	191.40	170.08	21.3									
7+00	189.70	179.48	10.2									
					7+71 4" W 9V5H	2003-03138			2504 Davin			12-27-05
8+00	193.50	179.89	13.6		8+52 4" W 10V5H							
	193.40	180.28 out	13.1	8+96.7								
	193.40	180.38 in	13.0									
9+00												
					9+58 4" N 8V14H	2004-00187			12710 Baxthorn			1-20-04
10+00												
	190.80	180.80	10.0	10+01.7	4" STUB NE 181.13							

LINE 3

