

OPERATING ENGINEERS ADDITION

SEDGWICK COUNTY, KANSAS

*filed
March 3-30-01*

State of Kansas) SS
Sedgwick County)


We, Savoy, Ruggles & Bohm, P.A., Surveyors in aforesaid county and state do hereby certify that, under the supervision of the undersigned, we have surveyed and platted "OPERATING ENGINEERS ADDITION", Sedgwick County, Kansas and that the accompanying plat is a true and correct exhibit of the property surveyed, described as follows:

That part of the NW1/4 of Sec. 22, Twp. 29-S, R-1-W of the 6th P.M., Sedgwick County, Kansas described as commencing at the N.E. Corner thereof; thence S90°W, along the north line of said NW1/4, 60 feet for a place of beginning; thence continuing S90°W, along the north line of said NW1/4, 425 feet; thence S00°10'37"W, parallel with the east line of said NW1/4, 565 feet; thence N90°E, 425 feet; thence N00°10'37"E, 565 feet to the place of beginning.

All Public easements and dedications being vacated by virtue of K.S.A. 12-512(b).

Savoy, Ruggles & Bohm, P.A.

Date 15MARCH

 Mark A. Savoy, RLS #788
Surveyor

Know all men by these presents that we, the undersigned, have caused the land described in the surveyors certificate to be platted into a Lot, Block and Street to be known as "OPERATING ENGINEERS ADDITION", Sedgwick County, Kansas. The Street is hereby dedicated to and for the use of the public. A drainage plan has been developed for this plat and all drainage easements, and rights-of-way shall remain at established grades or as modified with the approval of the County Engineer, and unobstructed to allow for the conveyance of stormwater. Access Controls are hereby granted to the appropriate governing body (as indicated on the face of the plat).

The Trustees of The Local 101 Hoisting Engineers Apprenticeship & Skill Improvement Fund.

Robert O. Matter Administrative Manager
Robert O. Matter

State of Missouri) SS
Platte County)

The foregoing instrument acknowledged before me, this 23 day of March, 2001, by Robert O. Matter, Administrative Manager of The Trustees of The Local 101 Hoisting Engineers Apprenticeship & Skill Improvement Fund, on behalf of the Fund.

Constance J. Dowdell Notary Public

My App't. Exp. 8/10/2001

CONSTANCE J. DOWDELL
Notary Public - Notary Seal
STATE OF MISSOURI
PLATTE COUNTY
My Commission Expires 8/10/2001

This plat of "OPERATING ENGINEERS ADDITION", Sedgwick County, Kansas, has been submitted to and approved by the Wichita-Sedgwick County Metropolitan Area Planning Commission, Wichita, Kansas.

Dated this _____ day of _____, 2000.

Wichita-Sedgwick County Metropolitan Area Planning Commission

Chairman
Christopher S. Carraher

Secretary
Marvin S. Krout

State of Kansas) SS
Sedgwick County)

This Plat has been approved on all dedications shown hereon, accepted by the Board of Commissioners of Sedgwick County, Kansas, this _____ day of _____, 2001.

Chair
Carolyn McGinn

County Clerk
Don Brace

Entered on transfer record this _____ day of _____, 2001.

County Clerk
Don Brace

Reviewed in accordance with K.S.A. 58-2005 on this 29th day of March, 2001.



Tricia L. Robello Deputy County Surveyor
Tricia L. Robello, LS #1246
Sedgwick County Kansas

State of Kansas) SS
Sedgwick County)

This is to certify that this plat has been filed for record in the office of the Register of Deeds, this _____ day of _____, 2001, at _____ o'clock _____ M.; and is duly recorded.

Register of Deeds
Bill Meek

Deputy
Linda Kizzire





Wichita-Sedgwick County Metropolitan Area Planning Department

September 21, 2000

Savoy, Ruggles and Bohm, P.A.
924 N. Main Street
Wichita, KS 67203

RE: SUB 2000-74 -- One-Step Final Plat of OPERATING ENGINEERING ADDITION

At the regular meeting of the Metropolitan Area Planning Commission on September 21, 2000, the above captioned plat was considered. The action of the Planning Commission was to recommend that the plat be approved as recommended by the Subdivision Committee subject to the conditions stated in our letter of September 15, 2000.

In addition to complying with those conditions, it is necessary that you meet the following requirements before this plat can be forwarded to the City Council and/or County Commission for consideration:

1. Submission of the fully completed and signed tracing of the subdivision, along with four (4) copies, to the Metropolitan Area Planning Department.
2. Submission of a check, made out to the Register of Deeds, covering the costs of any documents to be recorded as a requirement of platting.
3. Subdivision regulations now require a detailed Lot Grading Plan be submitted to Engineering prior to the tracing being released. This applies to all multi-lot, residential developments.
4. Submission of a disk to the Planning Department detailing the final plat in digital format in Autocad. This will be used by the City and County GIS Departments.

PLEASE NOTE: *The MAPC Chairman needs to be revised to reference, "Christopher S. Carraher".*

If you have any questions concerning this matter, please call.

A handwritten signature in cursive script that reads 'Neil Evan Strahl'.

Neil Evan Strahl, Senior Planner
Current Plans Division

City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 F 316.268.4390

www.wichitagov.org



Wichita-Sedgwick County Metropolitan Area Planning Department

September 15, 2000

Savoy Ruggles and Bohm, P.A.
924 N. Main Street,
Wichita, KS 67203

SUB 2000-74 -- One-Step Final Plat of OPERATING ENGINEERS ADDITION

At the regular meeting of the Subdivision Committee of the Metropolitan Area Planning Commission on Thursday, September 14, 2000, the above captioned plat was considered. The action of the Committee was to approve the final plat, subject to the following:

STAFF COMMENTS:

- A. Since neither municipal water nor sanitary sewer is available to serve this property, the applicant shall contact the Environmental Health Division of the Health Department to find out what tests may be necessary and what standards are to be met for approval of on-site sewerage facilities and water wells. A memorandum shall be obtained specifying approval. The Health Department has required a restrictive covenant prohibiting non-domestic uses on the site until public sewer is available.
- B. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning department for recording.
- C. County Engineering needs to comment on the status of the applicant's drainage plan. The drainage plan is approved. The operation of equipment on adjoining property to the west could impact the floodplain and permits may be required.
- D. The applicant is reminded that a platting binder is required with the final plat. Approval of this plat will be subject to submittal of this binder and any relevant conditions found by such a review.
- E. A "Notice of Protective Overlay" document indicating the Protective Overlay has been filed with the MAPD shall be submitted.
- F. The plattor's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.

City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 F 316.268.4390

www.wichitagov.org

- G. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- H. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- I. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-729-0102) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- J. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- K. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- L. Perimeter closure computations shall be submitted with the final plat tracing.
- M. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- N. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- O. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.

CHRISTOPHER S. CARRAHER

- P. The MAPC Chairman needs to be revised to reference, "Jerry Michaelis".

If this plat requires the guaranteeing of improvements, a list of the five methods which have been adopted as being acceptable is available through the Planning Department. Certificates, which are required if petitions are submitted, and forms for the Bond and Irrevocable Letter of Credit are also available from this office.

The enclosed "marked" copy of the final plat is for your information and files.

This matter will be forwarded to the Planning Commission for its consideration on Thursday, September 21, 2000, at 1:00 p.m.

STAFF REPORT
(One-Step Final Plat Approved 9/14/00)

CASE NUMBER: SUB 2000-74 -- OPERATING ENGINEERS ADDITION

OWNER/APPLICANT: Operating Engineers Local 101, Attn: Robert Matter, P.O. Box 197, Platte City, MO 64079

SURVEYOR/ENGINEER: Savoy, Ruggles & Bohm, 924 N. Main, Wichita, KS 67203

LOCATION: South side of 95th St. South, East of Ridge Road

SITE SIZE: 5.51Acres

NUMBER OF LOTS


Residential:	
Office:	
Commercial:	
Industrial:	1
Total:	1

MINIMUM LOT AREA: 5.02 Acres

CURRENT ZONING: RR, Rural Residential

PROPOSED ZONING: LI, Limited Industrial

VICINITY MAP



Note: This site is located in the County in an area designated as "rural" by the Wichita-Sedgwick County Comprehensive Plan. The site was approved for a zone change from RR, Rural Residential to LI, Limited Industrial (ZON 2000-25) subject to platting. The site is also subject to a Protective Overlay addressing permitted uses, site plan and landscaping.

STAFF COMMENTS:

- A. Since neither municipal water nor sanitary sewer is available to serve this property, the applicant shall contact the Environmental Health Division of the Health Department to find out what tests may be necessary and what standards are to be met for approval of on-site sewerage facilities and water wells. A memorandum shall be obtained specifying approval. *The Health Department has required a restrictive covenant prohibiting non-domestic uses on the site until public sewer is available.*
- B. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning department for recording.
- C. County Engineering needs to comment on the status of the applicant's drainage plan. *The drainage plan is approved. The operation of equipment on adjoining property to the west could impact the floodplain and permits may be required.*
- D. The applicant is reminded that a platting binder is required with the final plat. Approval of this plat will be subject to submittal of this binder and any relevant conditions found by such a review.
- E. A "Notice of Protective Overlay" document indicating the Protective Overlay has been filed with the MAPD shall be submitted.
- F. The platting text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- G. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- H. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- I. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-729-0102) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- J. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.

SUB 2000-74 -- One-Step Final Plat of OPERATING ENGINEERS ADDITION
September 21, 2000 - Page 3

- K. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- L. Perimeter closure computations shall be submitted with the final plat tracing.
- M. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- N. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- O. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.
- P. ***The MAPC Chairman needs to be revised to reference, "Jerry Michaelis".***