Ref. Book No. C.H. Mills - Re.

Scale 1"=80'

-0.5929% +0.40 WK

+0.4065% +0.40 WK.

+1.5019% +0.40 WK.

-0.6942% +0.40 WK

+0.9878% +0.40 WK.

+1.400% +0.40 WK

Caution: Underground electric control cable to city water wells. Use extreme care during st. excavation.

Pavement not built as per plan
Changed by Field Engr
1/2 reverse curve at Sta 2+50

JAE 7/25/51

*NOTE: BASE LINE ON EAST PROPERTY LINE OF PERRY WHICH IS 30' WEST OF EAST LINE PERRY AVE. & MCKEE.

Excavation
Property
59.8
71.8
62.2
50.9
38.5
19.1
9.6
7.4
4.3
2.4
1.7
6.1
55.7
359
456.6
+10% 45.7
5023 cu.yds.

STREET:	PERRY AVE.
LIMITS:	N.L. MCKEE - W.L. WOODBROW CT.
TYPE CONST:	30' CONC. & C.B.
CITY OF:	WICHITA, KANSAS
CITY ENGINEER:	L.K. White
DATE:	3-18-51 PROJ. NO.: C10-182
DEPARTMENT OF:	ENGINEERING

(8)

Ref. Book No. C.H. Mills-Te.

Scale 1"=80'

-0-86 0400 0450 1400 +50 2100 2120 3400 3450 4100 +50 5100 +50 6100

-0.598% +0.40 WK. | P.C. 2100 | 2120 P.C. 2153.8 Sta 2154 P.I. 100' V.C. Elev. 122.62 | P.T. 3400 P.T. Hor. Curves Eye in forms. | +0.426% +0.40 WK. P.C. | Elev. 1236 100' V.C. P.T. | +1.501% +0.40 WK.

0450 RECEIVE Forms to be eyed in.

8" San. Sewer

648' H2O Main (8" East of West R.)

Install 1-2" C.B. & Sta. 2154

1"=20'

1"=50'

PEERY AVE.

Base Line

Existing Curb

Underground Electric Cable

-0.69% +0.40 WK.

2454 P.I. 100' V.C. Elev. 122.18

Install 1-2" C.B. & Sta. 2454

+0.987% +0.40 WK.

+1.400% +0.40 WK.

Caution: Underground electric control cable to city water wells. Use extreme care during st. excavation.

Platted 10'R Calculated 8'R

Platted

Platted

Platted

Platted

McKEE

WOODROW

COURT

Elev. 1220 Existing

Underground electric cable

Elev. 1220 Existing

Elev. 1220 Existing

Elev. 1220 Existing