

BM 1--103.02 SE COR CONC PARKING MOBILE STATION NW COR HILLSIDE & CONNANORE
 BM 2--111.08 RR SPIKE W FACE PP 10'E & 6'N OF IRON SE COR RUTAN & ROSS PARKWAY
 BM 3--109.52 SW COR OF W CONC PORCH JARDINE INTERMEDIATE SCHOOL
 BM 4--115.07 NW COR LOWER CONC STEP NO SE COR ROSS PARKWAY & LEAHY CT
 BM 5--124.35 BRIDGE SPIKE SS PP W SIDE ROOSEVELT & ROSS PARKWAY

CURVE DATA: $\Delta=44.28^\circ$ L.C. = 529.55' RAD. = 699.76' DEF/FT. = 2.45636'							
STA.	ARC LENGTH	CHORD LENGTH				DEFLECTION	TOTAL DEFLECTION
		S' OF LT LANE	S' OF RT LANE	S' OF LT LANE	S' OF RT LANE		
2+52.62	27.51	25.47	25.88	27.82	29.22	0.00 00	
3+00	30.00	26.56	27.12	30.85	33.42	1.00 17	
3+30	30.00	26.56	27.12	30.85	33.42	2.00 34	
3+60	30.00	26.56	27.12	30.85	33.42	3.00 51	
3+90	30.00	26.56	27.12	30.85	33.42	4.01 08	
+529.55	30.00	26.56	27.12	30.85	33.42	5.01 25	
4+20	30.00	26.56	27.12	30.85	33.42	6.01 42	
4+50	30.00	26.56	27.12	30.85	33.42	7.01 59	
4+80	30.00	26.56	27.12	30.85	33.42	8.02 16	
5+10	30.00	26.56	27.12	30.85	33.42	9.02 33	
5+40	30.00	26.56	27.12	30.85	33.42	10.02 50	
5+70	30.00	26.56	27.12	30.85	33.42	11.03 07	
6+00	30.00	26.56	27.12	30.85	33.42	12.03 24	
6+30	30.00	26.56	27.12	30.85	33.42	13.03 41	
6+60	30.00	26.56	27.12	30.85	33.42	14.03 58	
6+90	30.00	26.56	27.12	30.85	33.42	15.04 15	
7+20	30.00	26.56	27.12	30.85	33.42	16.04 32	
7+50	30.00	26.56	27.12	30.85	33.42	17.04 49	
7+80	30.00	26.56	27.12	30.85	33.42	18.05 06	
8+10	30.00	26.56	27.12	30.85	33.42	19.05 23	
8+40	30.00	26.56	27.12	30.85	33.42	20.05 40	
8+70	30.00	26.56	27.12	30.85	33.42	21.05 57	
9+00	30.00	26.56	27.12	30.85	33.42	22.06 14	
9+30	30.00	26.56	27.12	30.85	33.42	23.06 31	
9+60	30.00	26.56	27.12	30.85	33.42	24.06 48	
9+90	30.00	26.56	27.12	30.85	33.42	25.07 05	
10+20	30.00	26.56	27.12	30.85	33.42	26.07 22	
10+50	30.00	26.56	27.12	30.85	33.42	27.07 39	
10+80	30.00	26.56	27.12	30.85	33.42	28.07 56	
11+10	30.00	26.56	27.12	30.85	33.42	29.08 13	
11+40	30.00	26.56	27.12	30.85	33.42	30.08 30	
11+70	30.00	26.56	27.12	30.85	33.42	31.08 47	
12+00	30.00	26.56	27.12	30.85	33.42	32.09 04	
12+30	30.00	26.56	27.12	30.85	33.42	33.09 21	
12+60	30.00	26.56	27.12	30.85	33.42	34.09 38	
12+90	30.00	26.56	27.12	30.85	33.42	35.09 55	
13+20	30.00	26.56	27.12	30.85	33.42	36.10 12	
13+50	30.00	26.56	27.12	30.85	33.42	37.10 29	
13+80	30.00	26.56	27.12	30.85	33.42	38.10 46	
14+10	30.00	26.56	27.12	30.85	33.42	39.10 63	
14+40	30.00	26.56	27.12	30.85	33.42	40.10 80	
14+70	30.00	26.56	27.12	30.85	33.42	41.10 97	
15+00	30.00	26.56	27.12	30.85	33.42	42.11 14	
15+30	30.00	26.56	27.12	30.85	33.42	43.11 31	
15+60	30.00	26.56	27.12	30.85	33.42	44.11 48	
15+90	30.00	26.56	27.12	30.85	33.42	45.11 65	
16+20	30.00	26.56	27.12	30.85	33.42	46.11 82	
16+50	30.00	26.56	27.12	30.85	33.42	47.11 99	
16+80	30.00	26.56	27.12	30.85	33.42	48.12 16	
17+10	30.00	26.56	27.12	30.85	33.42	49.12 33	
17+40	30.00	26.56	27.12	30.85	33.42	50.12 50	
17+70	30.00	26.56	27.12	30.85	33.42	51.12 67	
18+00	30.00	26.56	27.12	30.85	33.42	52.12 84	
18+30	30.00	26.56	27.12	30.85	33.42	53.13 01	
18+60	30.00	26.56	27.12	30.85	33.42	54.13 18	
18+90	30.00	26.56	27.12	30.85	33.42	55.13 35	
19+20	30.00	26.56	27.12	30.85	33.42	56.13 52	
19+50	30.00	26.56	27.12	30.85	33.42	57.13 69	
19+80	30.00	26.56	27.12	30.85	33.42	58.13 86	
20+10	30.00	26.56	27.12	30.85	33.42	59.14 03	
20+40	30.00	26.56	27.12	30.85	33.42	60.14 20	
20+70	30.00	26.56	27.12	30.85	33.42	61.14 37	
21+00	30.00	26.56	27.12	30.85	33.42	62.14 54	
21+30	30.00	26.56	27.12	30.85	33.42	63.14 71	
21+60	30.00	26.56	27.12	30.85	33.42	64.14 88	
21+90	30.00	26.56	27.12	30.85	33.42	65.15 05	
22+20	30.00	26.56	27.12	30.85	33.42	66.15 22	
22+50	30.00	26.56	27.12	30.85	33.42	67.15 39	
22+80	30.00	26.56	27.12	30.85	33.42	68.15 56	
23+10	30.00	26.56	27.12	30.85	33.42	69.15 73	
23+40	30.00	26.56	27.12	30.85	33.42	70.15 90	
23+70	30.00	26.56	27.12	30.85	33.42	71.16 07	
24+00	30.00	26.56	27.12	30.85	33.42	72.16 24	
24+30	30.00	26.56	27.12	30.85	33.42	73.16 41	
24+60	30.00	26.56	27.12	30.85	33.42	74.16 58	
24+90	30.00	26.56	27.12	30.85	33.42	75.16 75	
25+20	30.00	26.56	27.12	30.85	33.42	76.16 92	
25+50	30.00	26.56	27.12	30.85	33.42	77.17 09	
25+80	30.00	26.56	27.12	30.85	33.42	78.17 26	
26+10	30.00	26.56	27.12	30.85	33.42	79.17 43	
26+40	30.00	26.56	27.12	30.85	33.42	80.17 60	
26+70	30.00	26.56	27.12	30.85	33.42	81.17 77	
27+00	30.00	26.56	27.12	30.85	33.42	82.17 94	
27+30	30.00	26.56	27.12	30.85	33.42	83.18 11	
27+60	30.00	26.56	27.12	30.85	33.42	84.18 28	
27+90	30.00	26.56	27.12	30.85	33.42	85.18 45	
28+20	30.00	26.56	27.12	30.85	33.42	86.18 62	
28+50	30.00	26.56	27.12	30.85	33.42	87.18 79	
28+80	30.00	26.56	27.12	30.85	33.42	88.18 96	
29+10	30.00	26.56	27.12	30.85	33.42	89.19 13	
29+40	30.00	26.56	27.12	30.85	33.42	90.19 30	
29+70	30.00	26.56	27.12	30.85	33.42	91.19 47	
30+00	30.00	26.56	27.12	30.85	33.42	92.19 64	
30+30	30.00	26.56	27.12	30.85	33.42	93.19 81	
30+60	30.00	26.56	27.12	30.85	33.42	94.19 98	
30+90	30.00	26.56	27.12	30.85	33.42	95.20 15	
31+20	30.00	26.56	27.12	30.85	33.42	96.20 32	
31+50	30.00	26.56	27.12	30.85	33.42	97.20 49	
31+80	30.00	26.56	27.12	30.85	33.42	98.20 66	
32+10	30.00	26.56	27.12	30.85	33.42	99.20 83	
32+40	30.00	26.56	27.12	30.85	33.42	100.21 00	

NOTE: Excavated Dirt to be used as Parking Fill


CANTHARD QUANTITIES

ITEM	QUANTITY	UNIT	PRICE	TOTAL
1.00	1850.00	CU YD	1.00	1850.00
2.00	135.00	CU YD	1.00	135.00
3.00	127.00	CU YD	1.00	127.00
TOTAL	2062.00	CU YD		2062.00


NOTE: Asphalt Surface to be Disposed of Within the Planview in Accordance With Direction of the City Superintendent of Street Maintenance.


NOTE: Use Premolded Expansion Joints at 90' Intervals From Sta. 2+22.65 to Sta. 7+66.73


SEE DISGS IN A-1
 POST WEST
 107






ROSS PARKWAY
 EL HILLSIDE TO WL ROSS +E/LT
 30' CONC. & CB. WIDEN TO 40'
 7" THICK
 CITY OF WICHITA, KANSAS
 B.E. SMITH CITY ENGINEER
 DATE: JUNE 60 PROJ. NO. G19-244














STEEL PATTERN
NO SCALE

Scale: 1" = 20'

Survey Pigg's: Bk # 14
Plan Page
Exc Page
Checked



NOTE: This Project to be Coordinated with the Paving Project.



INCIDENTAL DRAINAGE
ROSS DARKWAY
E.L. HILLSIDE-W.L. ROOSEVELT
CITY OF WICHITA, KANSAS
D. E. SMITH CITY ENGINEER
Date: June, 60 Proj. No. C19-200