


Surveyed by
 Plans, City Engineer
 Date, 6/1/60
 Drawn by


B.M. 125.07 E.S.E. BOTTOM FLANGE FIRE INSURENT N.W. COR. SAYLES & RUTAN
 B.M. 125.04 N.W. COR. BOTTOM STEP NO. 3030 SAYLES AVE.
 B.M. 126.06 S.W. COR. BOTTOM STEP CHURCH N.E. COR. RUTAN & SUNNYBROOK
 STATIONING & BASELINE ALONG SOUTHERLY R. OF SAYLES AVE.



CURVE DATA BASED ON 5.12

STATION	ARC LENGTH	CHORD LENGTH	CHORD BEARING	REFLECTION	TOTAL REFLECTION
0+00.70	RC			0° 00' 00"	0° 00' 00"
1+00	2.30	8.26	7° 32'	0° 00' 00"	0° 00' 00"
1+50	34.00	68.08	68.00	0° 00' 00"	0° 00' 00"
2+00				0° 00' 00"	0° 00' 00"
2+50				0° 00' 00"	0° 00' 00"
3+00				0° 00' 00"	0° 00' 00"
3+50				0° 00' 00"	0° 00' 00"
4+00				0° 00' 00"	0° 00' 00"
4+50	34.00	68.08	68.00	0° 00' 00"	0° 00' 00"
5+00	18.16	43.16	46.00	0° 00' 00"	0° 00' 00"

SEE CONE MOUNT
 ARE - MOLDED MASTIC EBM JOINT
 USE 8" BARS 3 LONG ON 12" CENTERS
 NO INTERS. START TO 15' 10"
 NO SINK




SAYLES AVE.
 N.W. RUTAN AT TO N.W. RUTAN AT
 DUNHAM SUNNYBROOK
 30" CONC. & CB.
CITY OF WICHITA, KANSAS
 B.E. SMITH CITY ENGINEER
 DATE: JUNE, 60 PRJ. NO. C19-243





Scale 1"=20'



SAVLES AVE
C-12-201

2/3

