



S.L. RECTOR'S ACRES TO S.L. 31ST ST SO.
C 11-9



B.M. 52691 City Standard, 6' N. & 2' W. of S.W. cor. Seneca & 35th


Drainage by City
Remove existing catch basins & construct three new basins as shown. Install 15" R.C.P. between basins as indicated.

SURVEY BY: W. H. S. JONES
DRAWN BY: J. L. K. 30
CHECKED BY: J. L. K. 30



Note:
Any driveways constructed between stations 0+00 & 1+65 (east side Seneca) shall be under cash agreement between owner & paving contractor.

Ties to Iron at S. Seneca & 1/4 section corner
49.74 N. to 4" on back of 4" walk.
65.73 S.W. to 1" on S.E. cor. conc. manhole.
86.61 S.E. to 4" on N. side walk @ fence gate.





Drainage
Excavate ditch east on 35th to permit drainage of Seneca pavement. Work to be completed by city.


EXCAVATION	COMP. FILL
6700.9	126
673.1	1.3
7459.0 cu yds	139 cu yds




STREET:	SENECA AVENUE
LIMITS:	S.L. RECTOR'S ACRES TO S.L. 31ST
PAVEMENT:	48' CONCRETE & CB.
DEPARTMENT:	CITY ENGINEERING DEPT. - WICHITA
	B.E. SMITH CITY ENGINEER
SCALE:	1" = 20'
SHEET:	2 OF 11
DRAWN BY:	J. JONES
PROJ. NO.:	C11-9
DATE:	







B.M. 9644 "4" on S.E. cor. conc. lamp base @ int. of walks on NW cor. Seneca & 31st.




Note:
The existing asphalt surface shall be removed & paved as 3" gals. asphalt (approx. 6" thickness) has been subtracted from the earthwork totals. Calculations at right hand side of sheet.

RAMP DRIVE NOTE
Const. ramp drives at all locations where the right-of-way is 30' & unless otherwise noted. Back of ramp to be level with top of curb throughout drive section.

COMMERCIAL DRIVES
Location & width of all commercial drives shall be approved by the office of City Engineer before construction.

DRIVE HOOK-UPS BEHIND PROP. LINE
Hook-ups of 3' or more will be const. under private contract between paving contractor & property owner. Hook-ups less than 3' may be paved by contractor & assessed to the lot with property owners permission. Hook-ups of less than 3' will be 4" thick & the same width as existing drive behind property line.



excavation from cross-sections	1755.3 cu yd
comp. fill from cross-sections	18.6 cu yd
excavation from paving plans	302.9 cu yd
8145.2	12.6
1364.3	
6780.9	12.6 total pig item

area of area met	thickness .6"
Sheet #2	1508.9 sq yd
"3	1903.8 sq yd
"4	1261.7 sq yd
"5	1758.8 sq yd
"6	1522.3 sq yd
	5133.5 sq yd + 1364.3 cu yd

SENECA
SHEET 6