









R/V of BROADWAY AVE.
Princeton Ave. to Ark. River
Sept. 1956



BROADWAY AND PAWNEE INTERSECTION

PROJECT NO. C17-1
" " C17-2
STATE PROJECT 81-87K 5198(2)
AGREEMENT NO. 12-67


BROADWAY-595' So. CL. Pawnee Avenue To
595' No. " " "
PAWNEE-WL Main Street To CL St. Francis
Except (BROADWAY Intersection)




TYPICAL SECTION




To be used at 30' intervals
except where an expansion
joint is used.



NOTE: Use 3/4\"/>




RIGHT-TURN LANE
TYPICAL



STEEL PATTERN
(no scale)

Approved	Date	Approved	Date
STATE HIGHWAY ENGINEER State Highway Commission of Kansas		CITY ENGINEER Department of Public Works CITY OF ATCHAFALAYA, LOUISIANA	



1/4


1. N.W. 1/4 of 36 in Globe bk. of walk west, 15' west of bk. of N.W. 1/4 north, N.W. 1/4, Pawnee & Broadway.
 2. N.W. 1/4 of 36 in Globe bk. of walk west, 15' west of bk. of N.W. 1/4 north, N.W. 1/4, Pawnee & Broadway.
 3. N.W. 1/4 of 36 in Globe bk. of walk west, 15' west of bk. of N.W. 1/4 north, N.W. 1/4, Pawnee & Broadway.
 4. N.W. 1/4 of 36 in Globe bk. of walk west, 15' west of bk. of N.W. 1/4 north, N.W. 1/4, Pawnee & Broadway.
 5. N.W. 1/4 of 36 in Globe bk. of walk west, 15' west of bk. of N.W. 1/4 north, N.W. 1/4, Pawnee & Broadway.



Survey
 Plan
 Sheet
 Checked

Station	Angle	Chord Length	Reflection	Product
0+00	90° 00'	0.00	0.00	0.00
0+10	90° 00'	0.10	0.10	0.10
0+20	90° 00'	0.20	0.20	0.20
0+30	90° 00'	0.30	0.30	0.30
0+40	90° 00'	0.40	0.40	0.40
0+50	90° 00'	0.50	0.50	0.50
0+60	90° 00'	0.60	0.60	0.60
0+70	90° 00'	0.70	0.70	0.70
0+80	90° 00'	0.80	0.80	0.80
0+90	90° 00'	0.90	0.90	0.90
1+00	90° 00'	1.00	1.00	1.00
1+10	90° 00'	1.10	1.10	1.10
1+20	90° 00'	1.20	1.20	1.20
1+30	90° 00'	1.30	1.30	1.30
1+40	90° 00'	1.40	1.40	1.40
1+50	90° 00'	1.50	1.50	1.50
1+60	90° 00'	1.60	1.60	1.60
1+70	90° 00'	1.70	1.70	1.70
1+80	90° 00'	1.80	1.80	1.80
1+90	90° 00'	1.90	1.90	1.90
2+00	90° 00'	2.00	2.00	2.00

EARTHWORK QUANTITIES			
Item	Quantity	Unit	Value
Excavation	115.5	Cu Yd	115.5
Backfill	115.5	Cu Yd	115.5
Gravel	115.5	Cu Yd	115.5
Concrete	115.5	Cu Yd	115.5
Asphalt	115.5	Cu Yd	115.5
Curbs	115.5	Lf	115.5
Manholes	115.5	No.	115.5
Storm Sewers	115.5	Lf	115.5
Water Mains	115.5	Lf	115.5
Gas Mains	115.5	Lf	115.5
Electric Cables	115.5	Lf	115.5
Lighting	115.5	Lf	115.5
Signage	115.5	Lf	115.5
Paint	115.5	Lf	115.5
Other	115.5	Lf	115.5

BROADWAY & PAWNEE INTERSECTION
 BROADWAY - 36' W. to 36' E. of Pawnee Avenue
 PAWNEE - 100' W. to 100' E. of Broadway Avenue
 Type of Construction -
 9" CONCRETE AND CURB
 City of Wichita, Kansas
 Date - MAY 1908
 City Engineer





BROADWAY QUANTITIES


- Paving & Grading Items:**
- 1160 SY 9" Concrete Pavt.
 - 2200 LF 8" Reinf. Int. Cb.
 - 1830 " 6"
 - 285 " Separate Curb
 - 3550 SF Gutter
 - 6000 " 6" Concrete Drive
 - 8120 " 2" " Walk
 - 200 " 7" " "
 - 2640 CY Excavation
 - 270 " Compacted Fill
 - 6700 Lbs. Reinf. Steel
 - 75 Tons Asphalt
 - 230 " Sand & Gravel Fill
 - 3320 LF. Hoop Joint
 - 275 " Saw Joint
 - 1570 SY Pavement Rem.
 - 6200 SY. Int. & Dr. Rem.
 - 385 SY. Asphalt. Mat. Rem.
 - 145 LF. Retaining Wall Rem.
 - Adjustment Sprinkler System (non-bid).


- Drainage Items:**
- 45 LF 12" R.C.P.
 - 70 " 15" "
 - 15 " 18" "
 - 200 " 24" "
 - 4 Stk. (Type 1) Brkt. Manholes
 - 8 " 6x3 Inlets
 - 300 Tons Sand/Fill & Flush
 - 4 Drop Inlets (Conc.) Rem.
 - 3 Manholes Adjusted
 - 90 LF Int. & Dr. Rem.


• TYPICAL TRAFFIC ISLAND DETAIL •
(No Scale)

• TYPICAL RAMP DRIVE DETAIL •
(Ramp-out Project)

• TYPICAL CONC. DR. DETAIL •
(Broadway Avenue Only)










PAWNEE AVE.
BROADWAY & PAWNEE INTER.
67.2


7/14







1. M. 1928 15' 6" in Globe bk. of walk west 15' west of bk. of N. north-N.W.C. Pawnee & Broadway.
 2. M. 1928 15' 6" in Globe bk. of walk west 15' west of bk. of N. north-N.W.C. Pawnee & Broadway.
 3. M. 1928 15' 6" in Globe bk. of walk west 15' west of bk. of N. north-N.W.C. Pawnee & Broadway.
 4. M. 1928 15' 6" in Globe bk. of walk west 15' west of bk. of N. north-N.W.C. Pawnee & Broadway.
 5. M. 1928 15' 6" in Globe bk. of walk west 15' west of bk. of N. north-N.W.C. Pawnee & Broadway.



INCIDENTAL DRAINAGE
 In Connection With Paving
 Broadway and Pawnee Intersection
 City of Wichita, Kansas
 R.E. Smith
 City Engineer
 Date: _____
 Proj. No. 4111-012

