




BENEFIT DISTRICT
STORM WATER SEWER NO. 57
CITY OF WICHITA, KANSAS
PROJ. NO. C24-43 MAY, 1954

The map illustrates a proposed storm water sewer system for District No. 57. The layout includes a grid of lots and streets. Key streets shown are Margold, Halstead, Sweetbriar, 2nd St, 23rd St, 22nd St, 21st St, Aniston Ave, Riverlawn Drive, Perry Ave, and Coolidge. Lots are numbered, with some circled numbers (1, 2, 3, 4, 5, 7, 8, 15, 23). Specific areas are labeled 'HILLS', 'BENJAMIN', 'GARDNER'S', 'RIVERLAWN', and 'UNPLATTED'. Dimensions for lot widths and street widths are provided. A north arrow is located in the upper right quadrant of the map.



LOCATION MAP
STORM WATER SEWER NO. 57
CITY OF WICHITA, KANSAS
PROJ. NO. C24-43 MAY, 1954.



ST. 65
LINK
LINE
LINE






STORM WATER SEWER No. 57
CITY OF WICHITA, KANSAS
B. E. SMITH - CITY ENGINEER
PROJ. C24-23



PEKRU MODEL 16 AUTOMATIC
FLAPGATE OR AN EQUIVALENT MODEL
No Scale

NOTE

Concrete for structures shall contain not less than 145 barrels of cement per cubic yard. In no event shall the total water content exceed 625 gallons per sack. The mixture of fine and coarse aggregate shall be such as will produce a maximum density of the most workable mixture. The floor of the outfall shall be sloped for flow and drainage. An internal vibrator shall be used for placing the concrete.



INLET LOCATION
Scale 1" = 40'

OUTFALL STRUCTURE
Scale 1/8" = 1'-0"

STORM WATER SEWER No. 57
CITY OF WICHITA KANSAS
BE SMITH CITY ENGINEER
PROJECT No. C24-43

