BLECKLEY DRIVE

N.L. ARLENE – S.L. 24th ST. NO.

DAKS55909T

TYPICAL SECTIONS of 30' ASPHALTIC CONCRETE PAVEMENT



TYPICAL SECTION WITH STANDARD CROWN



TYPICAL SECTION WITH ALTERNATE CROWN



STEEL PATTERN



STEEL PATTERN



STANDARD SECTION OF COMBINED CURB & GUTTER



STANDARD SECTION OF ROLL-TYPE CURB & GUTTER

GENERAL NOTES

1. CONTRACTION JOINTS MAY BE CONSTRUCTED IN COMBINED CURB AND GUTTER BY SAWING WITH AN APPROVED CONCRETE SAW. THE SAW CUT SHALL EXTEND 2-1/2" BELOW THE SURFACE OF THE GUTTER AND CURB. SAWED CONTRACTION JOINTS SHALL HAVE A MAXIMUM SPACING OF 10' AND BE FILLED WITH A SPECIFIED JOINT FILLER, SUCH THAT THE JOINT IN THE GUTTER SECTION WILL BE COMPLETELY FILLED.

R. W. LINN LICENSED 3694 KANSAS PROFESSIONAL ENGINEER

1/3

CITY OF WICHITA, KANSAS

Department of Public Works - Engineering Division

R.W. Linn — City Engineer

Date: Sept. 1976 — Project No. DAKS55909T

1/2

FILMED FROM THE BEST AVAILABLE COPY

BM. 186.39 SW Cor. Conc. Porch Hos. #4914 E. 24th St. N.
℄ = ℄ Bleckley Dr.



SUB-GRADE
TYPE OF SUB-GRADE TREATMENT SHALL BE DETERMINED BY THE FIELD ENGINEER. SUB-GRADE TREATMENT MAY CONSIST OF LIME TREATMENT, CEMENT TREATMENT, SUB-GRADE MODIFICATION, OR ANY COMBINATION OF THESE.

NOTE TO FIELD ENGINEER & CONTRACTOR
Grade parking and clear right-of-way for proposed sidewalk. Compact fill in sidewalk area. TO BE CONSTRUCTED BY "OTHERS".

CAUTION
UNDERGROUND UTILITIES
Please check with K G & E or Southwestern Bell Telephone Co. for Location

"Earthwork"

	Prop. excav.	fill	City
	3933	33	
1.10%	334	0.3	
	367.2 C.Y.	3.6 C.Y.	

860 SY Manipulation

"BLECKLEY DR."
NL. Arlene Ave. to SL. 24th. St. No.
26'-8'-30' Asph. Conc. Pavt.
CITY OF WICHITA, KS.
R.W. Linn City Engineer
Date- Sept 76 Proj. No. DAKS559097

Survey 210 103
Plat 3601
Exp 3001
Checked

FILMED FROM THE BEST AVAILABLE COPY