



BLECKLEY DRIVE
N.L. ARLENE - S.L. 24th ST. NO.
DAKS559097


TYPICAL SECTIONS of 30' ASPHALTIC CONCRETE PAVEMENT




TYPICAL SECTION WITH STANDARD CROWN




TYPICAL SECTION WITH ALTERNATE CROWN




STEEL PATTERN



STEEL PATTERN




STANDARD SECTION OF COMBINED CURB & GUTTER



STANDARD SECTION OF ROLL-TYPE CURB & GUTTER

GENERAL NOTES


1. CONTRACTION JOINTS MAY BE CONSTRUCTED IN COMBINED CURB AND GUTTER BY SAWING WITH AN APPROVED CONCRETE SAW. THE SAW CUT SHALL EXTEND 2-1/2" BELOW THE SURFACE OF THE GUTTER AND CURB. SAWED CONTRACTION JOINTS SHALL HAVE A MAXIMUM SPACING OF 10' AND BE FILLED WITH A SPECIFIED JOINT FILLER, SUCH THAT THE JOINT IN THE GUTTER SECTION WILL BE COMPLETELY FILLED.



CITY OF WICHITA, KANSAS
 Department of Public Works - Engineering Division
 R.W. Linn City Engineer
 Date: *Sept. 1976* Project No. DAKS559097

Survey 5/10
 Plan 5/10
 Exp 5/10
 Seal 5/10
 Check 5/10

3M. 186.39 SW Cor. Conc. Patch Hts. #4914 E. 24th St. N.
 E. & Bleckley Dr.



SUB-GRADE
 TYPE OF SUB-GRADE TREATMENT SHALL BE DE-
 TERMINED BY THE FIELD ENGINEER. SUB-GRADE
 TREATMENT MAY CONSIST OF LIME TREATMENT,
 CEMENT TREATMENT, SUB-GRADE MODIFICA-
 TION, OR ANY COMBINATION OF THESE.

NOTE TO FIELD ENGINEER - CONTRACTOR
 Grade parking and clear right-of-way for pro-
 posed sidewalk. Compact fill in sidewalk area.
 TO BE CONSTRUCTED BY "OTHERS".

CAUTION
UNDERGROUND
UTILITIES
 Please check with K & E or
 Southwestern Bell
 Telephone Co. for Location

"Earthwork"

Prop.	City
EXCAV.	FILL
333.3	3.3
110%	0.3
367.8 c4.	3.6 c4.

860 34 Manipulation

"BLECKLEY DR."
 NL. Arlene Ave. to St. 24th St. No.
 26'-2'-30' Asph. Conc. Pavt.
CITY OF WICHITA, KS.
 R.W. Linn City Engineer
 Date: Sept. 76 Proj. No. DAKS559797
 2/2