


 N
scale 1"=20'

Note: Remove combined curb and gutter only. Existing high edge line to be sawed where directed by engineer. Widening to be constructed with 6" (5 sack) conc. base and 2" asphalt surface. Use existing dowel bars to tie new construction to existing concrete base.




Note: Contractor to grade parking and construct compacted fill for future sidewalk. Sidewalk to be constructed by "others."

Note: Contractor to saw existing asphalt surface 1 foot in from high edge. Any work beyond 1 foot high edge will not be paid for but shall be done so by the contractor at his own expense.

	<u>Compacted Fill</u>		<u>Excavation</u>
	421.4 cu. yds.		1212.9 cu. yds.
+10%	<u>421.4</u> cu. yds.		+10% <u>121.3</u> cu. yds.
	463.5 cu. yds.		1334.2 cu. yds.

WIDENING of AMIDON
242' So. of 21st to 1525' So. of 21st
R. W. LINN CITY ENG.
CITY of WICHITA, KS.
PR. NO. DAKM569037 Date 7-72

AMIDON AVE. WIDENING



NOTE:
a) Use 3/4" ϕ bars except where noted
b) All longitudinal bars placed 6" from edge of slab
c) All transverse bars end 3" from edge of slab

STEEL PATTERN




AMIDON AVE., WIDENING
242' So. of $\frac{1}{2}$ of 21st to 1525' So. of $\frac{1}{2}$ of 21st
PROJECT NO DAKM569037
CITY of WICHITA, KANSAS
CITY ENGINEER R. W. LINN

JULY 1972

B.M. 12172 on north end traffic island Sta 6+31.343 west of Twin Lakes Tr. 9th S. of c/c 21st E. west of c/c Amidon.

N
scale 1"=20'




Widening of Amidon
242 So of E 21st to 1525 So of E 21st

B.M. 12172 "A" on north end traffic island Sta. 6+31, 34' west of
Twin Lakes Theatre, 994' S. of ctr. 21st, 6' west ctr. Amidon.

S.M. 12834 "D" on conc. base to metal street light pole E. end
traffic island ctr. 21st & W.L. Amidon.

N
scale 1"=20'



Widening of Amidon
242' So of & 21st to 1525' So of & 21st