









NOTES

ALL CONCRETE SHALL BE CLASS AAA(AE). BEVEL ALL EXPOSED EDGES WITH 3/4" TRIANGULAR MOLDING UNLESS OTHERWISE NOTED.

DIMENSIONS RELATIVE TO PLACEMENT OF REINFORCING
ARE TO CENTERLINE OF BARS UNLESS OTHERWISE NOTED.

SEE SHEET NO. 1 FOR GENERAL NOTES.

SEE SHEET No. 7 FOR BAR LIST AND BENDING DIAGRAMS.

DESIGN LOADING: HS20-44 A.A.S.H.T.O. SPEC.
(1973 EDITION)

UNIT STRESSES: $f_c = 1,600$ P.S.I. CLASS AAA(AE)
 $f'_c = 4,000$ P.S.I. CLASS AAA(AE)
 $f_s = 20,000$ P.S.I. (REINF.)

CITY OF WICHITA, KANSAS
R. W. LINN, P.E., CITY ENGINEER

VASSAR STREET BRIDGE
OVER SLEEPY HOLLOW CREEK

**SUPER STRUCTURE
LAYOUT & DETAILS**



DELAMATER, FREUND & SCHERER, P.A.
ENGINEERS & ARCHITECTS
WICHITA, KANSAS

SCALE

DATE *December, 1975*

DWG. 79-R-5
NO.