



BENCHMARK:
 BM #4 - "D" Chiseled in the Back of Curb in the South Curb
 Line of 44th Street South
 Sta. 118+12, 80' Lt.
 Elev. = 1280.96 MSL



Relocate 2-Ex. Water Meters. See Water Meter Adjustment Table.

Construct 12.00' Full Radius Residential Concrete Drive. (8" Thick) Remove Ex. 15" PVC. See Std. Drive Detail Sheet.

D-218-UP
 Janet Heimman
 4540 S. Meridian

Construct 7" A.C. Pavement (5" Bit. Base) on 8" Reinf. Crushed Rock Base.

Construct Type 1 Combined Curb & Gutter (6")

Construct 8" Reinf. Concrete Valley Gutter on 7" Reinf. Crushed Rock Base w/ 6" Monolithic Curb. Remove Ex. 2-15" RCP's. See Valley Gutter Detail Sheet.


Adjust 2-Ex. Water Valves to Match Final Grade

Construct 5.00' Wide Wheel Chair Ramp. (Both Sides) See Std. Detail Sheet.


Construct Type 1 Combined Curb & Gutter (6")

Remove Ex. Asphalt Pavement and Roll Type Curb as Shown. Construct A.C. Pavement Drive Hook-up (6" Thick) & 10.00 L.F. Roll Type Curb & Gutter on Each Side. The Cost of the Roll Type Curb Shall be INCIDENTAL to Type 1 Curb & Gutter.

Construct 30.00' Full Radius Commercial Concrete Drive. (8" Thick) Remove Ex. 18" RCP. See Std. Drive Detail Sheet.



Existing Mailboxes that Conflict with the Proposed Construction Shall be Removed and Reset on Non-Hazardous Supports. Cost to be SUBSIDIARY to "Site Restoration."



Drawing File: E:\eng\Meridian_47th to 31st\Land\dwg\Base.dwg (Pav03)
 Project No. 0510E396 CAPITAL IMPROVEMENT PROJECT
 Design: TPV
 Drawn: STAFF
 Approved: TPV
 Scale: NOTED

MERIDIAN AVENUE PAVNG
 Sta. 114+50.00 to Sta. 120+00.00
 MERIDIAN AVENUE - 47TH STREET SOUTH TO 31ST STREET SOUTH

Baughman Company, P.A.
 315 Ellis St., Wichita, KS 67211 P 316-262-0149 F 316-262-0149
 ENGINEERING | SURVEYING | PLANNING | LANDSCAPE ARCHITECTURE

SEPTEMBER 20
 OF 187