


NO.	Δ	R	T	L	E	CURVE DATA							
						P.C. COORDINATES		P.I. COORDINATES		P.T. COORDINATES		C.C. COORDINATES	
						NORTH	EAST	NORTH	EAST	NORTH	EAST	NORTH	EAST
FC017	90°00'12" Rt.	28.00'	28.00'	43.98'	11.60'	1,674,337.7449	1,607,601.9014	1,674,365.7463	1,607,602.0112	1,674,365.6349	1,607,630.0126	1,674,337.6351	1,607,629.9012
FC018	89°59'48" Rt.	28.00'	28.00'	43.98'	11.60'	1,674,399.6347	1,607,630.1426	1,674,399.7460	1,607,602.1444	1,674,427.7442	1,607,602.2542	1,674,427.6344	1,607,630.2540
FC019	90°00'00" Lt.	28.00'	28.00'	43.98'	11.60'	1,674,337.9734	1,607,541.9018	1,674,365.9732	1,607,542.0116	1,674,366.0829	1,607,514.0118	1,674,338.0831	1,607,513.9020
FC020	90°00'00" Lt.	28.00'	28.00'	43.98'	11.60'	1,674,400.0827	1,607,514.1451	1,674,399.9729	1,607,542.1449	1,674,427.9727	1,607,542.2546	1,674,428.0825	1,607,514.2548

Scale: 1"=40'



CONTROL POINTS					
POINT NO.	NORTH COORDINATE	EAST COORDINATE	STATION	OFFSET	DESCRIPTION
104	1,674,831.0820	1,607,573.8350	226+39.29	0.00' Rt.	E Corner of Sec. 36-T27S-R2W
218	1,674,857.2393	1,607,589.7598	226+65.49	15.85' Rt.	*4 Bar
219	1,674,410.4485	1,607,589.0297	222+18.72	16.84' Rt.	PK Nail
220	1,673,867.8378	1,607,588.0512	216+76.12	17.99' Rt.	PK Nail
504	1,674,382.8655	1,607,572.0780	10+00.00	0.00' Rt.	Jewell E Point
505	1,674,381.4846	1,607,919.2053	13+47.13	0.00' Rt.	Jewell E Point
512	1,674,384.5733	1,607,133.8314	5+61.75	0.00' Rt.	Jewell E Point
513	1,674,382.8554	1,607,572.0780	10+00.00	0.00' Rt.	Jewell E Point
3033	1,673,835.3948	1,607,509.8764	216+43.36	60.06' Lt.	*4 Bar
3034	1,674,351.2426	1,607,512.0273	221+59.21	59.93' Lt.	*4 Bar
3035	1,674,351.8325	1,607,370.8232	221+59.25	201.13' Lt.	*4 Bar
3036	1,674,415.5942	1,607,371.0929	222+23.01	201.11' Lt.	*4 Bar
3037	1,674,413.4670	1,607,919.1146	222+23.03	346.91' Rt.	*5 Bar
3038	1,674,759.2990	1,607,513.7087	225+67.27	59.84' Lt.	*5 Bar
3104	1,674,868.3643	1,609,031.4883	0+00.00		E Sec. Line 36-T27S-R2W
3105	1,674,776.6985	1,605,005.2306	26+14.87		E Sec. Line 36-T27S-R2W
3880	1,674,832.3808	1,607,533.8999	226+40.48	39.94' Lt.	R/W Monument
3881	1,674,830.2124	1,607,534.0032	226+38.27	39.83' Lt.	IRP

COORDINATE TABLE					
POINT NO.	NORTH COORDINATE	EAST COORDINATE	STATION	OFFSET	DESCRIPTION
7009	1,674,397.6347	1,607,630.1399	222+06.07	58.00' Rt.	Edge of Pvmf / Edge of Curb
7012	1,674,368.0908	1,607,512.0197	221+76.06	60.00' Lt.	Edge of Pvmf / Edge of Curb
7013	1,674,398.0905	1,607,512.1373	222+06.06	60.00' Lt.	Edge of Pvmf / Edge of Curb
7014	1,674,831.7982	1,607,601.8372	226+40.09	28.00' Rt.	Edge of Pvmf P.I.
7015	1,674,830.4891	1,607,545.8325	226+38.59	28.00' Lt.	Edge of Pvmf P.I.

See Sh. No. 23 for Sidewalk Coordinate Table (Point Nos. 5000-6111)

Plotted By: svb Date: 1/21/2011 11:05:56 AM
 FILE: I:\2008\08208\Geometry\08208-cogo21c.dgn

No.		Revision		By		Date	
119TH ST.							
COORDINATE GEOMETRY PLAN							
STA. 216+00 TO STA. 228+00							
JAMES L. ARMOUR, P.E.-CITY ENGINEER CITY OF WICHITA PROJECT NO. 472-84694							
Professional Engineering Consultants, P.A.							
303 S. TOPEKA - WICHITA, KANSAS 67202 316-262-2691 • FAX 316-262-3003							
Designed by	JPS	Job No.	08208	Sheet	20	of 149	
Drawn by	AKL	Date	Sept., 2010				