



**CAROL JEAN 2ND ADDITION
Intersection Details
WICHITA, KANSAS**

	Ruggles & Bohm, P.A. Engineering, Surveying, Land Planning		DESIGN: EJC DRAWN: EJC REVIEW: EJC	SHEET 6 OF 21
	924 North Main Wichita, Kansas 67203 www.rbkansas.com		(316) 264-8008 (316) 264-4621 fax E-mail: info@rbkansas.com	PROJECT NUMBER 207PPP DATE Dec. 20, 2010

SAW CUT PAVEMENT TO A NEAT LINE AND REMOVE EXISTING CURB AND GUTTER. (70 L.F.)

CONSTRUCT VALLEY GUTTER PAVEMENT, 7" REINFORCED CONCRETE W/ 5" CRUSHED ROCK BASE AND MONOLITHIC EDGE CURB (3 5/8")

STA 6+32.08 END OF TYPICAL 31' SECTION. HALF CROWN PAVEMENT AT SECTION END.

STA 0+30, 25' RT INSTALL SNS "44th St. S." "Ellis"

STA 6+30, 25' RT INSTALL SNS "43rd St. S." "Ellis"

STA 6+44.30 CONSTRUCT 66 L.F. TRENCH DRAIN WITH GRATED COVER. SEE DETAIL THIS SHEET. (CENTER ON ELLIS CENTERLINE, WARP AC HOOKUP TO MATCH DRAIN.)

GRADE EXISTING DITCH (10 LF) TO MATCH PROPOSED TRENCH DRAIN AND INSTALL 100 SQ FT OF CURLEX II EROSION BLANKET OR APPROVED EQUAL AS INDICATED.

GRADE EXISTING DITCH (10 LF) TO MATCH PROPOSED TRENCH DRAIN AND INSTALL 100 SQ FT OF CURLEX II EROSION BLANKET OR APPROVED EQUAL AS INDICATED.

CONSTRUCT TEMPORARY ASPHALT HOOKUP AS INDICATED. (104 SQ YDS)