

Sidewalk Construction 4"		
Location	Dir.	Sq. Ft.
SENECA		
55+50.00 - 56+46.47	Rt.	482.5
56+46.47 - 57+00.01	Rt.	265.9
55+50.00 - 57+83.58	Lt.	1,157.7
57+24.01 - 58+12.24	Rt.	424.0
58+35.92 - 59+29.44	Lt.	459.0
58+72.64 - 59+17.11	Rt.	214.2
59+29.11 - 59+83.70	Rt.	197.6
59+53.44 - 59+75.66	Lt.	110.7
59+91.66 - 60+86.64	Lt.	475.2
59+98.70 - 60+46.84	Rt.	240.3
60+58.84 - 61+13.66	Rt.	274.5
61+02.64 - 61+96.75	Lt.	471.6
61+25.66 - 61+84.04	Rt.	291.6
62+00.04 - 62+50.67	Rt.	252.9
62+12.75 - 62+90.01	Lt.	386.1
62+62.67 - 63+25.88	Rt.	320.4
63+06.01 - 63+32.57	Lt.	133.2
63+42.80 - 64+35.22	Rt.	476.7
63+48.64 - 64+36.22	Lt.	445.3
64+87.55 - 66+36.82	Rt.	738.0
64+88.55 - 65+05.59	Lt.	76.5
65+21.59 - 66+05.59	Lt.	424.8
66+30.56 - 66+06.56	Lt.	55.8
66+52.82 - 67+22.50	Rt.	348.3
66+53.64 - 67+80.33	Lt.	633.6
67+46.50 - 67+93.76	Rt.	236.7
68+00.33 - 69+12.76	Lt.	562.2
68+25.35 - 68+55.00	Rt.	148.5
68+71.00 - 69+16.78	Rt.	228.9
69+28.78 - 69+45.46	Rt.	74.7
69+28.78 - 69+43.19	Lt.	72.1
69+97.80 - 70+42.46	Rt.	215.1
70+08.14 - 71+74.55	Lt.	833.7
70+66+46 - 71+46.47	Rt.	399.6
71+70.47 - 71+84.55	Rt.	71.1
71+96.58 - 72+42.20	Rt.	245.7
71+98.55 - 72+63.42	Lt.	315.9
72+70.20 - 73+54.58	Rt.	422.1
73+15.75 - 73+90.67	Lt.	368.0
73+78.58 - 74+06.57	Rt.	140.4
74+06.67 - 74+66.14	Lt.	297.0
74+22.57 - 74+74.85	Rt.	272.9
74+90.14 - 75+71.75	Lt.	407.7
74+98.85 - 75+24.73	Rt.	130.5
75+36.78 - 75+83.09	Rt.	231.3
75+95.75 - 76+20.99	Lt.	117.9
76+07.08 - 76+25.98	Rt.	94.5
76+37.98 - 77+01.71	Rt.	318.6
76+73.33 - 77+01.71	Lt.	483.2
77+19.71 - 78+07.62	Rt.	442.5
78+03.16 - 79+17.59	Lt.	569.2
78+23.62 - 78+46.17	Rt.	112.5
78+58.17 - 79+15.87	Rt.	288.9
79+39.86 - 79+54.32	Rt.	72.0
79+48.51 - 80+67.10	Lt.	614.1
79+78.32 - 80+37.96	Rt.	297.9
80+61.96 - 81+50.33	Rt.	441.9
80+98.28 - 82+31.86	Lt.	667.8
81+81.05 - 82+32.31	Rt.	250.9
83+58.22 - 85+01.16	Lt.	714.6
83+58.59 - 85+37.48	Rt.	894.6
85+31.93 - 86+90.45	Lt.	792.9
85+73.44 - 85+88.79	Rt.	68.4
86+33.35 - 86+63.58	Rt.	142.5
86+81.23 - 87+33.55	Rt.	261.0
87+21.33 - 89+22.83	Lt.	1,007.1
87+54.14 - 87+75.39	Rt.	105.5
88+07.17 - 88+63.23	Rt.	279.0
88+93.72 - 89+10.04	Rt.	80.1
89+53.59 - 89+58.59	Lt.	25.2
89+57.06 - 89+75.26	Rt.	90.0
90+04.22 - 90+19.91	Rt.	77.4
35TH ST		
5+50.53 - 6+46.00	Lt.	381.88
Total		24,722.6

Sidewalk Construction 4"		
Location	Dir.	Sq. Ft.
31ST ST		
22+21.94 - 22+26.94	Lt.	21.6
22+58.23 - 23+58.23	Lt.	500.4
22+91.13 - 22+96.13	Rt.	22.5
23+26.97 - 24+02.89	Rt.	379.8
23+89.45 - 25+71.59	Lt.	910.8
24+05.54 - 24+48.85	Rt.	216.9
24+78.86 - 25+70.85	Rt.	459.0
26+97.31 - 27+70.90	Lt.	368.1
26+97.50 - 27+49.90	Rt.	261.9
27+80.94 - 28+98.59	Rt.	588.6
28+00.98 - 29+73.96	Lt.	864.9
29+29.59 - 29+91.52	Rt.	300.7
30+13.88 - 30+39.78	Lt.	129.6
Total		5,024.8

  

Water Valve Box to be Adjusted (Participating)			
Station	Offset	Elevation	WV #
58+28.3	39.3' Rt.	91.60	WV#9032
58+33.1	37.5' Rt.	91.62	WV#6315
58+37.9	47.6' Rt.	91.61	WV#9594
58+64.2	45.6' Rt.	91.63	WV#7401
64+81.7	39.1' Rt.	92.71	WV#6324
64+85.9	32.2' Rt.	92.54	WV#6316
69+38.2	31.4' Rt.	93.37	WV#6313
69+99.2	26.3' Lt.	93.33	WV#10193
70+09.6	28.0' Rt.	93.34	WV#10194
70+12.8	30.3' Rt.	93.20	WV#6312
73+08.8	30.8' Rt.	93.86	WV#10195
79+81.8	36.9' Rt.	94.95	WV#10197
79+91.6	34.5' Rt.	94.90	WV#9434
83+02.9	35.8' Rt.	95.66	WV#6311
83+07.2	38.3' Rt.	95.59	WV#6129
83+30.7	43.3' Lt.	95.30	WV#6022
83+35.0	40.4' Lt.	95.26	WV#6056
83+47.7	37.2' Lt.	95.12	WV#6067
89+51.2	36.5' Lt.	95.24	WV#6196
29+57.8	13.1' Lt.	94.94	WV#33167
29+59.1	37.1' Lt.	95.20	WV#34872
30+40.6	10.2' Lt.	94.85	WV#6322
Total			22

  

Water Valve Box to be Adjusted (Non-Part.)			
Station	Offset	Elevation	WV #
76+77.4	32.9' Rt.	95.00	WV#4944
81+28.2	35.5' Rt.	95.15	WV#23113
Total			2

  

Water Meter to be Adjusted (Non-Participating)			
Station	Offset	Elevation	
58+83.5	37.6' Rt.	93.00	
61+99.1	42.1' Rt.	93.38	
67+63.3	37.3' Lt.	94.10	
68+96.4	34.0' Rt.	93.90	
71+39.1	35.6' Rt.	94.10	
72+20.3	38.1' Rt.	94.15	
73+90.6	34.2' Rt.	94.60	
74+41.6	35.3' Rt.	95.10	
75+45.7	36.4' Rt.	95.20	
75+61.1	40.4' Lt.	94.73	
78+36.8	34.3' Rt.	95.20	
79+44.2	39.0' Rt.	95.20	
80+28.2	37.8' Rt.	95.29	
80+79.6	39.0' Rt.	95.25	
80+82.9	36.3' Rt.	95.00	
86+61.5	37.9' Rt.	95.90	
87+58.7	36.1' Rt.	95.90	
Total			17

  

Fire Hydrant Removal (Non-Participating)			
Station	Offset	Removal	
58+31.1	41.0' Lt.	1	
64+83.2	40.2' Lt.	1	
69+89.5	47.0' Lt.	1	
69+89.5	47.0' Lt.	1	
76+18.5	32.9' Rt.	1	
83+56.3	43.3' Lt.	1	
Total			5

Salvage and Deliver Existing Fire Hydrants to 1801 S. Mclean, Wichita, KS

Concrete Curb, Mono Edge (6" & 1-1/2") (For Information Only, Subsidiary to Valley Gutter)			
Station	Side	Mono-Curb (Lin. Ft.)	
35th Street 58+09.75	Lt.	95.8	
35th Street 58+42.41	Rt.	95.8	
34th Street 64+62.39	Lt.	82.6	
34th Street 64+61.39	Rt.	95.8	
Patterson Ave 72+89.59	Lt.	95.8	
33rd Street 69+71.63	Rt.	94.2	
33rd Street 69+72.27	Lt.	95.8	
32nd Street 76+47.16	Lt.	93.5	
Diane Street 86+11.08	Rt.	56.5	
30th Street 89+33.55	Rt.	58.9	
Walnut Street 30+17.97	Rt.	86.3	
Total		951.0	

Manhole Adjusted (Replace Frame & Cover)			
Location	Offset	Each	Desc
58+49.5	10.1' Rt.	1	Strm. Swr.
69+78.7	8.3' Rt.	1	Strm. Swr.
77+30.9	8.8' Rt.	1	Strm. Swr.
82+80.3	11.5' Rt.	1	Strm. Swr.
# 82+95.1	0.4' Rt.	1	San. Swr.
83+11.0	11.1' Rt.	1	Strm. Swr.
83+53.0	10.7' Rt.	1	Strm. Swr.
83+53.0	25.7' Rt.	1	Strm. Swr.
89+14.0	10.5' Rt.	1	Strm. Swr.
23+35.7	15.5' Lt.	1	Strm. Swr.
27+09.0	26.9' Lt.	1	Strm. Swr.
# 28+05.9	0.1' Lt.	1	San. Swr.
30+20.0	53.7' Rt.	1	San. Swr.
# 30+20.9	0.0' Rt.	1	San. Swr.
Total		14	

# Seal Walls and Benches

Crushed Rock Base 6", Reinforced		
Street	Location	Sq. Yd.
Seneca	55+50.00 - 60+00.00	3,081.6
Seneca	60+00.00 - 65+00.00	3,432.4
Seneca	65+50.00 - 70+00.00	3,432.5
Seneca	70+00.00 - 75+00.00	3,464.6
Seneca	75+00.00 - 82+00.00	5,078.9
Seneca	82+00.00 - 84+00.00	2,571.2
Seneca	84+00.00 - 90+17.08	4,472.1
31st	22+16.52 - 25+52.00	2,561.6
31st	27+12.50 - 30+81.83	2,764.8
34th	64+62.39	193.7
34th	64+61.39	182.6
35th	5+60.50 - 6+60.50	433.4
Total		31,669.4

Concrete Pavement 9" (NRD)(AE)		
Street	Location	Sq. Yd.
Seneca	55+50.00 - 60+00.00	2,805.6
Seneca	60+00.00 - 64+06.01	2,526.3
Seneca	65+16.45 - 70+00.00	3,008.7
Seneca	70+00.00 - 75+00.00	3,111.1
Seneca	75+00.00 - 82+10.89	4,633.9
Seneca	83+80.39 - 90+17.08	4,102.3
31st	22+16.52 - 25+52.00	2,267.9
31st	27+12.50 - 30+81.83	2,470.3
Total		24,926.1

Concrete Intersection Pavement 9" (Reinf.)(AE)		
Street	Location	Sq. Yd.
Seneca	64+06.01 - 65+16.45	1,026.9
Seneca	82+10.89 - 83+80.39	2,090.1
Total		3,117.0

Fire Hydrant Assembly (Non-Participating)					
Station	Offset	Ext.	Removal	Bury Line Elev.	WV #
58+31.1	41.0' Lt.	6'	-	92.10	WV#6319
64+83.2	40.2' Lt.	6'	-	93.10	WV#6318
69+89.5	47.0' Lt.	13'	-	94.10	WV#10193
76+18.5	32.9' Rt.	3'	-	94.50	WV#6317
83+56.3	43.3' Lt.	3'	-	95.90	WV#6067
6+79.9	23.0' Lt.	3'	-	92.23	
Total					6

Manhole Abandoned			
Location	Offset	Each	Desc.
24+85.82	38.7' Rt.	1	San. Swr.
82+56.8	38.9' Lt.	1	San. Swr.
Total		2	

Pipe Abandoned in Place		
Location	8" San. (Lin. Ft.)	
24+85.8 to 25+95.8	110	
82+56.8 to 82+95.1	55	
Total		165

Wheelchair Ramp w/ Detectable Warnings		
Station	Dir.	Ea.
57+85	Lt.	1
58+12	Rt.	1
58+32	Lt.	1
58+70	Rt.	1
64+21	Lt.	1
64+21	Rt.	1
64+36	Lt.	1
64+36	Rt.	1
64+88	Lt.	1
64+88	Rt.	1
65+00	Lt.	1
65+00	Rt.	1
69+46	Lt.	1
69+46	Rt.	1
69+93	Rt.	1
70+02	Lt.	1
72+66	Lt.	1
73+15	Lt.	1
76+25	Lt.	1
76+20	Lt.	1
82+36	Lt.	1
82+36	Rt.	1
82+47	Lt.	1
82+47	Rt.	1
83+41	Lt.	1
83+41	Rt.	1
83+55	Lt.	1
83+55	Rt.	1
86+14	Rt.	1
89+52	Rt.	1
29+93	Rt.	1
30+41	Rt.	1
Total		32

Tree, Large Removal		
Station	Dir.	Ea.
58+60	Lt.	1
58+60	Rt.	1
58+80	Lt.	1
59+15	Lt.	1
59+60	Rt.	1
62+30	Lt.	1
65+40	Lt.	1
65+55	Lt.	1
65+80	Lt.	1
66+35	Lt.	1
66+60	Lt.	1
67+50	Lt.	1
67+75	Lt.	1
68+75	Lt.	1
71+20	Lt.	1
72+25	Lt.	1
72+40	Lt.	1
72+55	Lt.	1
75+60	Rt.	1
76+20	Rt.	1
76+60	Rt.	1
76+80	Rt.	1
78+60	Rt.	1
Total		23

Tree, Small Removal		
Station	Dir.	Ea.
57+40	Rt.	1