

K:\CIVIL\97043\REVISION\QUANT\97043_Q1.DWG P1: Aug 06 13:40:17 1999

BY	DATE	
REFERENCES NOTED		
REFERENCES CHECKED		

CONCRETE PAVEMENT			
STATION	SIDE	200 mm UNIFORM (AE) (m ²)	REMARKS
1+416	RT.	52.54	MERIDIAN DR. VALLEY GUTTER
1+418	LT.	56.32	42ND. ST. N. VALLEY GUTTER
1+625	RT.	69.05	COMMERCIAL ENT./FULL RADIUS
1+741	LT.	89.31	BACHMAN DR. VALLEY GUTTER
1+789	LT.	101.34	CHURCH ENTRANCE/FULL RADIUS
1+923	LT.	67.78	CHURCH ENTRANCE/FULL RADIUS
1+992	RT.	80.56	FUTURE STREET VALLEY GUTTER
2+023	LT.	42.64	COMMERCIAL ENT./FULL RADIUS
2+192	LT.	62.15	MILRO VALLEY GUTTER
2+395	RT.	80.19	TIMBERCREEK VALLEY GUTTER
2+619	LT.	61.65	KEYWEST VALLEY GUTTER
PROJECT TOTAL		763.53	

CONCRETE PAVEMENT (AE)		
STATION TO STATION	240 mm UNIFORM (NRDj) m ²	DESCRIPTION
1+332 - 1+400	179.34	CENTER TURN LANE
1+332 - 1+430	373.83	RIGHT DECEL LANE
1+403 - 1+432	71.77	WIDENING LEFT
PROJECT TOTAL		624.94

CRUSHED STONE SUBGRADE				
STATION TO STATION	CRUSHED STONE SUBGRADE (m ²) (205 mm)	CRUSHED STONE SUBGRADE (m ²) (100 mm)	GEOGRID REINFORCE- MENT (FOR BASE) (m ²)	REMARKS
1+332 - 1+430		448.12	448.12	RIGHT DECEL LANE
1+332 - 1+400		205.58	205.58	CENTER TURN LANE
1+403 - 1+432		71.77		WIDENING LEFT
1+432 - 1+721	5820.92		5820.92	
1+721 - 1+761	995.35		995.35	INCLUDES BACHMAN
1+761 - 2+177	8389.08		8389.08	
2+177 - 2+207	844.91		844.91	INCLUDES MILRO
2+207 - 2+381	3547.34		3547.34	
2+381 - 2+417	994.52		994.52	INCLUDES TIMBERCREEK
2+417 - 2+603	3798.71		3798.71	
2+603 - 2+633	829.41		829.41	INCLUDES KEYWEST
2+633 - 2+806	2797.33		2797.33	
5+013 - 5+024	165.54		165.54	MERIDIAN DR.
4+966 - 4+975		79.58	79.58	42ND. ST. N.
4+975 - 4+992	238.75		238.75	42ND. ST. N.
PROJECT TOTAL		28421.86	805.05	29226.91

REMOVAL OF EXISTING STRUCTURES *			(FOR INFORMATION ONLY)
STATION	OFFSET	DESCRIPTION	
1+384	0 m RT- 3 m RT.	152 mm UNDERDRAIN PIPE	
1+384	11 m RT- 20 m RT.	152 mm UNDERDRAIN PIPE/OUTLET FLUME	
1+736.1	6.8 m LT.	600 mm RCP	
1+789.4	6.6 m LT.	450 mm CMP	
1+922.7	7.1 m LT.	450 mm CMP	
1+993.7	6.6 m LT.	CONCRETE HEADWALL	
1+996.4	6.8 m LT.	450 mm RCP	
1+999.0	6.7 m LT.	CONCRETE HEADWALL	
1+990.0 - 2+025.1	10.7 m LT.	254 mm SAN. SWR./CONC. ENCASEMENT	
2+025.1	LT. & RT.	254 mm SAN. SWR.	
2+181.8	10.9 m LT.	CONCRETE HEADWALL	
2+190.7	10.9 m LT.	900 mm RCP	
2+199.6	11.0 m LT.	MANHOLE	
2+201.8	11.0 m LT.	750 mm RCP	
2+204.1	11.1 m LT.	CONCRETE HEADWALL	
2+250.4	20.5 m LT.	STORM SEWER MANHOLE	
2+250.4	16.6 m LT.	450 mm RCP	
2+618.2	11.5 m LT.	600 mm RCP	
2+688.1	6.9 m LT.	625 mm x 535 mm HECMP	

* THE LISTING MAY NOT BE COMPLETE. PAYMENT FOR STRUCTURES OR OBSTRUCTIONS NOT LISTED BUT WHOSE REMOVAL IS REQUIRED BY THE CONSTRUCTION, AS DETERMINED BY THE ENGINEER, SHALL NOT BE PAID FOR DIRECTLY BUT SHALL BE INCLUDED IN THE BID ITEM " REMOVAL OF EXISTING STRUCTURES".

CURB & GUTTER, COMBINED (AE)					
LOCATION			TYPE I (m)	TYPE II (m)	TYPE III (m)
STATION TO STATION	SIDE				
1+332 - 1+353	RT.				21.52
1+353 - 1+358	LT.				5.59
1+353 - 1+358	LT.				11.18
1+332 - 1+402	RT.	70.42			
1+404 - 1+432	LT.	32.14			
1+402 - 1+430	RT.	31.45			
1+432 - 1+721	LT.	289.01			
1+430 - 1+615	RT.	184.63			
1+615 - 1+635	RT.		19.95		
1+635 - 1+973	RT.	338.22			
1+721 - 1+761	LT.	28.28			
1+761 - 1+779	LT.	18.42			
1+779 - 1+800	LT.		20.19		
1+800 - 1+915	LT.	115.11			
1+915 - 1+931	LT.		16.20		
1+931 - 2+016	LT.	85.95			
1+973 - 2+010	RT.	20.74			
2+010 - 2+381	RT.	370.56			
2+016 - 2+030	LT.		13.20		
2+030 - 2+177	LT.	147.02			
2+177 - 2+207	LT.	28.28			
2+207 - 2+603	LT.	396.04			
2+381 - 2+417	RT.	28.28			
2+417 - 2+802	RT.	384.76			
2+603 - 2+633	LT.	32.53			
2+633 - 2+806	LT.	172.55			
4+975 - 4+980	RT.	4.95			
4+975 - 4+980	LT.	4.95			
5+016 - 5+024	C/L		19.22		
5+018 - 5+024	RT.	5.91			
5+018 - 5+024	LT.	5.91			
4+975 - 4+978	RT.	2.76			
4+975 - 4+982	LT.	2.76			
SUB TOTAL		2801.63	69.54	57.51	
TOTAL (TYPE I, II & III)			2928.68		

* MOUNTABLE CURB SHALL BE SUBSIDIARY TO "CURB AND GUTTER, COMBINED (AE)".

ADJUST VALVE BOX/FIRE HYDRANT AND MANHOLES					
STATION	OFFSET	WATER (EA.)	FH (EA.)	SSMH (EA.)	
1+426.0	28.6 m RT.	1			
1+431.5	28.2 m RT.	1			
1+432.2	26.6 m LT.		1		
1+514.0	22.7 m LT.			1	
2+178.5	13.1 m RT.	1			
2+179.4	11.9 m RT.	1			
2+182.7	18.3 m LT.	1			
2+183.1	8.8 m RT.				
2+384.4	13.2 m RT.	1			
2+385.2	11.8 m RT.	1			
2+385.6	9.8 m RT.				
2+625.9	19.7 m LT.		1		
2+625.9	12.4 m RT.	1			
2+626.0	19.7 m LT.	1			
2+707.8	5.9 m RT.		1 *		
TOTAL		9	3	1	

* RELOCATE/ADJUST FIRE HYDRANT

PIPE UNDERDRAINS		
STATION TO STATION	150 mm (TYPE H) (PERFORATED) (m)	DESCRIPTION
1+336 - 1+353	18.95	
PROJECT TOTAL		18.95

RIPRAP (LIGHT STONE)				
STATION	OFFSET	RIPRAP (LIGHT STONE) (m ²)	GEOTEXTILE FILTER FABRIC (m ²)	DESCRIPTION
1+405.064	21.4 m RT.	25.23	25.23	
2+083.820	149.4 m RT.	21.05	21.05	
PROJECT TOTAL		46.28	46.28	

SIDEWALK CONSTRUCTION (AE)				
LOCATION			100 mm (m ²)	150 mm (SPECIAL) (m ²)
STATION TO STATION	SIDE			
1+423 - 1+731	LT.	686.3		
1+430 - 1+973	RT.	1107.4		
1+751 - 2+187	LT.	836.0		
2+198 - 2+614	LT.	828.9		
2+010 - 2+387	RT.	777.5		
2+570 - 2+806	RT.	798.1		
PROJECT TOTAL		5034.2		

(LOW STRENGTH) FLOWABLE FILL			
STATION	SIDE	QUANTITY (m ³)	REMARKS
1+416.3	RT.	7	2-0.45 m ² RCPHE
1+434.0	LT.&RT.	12	0.15 m ² RCPHE
1+615	LT.&RT.	8	450 mm RCP
1+990.0	LT.&RT.	11	254 mm SAN. SWR.
2+016.0	LT.&RT.	12	600 mm RCP
2+082.3	LT.&RT.	43	1200 mm RCP
2+099.9-2+199.6	LT.	95	750 mm RCP
2+199.6-2+246.8	LT.	50	900 mm RCP
2+325.0	LT.&RT.	13	600 mm RCP
2+670.8	LT.&RT.	11	600 mm RCP
PROJECT TOTAL		262	

SURFACING MATERIAL (AB-3)			
STATION	SIDE	100 mm m ³	REMARKS
1+741.08	LT.	18.70	
PROJECT TOTAL		18.70	

SURVEY MONUMENT (INSTALL ONLY)			
STATION	SIDE	QUANTITY EACH	REMARKS
2+000.000	§	1	
2+805.845	§	1	
PROJECT TOTAL		2	

EARTHWORK						
STATION TO STATION	COMMON EXCAVATION (m ³)	COMPACTION TYPE B (MR-90) (m ³)	ROCK EXCAVATION (m ³)	COMMON EXCAVATION (WASTED) (m ³)	ROCK EXCAVATION (WASTED) (m ³)	BORROW (m ³)
		V.M.F				
1+431.8 - 2+805.8	184.0	0.8	2427.9			2850.9
1+331.581 - 2+805.845	17105.5		6307.5	2834	9221.1	2834
PROJECT TOTAL		17289.5	8735.4	2834	9221.1	2850.9

TABULATION OF SURFACING QUANTITIES					
STATION TO STATION	AGGREGATE SURFACE (BM-2) (TONS)	AGGREGATE BASE (BM-2) (TONS)	ASPHALTIC CEMENT (AC-10) (TONS)	TACK EMULSIFIED ASPHALT (SS-1H) (TONS)	REMARKS
MERIDIAN					
1+430.37 - 1+760.90	684.70	1958.24	143.71	1.60	180 mm (BM-2)
1+760.90 - 2+207.40	931.18	2663.17	195.44	2.18	180 mm (BM-2)
2+207.40 - 2+417.11	443.12	1267.32	93.00	1.04	180 mm (BM-2)
2+417.11 - 2+633.30	460.44	1316.87	96.64	1.08	180 mm (BM-2)
2+633.30 - 2+805.85	282.72	808.59	59.34	0.66	180 mm (BM-2)
MERIDIAN DR.					
	9.16	26.19	1.92	0.02	180 mm (BM-2)
42ND. ST. NO.	15.77	45.10	3.31	0.04	180 mm (BM-2)
BACHMAN DR.	17.12	48.96	3.59	0.04	180 mm (BM-2)
MILRO	10.02	28.66	2.10	0.02	180 mm (BM-2)
TIMBERCREEK	21.22	60.69	4.45	0.05	180 mm (BM-2)
KEYWEST	16.26	46.49	3.41	0.04	180 mm (BM-2)
FUTURE STREET	7.26	20.78	1.52	0.02	180 mm (BM-2)
PROJECT TOTAL		2898.97	8291.06	608.43	6.79

RECAPITULATION OF ROAD QUANTITIES		
BID ITEM	QUANTITY	UNIT
CLEARING AND GRUBBING	LUMP SUM	L.S.
REMOVAL OF EXISTING STRUCTURES	LUMP SUM	L.S.
COMMON EXCAVATION	17,290	m ³
COMPACTION OF EARTHWORK (TYPE B)(MR-90)	8,736	m ³
ROCK EXCAVATION	2,834	m ³
CRUSHED STONE SUBGRADE (100 mm)	805.1	m ²
CRUSHED STONE SUBGRADE (205 mm)	28,421.9	m ²
GEOGRID REINFORCEMENT (FOR BASE)	29,226.9	m ²
SIDEWALK CONSTRUCTION (100 mm)(AE)	5034	m ²
CONCRETE PAVEMENT (240 mm UNIFORM)(AE)(NRDj)	625	m ²
CONCRETE PAVEMENT (200 mm UNIFORM)(AE)	764	m ²
CURB AND GUTTER, COMBINED (AE)	2,928.7	m
FLOWABLE FILL (LOW STRENGTH)	262	m ³
450 mm STORM SEWER (R.C.P.)	18.5	m
600 mm STORM SEWER (R.C.P.)	125.9	m
750 mm STORM SEWER (R.C.P.)	293.0	m
900 mm STORM SEWER (R.C.P.)	162.0	m
1200 mm STORM SEWER (R.C.P.)	95.8	m
0.15 m ² STORM SEWER (R.C.P.H.E.)	21.9	m
0.45 m ² STORM SEWER (R.C.P.H.E.)	56.0	m
INLET (CURB) (TYPE 1)(1.930 m)	7	EACH
INLET (CURB) (TYPE 1)(3.454 m)	3	EACH
INLET (CURB) (TYPE 1)(4.979 m)	1	EACH
INLET (CURB) (TYPE 1)(SPECIAL)	1	EACH
MANHOLE (REINFORCED CONCRETE)	1	EACH
MANHOLE (SPECIAL TYPE A)(1.524 DIA.)	1	EACH
OUTFALL STRUCTURE	LUMP SUM	L.S.
PIPE UNDERDRAINS (TYPE H)(PERFORATED)	18.95	m
RIPRAP (LIGHT STONE)/GEOTEXTILE FILTER FABRIC	46.28	m ²
SURVEY MONUMENT (INSTALLATION ONLY)	2	EACH
TRAINEES (HIGHWAY CONSTRUCTION)(1)(SET)	1	HOURL
MOBILIZATION	1	LS
MOBILIZATION (DBE)	1	LS
FIELD OFFICE AND LAB (TYPE A)	1	EACH
NON-PARTICIPATING:		
REPLACE SANITARY SEWER FORCE MAIN	LUMP SUM	LS
1200 mm STORM SEWER (R.C.P.)	61	m
END SECTION (1200 mm R.C.)	1	EACH
ADJUST VALVE BOX (WATER)	9	EACH
ADJUST FIRE HYDRANT	3	EACH
ADJUST MANHOLE WITH NEW RING AND COVER	1	EACH
305 mm WATER LINE RELOCATION	1	EACH
CONSTRUCTION STAKING BY LPA		