


P.O.T. #4 Sta. 8+75.16
1. Set P.K. Nail
2. Chis. ** on Top of Curb 17.17' S.
3. Chis. ** on Top of Curb 45.59' N.W.
4. Chis. ** on Top of Curb 44.82' N.

P.O.T. #3 Sta. 12+99.88
1. Set P.K. Nail
2. P.P.
3. Chis. ** on Sidewalk 63.88' S.S.W.
4. Chis. ** on Top of Curb 33.54' S.S.W.
28.61' N.E.

SHEET NO.	TOTAL SHEETS
44	50

Scale: 1"=20'



PLAN


SUMMARY OF PAVEMENT MARKINGS (COLD PLASTIC)(CLASS A OR B)

MURDOCK	OFFSET	LEFT TURN ARROW	4" SOLID YELLOW DOUBLE LINE	12" SOLID YELLOW DIAGONAL LINE	6" BROKEN WHITE LANE LINE	6" SOLID WHITE LANE LINE	12" SOLID TYPE I CROSSWALK LINE	24" SOLID TYPE I STOP LINE
9+35 to 13+55	6' Lt.		420'					
9+35 to 13+55	6' Rt.		420'					
9+35 to 13+55	6' Lt.&Rt.			146'				
TOTAL			840'	146'				

Note: Pavement Markings shall conform to the requirements of the KDOT Std. Specifications for Thermoplastic Pavement Marking.

Pavement Marking is paid for as Lump Sum.

Note: Words and symbols shall conform to the latest Edition of "Standard Alphabets for Highway Signs and Pavement Markings" Printed by the U.S. Department of Transportation, Federal Highway Administration.



DETAIL OF DOUBLE YELLOW STRIPING

SCALE
PLAN: Lat. & Long.
PROFILE: Horiz. same as above
Vert.

NOTE: Traffic flow arrows shown for clarification of lane use. Not to be installed. Existing lane lines from Sta. 12+78.24 to Sta. 13+54.43 to be removed and paid for as "Marking" Lump Sum.

No.	Revisions	By	Date
CITY OF WICHITA, KANSAS JAMES L. ARMOUR, P.E.-ACTING CITY ENGINEER MURDOCK BRIDGE OVER LITTLE ARKANSAS RIVER PAVEMENT MARKING PLAN CITY OF WICHITA PROJECT NO. 472-83895			
Professional Engineering Consultants, P.A. 303 S. TOPEKA • WICHITA, KANSAS 67202 316-262-2691 • FAX 316-262-3003			
Designed by	R.A.S.	Checked by	R.A.S.
Drawn by	D.R.P.	Date	Dec. 2003
		Job No.	96940-2