




Subdivision Bench Marks				
No.	Street and Station	From CL	Description	Elevation
3	Spyglass, Sta. 14+92	17.50' Rt	Top of E curb of Spyglass S end of E return Blade	

Curve #4					
Curve Data Based on Centerline					
Rad. = 100' Delta = 27° 12' 05" Tangent = 24.19'					
Arc = 47.47' L.C. = 47.03' Def/Ft. = 17.19068 Min.					
		FACE CHORD LENGTHS		Defl.	T. Defl.
Station	Arc	8 Lt.	8 Rt.		
14+30.77	—	—	—	0°00'00"	0°00'00"
14+50.00	19.23'	24.00'	14.40'	5°30'34"	5°30'34"
14+75.00	25.00'	31.17'	18.70'	7°09'46"	12°40'20"
14+78.24	3.24'	0.00'	0.00'	0°55'42"	13°36'02"



NOTE: ROLL TYPE CURB AND GUTTER TO BE CONSTRUCTED ALONG PAVEMENT DEPICTED ON THIS SHEET

**SAWMILL CREEK ADDITION
SPYGLASS
WICHITA, KANSAS**



Ruggles & Bohm, P.A.
Engineering, Surveying, Land Planning
924 North Main
Wichita, Kansas 67203
www.rbkansas.com

(316) 264-8008
(316) 264-4621 fax
E-mail: info@rbkansas.com

DESIGN: CMB
DRAWN: EJC
REVIEW: [blank]
UTILITY: [blank]

PROJECT NUMBER: 472-83624
DATE: Nov. 26, 2002

SHEET: 8 OF 40