

GENERAL SITE NOTES

- GENERAL CONTRACTOR TO CALL KANSAS ONE-CALL 48 HOURS PRIOR TO BEGINNING EXCAVATION OR DEMOLITION WORK AT 316-887-2470 OR 1-800-DIG-SAFE.
- GENERAL CONTRACTOR TO CONTACT ALL LOCAL UTILITIES PRIOR TO THE BEGINNING OF ANY CONSTRUCTION TO COORDINATE THE LOCATION OF UTILITIES AND POTENTIAL CONFLICTS.
- ALL ELEVATIONS SHOWN ARE NAVD88 DATUM. THE CONTRACTOR SHALL NOT START WORK ON THE PROJECT UNTIL THE PROJECT INSPECTOR IS ASSIGNED TO THE PROJECT AND IS PRESENT ON THE SITE. ANY WORK DONE WITHOUT INSPECTION WILL BE REQUIRED TO BE UNCOVERED FOR INSPECTION. ALL CONSTRUCTION WORK AND MATERIAL IN THIS PROJECT SHALL COMPLY WITH CITY OF WICHITA STANDARD SPECIFICATIONS FOR THE CONSTRUCTION OF CITY PROJECTS UNLESS OTHERWISE NOTED IN THE PLANS OR SPECIAL PROVISIONS.
- THE GENERAL CONTRACTOR IS RESPONSIBLE FOR VERIFYING THE DEPTHS OF ALL UTILITIES THAT CROSS THE PROJECT AREA TO IDENTIFY ANY POTENTIAL CONFLICTS. IF CONFLICTS WITH EXISTING LINES ARE IDENTIFIED, THE PROJECT MANAGER MUST BE CONTACTED IMMEDIATELY AND WORK MUST STOP AT THOSE LOCATIONS, PENDING RESOLUTION/DIRECTION FROM PROJECT MANAGER.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE EXISTENCE AND DEPTH OF ANY/ALL BUILDING BASEMENTS WITHIN THE PROJECT AREA.
- UNDERGROUND UTILITY SERVICE LINES AND OVERHEAD UTILITY POLE LINES ARE TO BE ADJUSTED AS NECESSARY BY OTHERS PRIOR TO CONSTRUCTION UNLESS THE PLANS SPECIFICALLY CALL FOR THEIR ADJUSTMENT BY THE CONTRACTOR. EXISTING UTILITIES AND THEIR LOCATION, AS SHOWN ON THE PLANS, REPRESENT THE BEST INFORMATION OBTAINABLE FOR DESIGN. LOCATION INFORMATION HAS BEEN OBTAINED FROM THE VARIOUS UTILITY COMPANIES AND IS EITHER FROM COMPANY RECORD DRAWINGS OR COMPANY PROVIDED FIELD LOCATIONS. THE CONTRACTOR WILL BE REQUIRED TO WORK AROUND EXISTING UTILITIES WITHIN THE RIGHT-OF-WAY WHICH DO NOT CONFLICT WITH PROPOSED CONSTRUCTION.
- THE CONTRACTOR IS RESPONSIBLE FOR ALL CITY OF WICHITA REQUIRED REVIEWS, PERMITS AND PROJECT TESTING.
- CONTRACTOR IS TO PROVIDE ALL SAFETY BARRIERS, FENCING ETC. AROUND CONSTRUCTION ACTIVITIES AS REQUIRED BY LOCAL REGULATIONS AS A MINIMUM SAFETY STANDARD. ALL CONSTRUCTION ACTIVITY MUST BE CONTAINED WITHIN THE LIMITS OF THE PROJECT. WERE NO LIMITS ARE SHOWN A MINIMUM OF TWO LINER FEET. FROM PAVING.
- THE EXISTING FACILITIES SHALL REMAIN OPEN TO THE PUBLIC DURING CONSTRUCTION ACTIVITY. THE CONTRACTOR SHALL MAKE EVERY EFFORT TO MINIMIZE DISRUPTION IMPACTS DURING CONSTRUCTION AND PROTECT THE PROJECT SITE, AND THE GENERAL PUBLIC, DURING WORK.
- A CONTINUOUS SIDEWALK PATH OF PEDESTRIAN TRAVEL ALONG DOUGLAS AVE. (FROM MAIN ST. TO WASHINGTON ST.) MUST BE MAINTAINED THROUGH CONSTRUCTION ACTIVITIES.
- THE CONTRACTOR SHALL RESTORE TO THE ORIGINAL CONDITION, DISTURBED AREAS BY CONSTRUCTION OPERATIONS, AND SHALL BE RESPONSIBLE FOR ALL DAMAGES AND ASSOCIATED COSTS AT NO ADDITIONAL EXPENSE TO OWNER. THIS INCLUDES, BUT IS NOT LIMITED TO: DAMAGE TO EXISTING PAVEMENTS, LANDSCAPING AND IRRIGATION SYSTEMS
- ALL DEMOLISHED MATERIALS SHALL BE REMOVED FROM THE SITE AND DISPOSED OF IN A LEGAL MANNER UTILIZING LOCAL CONSTRUCTION/DEMOLITION LANDFILLS. ALL DEMOLISHED MATERIALS SHALL BECOME THE PROPERTY OF THE CONTRACTOR UNLESS SPECIFICALLY RETAINED BY THE OWNER.
- THE CONSTRUCTION SITE SHALL BE MAINTAINED IN A CLEAN, NEAT MANNER WITH DEMOLISHED MATERIALS BEING REMOVED FROM THE SITE IMMEDIATELY.
- RUBBLE FROM THE REMOVAL OF MISCELLANEOUS STRUCTURES SHALL BE DISPOSED OF ON SITES TO BE PROVIDED BY THE CONTRACTOR AND APPROVED AS NOTED BELOW.
- ALL DISPOSAL SITES MUST BE APPROVED BY THE KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT. MATERIAL EITHER STOCKPILED OR DISPOSED OF IN A FLOOD PLAIN WOULD REQUIRE A KANSAS STATE BOARD OF AGRICULTURE PERMIT. ANY MATERIAL DUMPED IN WATERS OF THE UNITED STATES OR WETLANDS IS SUBJECT TO U.S. CORPS OF ENGINEERS PERMITTING REGULATIONS. ANY MATERIAL BURIED OR STOCKPILED BEYOND APPROVED CONSTRUCTION LIMITS WOULD REQUIRE ADDITIONAL ARCHEOLOGICAL INVESTIGATIONS UNLESS BURIED IN A PREVIOUSLY APPROVED BORROW LOCATION.
- THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR INSTALLING AND MAINTAINING ALL EROSION CONTROL MEASURES ON SITE USING CURRENT APPROPRIATE BMP MEASURES. IT SHALL BE THE GENERAL CONTRACTORS RESPONSIBILITY TO PROVIDE APPROPRIATE EROSION CONTROL MEASURES ON SITE.
- THE CONTRACTOR IS RESPONSIBLE FOR CONTROLLING EROSION AND SEDIMENTATION OF THE CONSTRUCTION SITE. FOLLOW ALL PERTINENT BEST MANAGEMENT PRACTICES AS IT RELATES TO CONSTRUCTION ACTIVITY. THE CONTRACTOR SHALL STABILIZE EXPOSED SOILS IN AREAS AS THEY ARE COMPLETED IF THE PROJECT TAKES LONGER THAN 14 DAYS TO COMPLETE.
- GENERAL CONTRACTOR SHALL INSTRUCT/COORDINATE ALL CONTRACTORS LEAVING MATERIALS ON SITE FOR EXTENDED PERIODS OF TIME TO STORE MATERIALS IN DESIGNATED CONSTRUCTION STAGING AREAS AS INDICATED BY CITY OF WICHITA PROJECT MANAGER.
- VERIFY ALL DIMENSIONS AND ANGLES IN THE FIELD PRIOR TO DEMOLITION AND/OR CONSTRUCTION. ANY DISCREPANCIES BETWEEN THE PLANS AND FIELD LAYOUT MUST BE BROUGHT TO THE ATTENTION OF THE CITY OF WICHITA PROJECT MANAGER FOR RESOLUTION. WRITTEN DIMENSIONS SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS.
- WHERE PAVEMENT IS IDENTIFIED TO BE REMOVED, THE CONTRACTOR SHALL REMOVE PAVEMENT TO THE EXTENTS INDICATED ON THE PLANS OR TO THE NEAREST EXISTING JOINT. WHERE PAVEMENT IS TO BE REMOVED WITHOUT JOINTS, SAW-CUT EXISTING PAVEMENTS AND REMOVE CAREFULLY SO AS TO NOT DAMAGE PAVEMENTS TO REMAIN.
- CONCRETE JOINTS SHALL BE PLACED AS SHOWN ON THE PLANS. WHERE NOT SPECIFICALLY INDICATED ON PLANS, CONTROL JOINTS SHALL BE 5' APART AND EXPANSION JOINTS SHALL BE PLACED A MAXIMUM OF 50' APART & BETWEEN ALL EXISTING AND INSTALLED CONCRETE. CONSTRUCTION JOINTS SHALL BE PLACED AT LOCATIONS BETWEEN DIFFERENT CONCRETE POURS.
- CONTRACTOR SHALL SATISFY HIMSELF OF SURFACE AND SUBSURFACE CONDITIONS PRIOR TO BIDDING.
- CONTRACTOR IS RESPONSIBLE FOR PRESERVING EXISTING PROPERTY IRONS. RE-ESTABLISH ANY EXISTING PROPERTY IRONS WHICH ARE DAMAGED OR DESTROYED BY CONSTRUCTION OPERATIONS, OR WHICH ARE COVERED BY 12" OR MORE OF FILL MATERIAL BY THIS PROJECT. SUCH IRONS SHALL BE RE-ESTABLISHED BY A LICENSED LAND SURVEYOR IN ACCORDANCE WITH STATE LAWS AND AT NO ADDITIONAL COST TO THE CITY.
- THE CONTRACTOR SHALL REMOVE EXISTING ROAD SIGNS THAT INTERFERE WITH CONSTRUCTION. SIGNS DAMAGED THRU NEGLIGENCE OF THE CONTRACTOR SHALL BE REPLACED BY THE CONTRACTOR AT NO COST TO THE CITY. THE CONTRACTOR SHALL STOCKPILE THE SIGNS ALONG THE R/W (AT A CENTRAL LOCATION) FOR REMOVAL BY CITY FORCES.
- ALL EXISTING PAVEMENT, SIDEWALK AND CURB AND GUTTER WITHIN THE CONSTRUCTION LIMITS SHALL BE SAW CUT, FULL DEPTH, TO THE NEAT LINES SHOWN ON THE PLANS, OR TO THE NEAREST JOINT, AND REMOVED, UNLESS OTHERWISE NOTED. SAW CUTTING SHALL BE SUBSIDIARY TO THE BID ITEM "PAVEMENT REMOVED".
- ALL STORM WATER SEWER, WATERLINE AND SANITARY SEWER EXCAVATION UNDER PROPOSED PAVEMENT SHALL BE SAND FILLED AND FLUSHED (JETTED AND VIBRATED) WITH WATER PER THE REQUIREMENTS LISTED IN THE STANDARD SPECIFICATIONS FOR THE CITY OF WICHITA, UNLESS FLOWABLE FILL OR OTHER IMPROVED BACKFILL MATERIAL IS OTHER WISE SPECIFIED. THE SAND FILL SHALL BE BROUGHT UP UNIFORMLY TO AN ELEVATION 12 INCHES ABOVE THE TOP OF THE PIPE OR 2 FEET BELOW THE BOTTOM OF PROPOSED PAVEMENT, WHICHEVER IS HIGHER. ALL COSTS FOR SAND FILLING AND FLUSHING SHALL BE INCLUDED IN THE UNIT PRICE BID FOR "SAND FILL, FLUSH AND VIBRATE". THIS ITEM SHALL BE PAID FOR AT THE UNIT PRICE BID PER LINEAR FOOT OF TRENCH FILLED REGARDLESS OF TRENCH DEPTH AND/OR PIPE SIZE UNLESS INDICATED OTHERWISE BY THE PLANS OR CONTRACT. BACKFILL FOR REMOVAL OF EXISTING STORM WATER SEWER PIPES AND INLETS SHALL BE SAND FILLED AND FLUSHED (JETTED AND VIBRATED) WITH WATER AND BROUGHT UP UNIFORMLY TO AN ELEVATION 2 FEET BELOW PROPOSED FINISHED GRADE. ALL COSTS FOR THIS WORK SHALL BE SUBSIDIARY TO "REMOVAL OF EXISTING STRUCTURES" ALL LABOR, MATERIALS, AND EQUIPMENT NECESSARY TO MAKE CONNECTIONS TO EXISTING PIPE OR EXISTING SMALL STRUCTURES SHALL NOT BE PAID FOR DIRECTLY, BUT SHALL BE SUBSIDIARY TO OTHER ITEMS OF THE CONTRACT.

PAVER SCHEDULE

PAVER TYPE A	ESTIMATED REMOVAL	ESTIMATED INSTALLATION	MANUFACTURER
PAVER TYPE A.1 PREST CONCRETE PAVER 12 x 12 x 2-1/2 (ACTUAL 11.5 x 11.5) COLOR: UNKNOWN BASE: CONCRETE	QUANTITY: 1,150 (SQ.FT.)	QUANTITY: 171 (SQ.FT.)	HANOVER ARCHITECTURAL PRODUCTS 5000 HANOVER ROAD HANOVER, PA 173331 tel: 717-637-0500 www.hanoverpavers.com
PAVER TYPE A.2 PREST CONCRETE PAVER 12 x 12 x 2-1/2 (ACTUAL 11.5 x 11.5) COLOR: LIMESTONE GRAY BASE: CONCRETE	QUANTITY: 12 (SQ.FT.)	QUANTITY: 43 (SQ.FT.)	HANOVER ARCHITECTURAL PRODUCTS 5000 HANOVER ROAD HANOVER, PA 173331 tel: 717-637-0500 www.hanoverpavers.com
PAVER TYPE B ROAD BRICK "PAVERS" 8 x 4 x 3 COLOR: VARIES BASE: AGGREGATE	QUANTITY: 986 (SQ.FT.)	QUANTITY: 906 (SQ.FT.)	CITY OF WICHITA SALVAGE EXISTING BRICKS: REFER SHEET DE1.3, 1.4, 1.5, & 1.6
PAVER TYPE C SQUARE CLAY PAVER 8 x 8 (ACTUAL 7.5 x 7.5) COLOR: VARIES BASE: CONCRETE	QUANTITY: 520 (SQ.FT.)	QUANTITY: 520 (SQ.FT.)	EXISTING PAVER TO BE SALVAGED & REUSED: REFER SHEET DE1.3-1.5 & SA1.3-1.5
PAVER TYPE D HOLLAND PAVER 8 x 4 COLOR: QUARRY RED BASE: CONCRETE	QUANTITY: 236 (SQ.FT.)	QUANTITY: 37 (SQ.FT.)	
PAVER TYPE E CLAY PAVER 8 x 4 COLOR: RED BASE: CONCRETE	QUANTITY: 50 (SQ.FT.)	QUANTITY: 0 (SQ.FT.)	

*NOTE: ALL EXISTING PAVER PROFILES HAVE BEEN DETERMINED FROM EXISTING DRAWINGS & SITE INSPECTIONS. CONTRACTOR SHALL VERIFY PAVER BASES PRIOR TO STARTING WORK & REPORT ANY DISCREPANCIES TO ARCHITECT IMMEDIATELY. ALL EXTRA PAVERS TO BE TRANSPORTED TO CITY OF WICHITA YARD FOR STORAGE AS INSTRUCTED BY CITY OF WICHITA REPRESENTATIVE.

ADD ALTERNATE DESCRIPTION

ADD ALTERNATE BID ITEM #1

MID-BLOCK PLANTERS - SEE SA1.1-1.13
PURCHASING AND INSTALLATION OF PLANTER POT C BETWEEN INTERSECTION BULB-OUTS. INSTALLATION WORK INCLUDES LOCATING ON SITE, INSTALLATION OF RESERVOIR SYSTEM, & INSTALLATION OF POTTING SOIL.

ADD ALTERNATE BID ITEM #2

TRELLIS COLUMN MODIFICATIONS - SEE DETAILS 17-20/SA2.3 & SA1.1-1.5
REMOVAL OF EXISTING LIGHT FIXTURES, ELECTRICAL CONDUITS, AND PYRAMIDAL TOP. INSTALLATION OF LIGHT FIXTURES, CONTROLLERS, ELECTRICAL CONNECTION, FABRICATION OF LIGHT CABINETS, AND PAINTING OF STRUCTURES

SITE AMENITIES SCHEDULE

STRUCTURED SOIL TREE WELL MANUFACTURER: CITYGREEN PRODUCT: STRATAVAULT	QUANTITY: 2,731 SQ.FT. @ TWO LAYERS	CITYGREEN - URBAN LANDSCAPE SOLUTIONS TEL. 855.892.1961 WWW.CITYGREEN.COM JOE.GOODEN@CITYGREEN.COM
PLANTER POT - A MANUFACTURER: WAUSAU PRODUCT: PLANTER TF4133 (60" dia x 18") COLOR: A26 CHARCOAL	QUANTITY: 32	WAUSAU MADE WAUSAU TILE, INC. TEL. 573.295.4344 WWW.WAUSAUMADE.COM CAROL@WTREP.COM
PLANTER POT - B MANUFACTURER: WAUSAU PRODUCT: PLANTER TF4306 (36" dia x 24") COLOR: A20 WHITE	QUANTITY: 11	WAUSAU MADE WAUSAU TILE, INC. TEL. 573.295.4344 WWW.WAUSAUMADE.COM CAROL@WTREP.COM
PLANTER POT - C (MID-BLOCK) ADD ALTERNATE BID ITEM #1 MANUFACTURER: WAUSAU PRODUCT: PLANTER TF4133 (48" dia x 24") COLOR: A20 WHITE	QUANTITY: 61	WAUSAU MADE WAUSAU TILE, INC. TEL. 573.295.4344 WWW.WAUSAUMADE.COM CAROL@WTREP.COM
BACKLESS BENCHES MANUFACTURER: DUMOR PRODUCT: 92-60-3AR - SURFACE MOUNT COLOR: BLACK	QUANTITY: 10	DUMOR SITE FURNISHINGS TEL. 800.598.4018 WWW.DUMOR.COM SALES@DUMOR.COM
BACKED BENCHES MANUFACTURER: DUMOR PRODUCT: 58-60-3AR - SURFACE MOUNT COLOR: BLACK	QUANTITY: 1	DUMOR SITE FURNISHINGS TEL. 800.598.4018 WWW.DUMOR.COM SALES@DUMOR.COM
BACKED BENCH VAGRANT BARS MANUFACTURER: DUMOR PRODUCT: 3AR COLOR: BLACK MOUNT: TO MODEL 58-60 BACKED BENCHES	QUANTITY: 26	DUMOR SITE FURNISHINGS TEL. 800.598.4018 WWW.DUMOR.COM SALES@DUMOR.COM
BIKE RACK MADRAX POST & RING W/ BALL CAP (BOLCL-2-SF-P) - SURFACE MOUNT COLOR: BLACK	QUANTITY: 27	GRABER MANUFACTURING INC. 1080 UNIEK DR. WAUNAKEE, WI 53597 tel: 800-448-7931 www.madrax.com
TRASH RECEPTACLE RELOCATED SURFACE MOUNT	QUANTITY: 8	
TREE GRATES MARINA GRATE 72" GRATE: CUSTOM MARINA GRATE 60" GRATE: 6084 MARINA GRATE 48" GRATE: 4874	QUANTITY: CUSTOM = 11 6084 = 1 4874 = 14	IRONSMTIH INC. CORPORAE WAY #3 Palm Desert, CA 92260 tel: 800-338-4766 www.ironsmith.biz
TREE GRATE FRAME 72" FRAME: 7200F-2 48" FRAME: 4800F-2 MOUNTING: BOLT IN PLACE	QUANTITY: 7200F-2 = 11 TOTAL 4800F-2 = 12 TOTAL	IRONSMTIH INC. CORPORAE WAY #3 Palm Desert, CA 92260 tel: 800-338-4766 www.ironsmith.biz
TRELLIS COLUMN LIGHT CABINET ADD ALTERNATE BID ITEM #2 MODIFICATION OF EXISTING TRELLIS COLUMNS TO HOUSE LIGHT CABINETS. REFER TO DETAILS 17-20 ON SHEET SA2.3	QUANTITY: 12	REFER TO SA1 SHEETS FOR LOCATIONS OF COLUMNS TO BE MODIFIED.
TOTAL EXISTING NEWS KIOSKS WITHIN PROJECT AREA: 12 NEWS KIOSKS • NEWS KIOSKS TO REMAIN IN PLACE (3) • NEWS KIOSKS TO BE REMOVED TO CITY YARD (9)		REFER TO DE & SA1 SHEETS FOR LOCATIONS OF NEWS KIOSKS TO REMAIN IN PLACE & NEWS KIOSKS TO BE REMOVED. TRANSPORT TO CITY YARD AS INSTRUCTED BY CITY OF WICHITA REPRESENTATIVE.

NOTE: CONTRACTOR IS TO USE ABOVE LISTED AMENITIES, OR APPROVED EQUIVALENTS. PROVIDE CUT SHEETS OR/AND SHOP DRAWINGS OF ALL LISTED ITEMS FOR APPROVAL.

RECAPITULATION OF QUANTITIES

#	Item	Quantities	Units
Lump sum Bid Items			
1	Mobilization	1	LS
2	Field Office and Lab (Type A)	1	EA
3	Removal of Existing Structures	1	LS
4	Concrete &/or Asphalt Pavement Removed	1250	SY
5	Concrete C & G Removed	961	LF
6	Excavation	364	CY
7	Excavation, Borrow (Contractor Furnished)	169	CY
8	Compacted Fill (95% Density)	399	CY
9	Concrete Pavement (7") (Reinf.)	159	SY
10	Crushed Rock Base 8", Reinforced	800	SY
11	Concrete C & G, Comb. Type I Mod. (Special)	1349	LF
12	Wheelchair Ramp w/ Detectable Warnings	29	EA
13	Tree Well Suspended Pavement Installation	1	LS
Lump Sum Bid Items - Drainage			
14	Inlet, Curb (Type II) (Double) (L=5', W=2')	6	EA
15	Inlet Hookup	6	EA
16	MH, Reinforced Concrete (3' x 3')	3	EA
17	Pipe, PVC 4", Perforated (Inlet Underdrain)	66	LF
18	Pipe, SWS 10" (PVC)	40	LF
19	Pipe, SWS 15" (RCP)	132	LF
20	Fill, Sand (Flushed & Vibrated)	172	LF
Measured Quantities Bid Items			
21	Bus Shelter Advertising Panel Modification	8	EA
22	MH Adjusted	9	EA
23	Valve Box Adjusted	5	EA
24	Fire Hydrant Removal	1	EA
25	Fire Hydrant Assembly	1	EA
26	Post Hydrant Install	18	EA
27	Service Line - Long 1"	6	EA
28	Service Line - Short 1"	12	EA
29	Sidewalk Paving Removal	4156	SF
30	Sidewalk Paver Removal	2952	SF
31	Conc. Banding Removal	56	LF
32	Kiosk Removal	9	EA
33	Tree Removal (Larger >12In)	11	EA
34	Tree Removal (Small <12In)	17	EA

Measured Quantities Bid Items - Sidewalk			
35	Concrete - 4" Non-Reinforced	6613	SF
36	Concrete, Colored - 4" Non-Reinforced	2552	SF
37	Concrete Banding	129	LF
38	Concrete Pavers On Concrete Base	770	SF
39	Concrete Pavers On Aggregate Base	906	SF
40	Sculpture - Relocated	1	LS
41	Trees - 3" Cal.	31	EA
42	Tree Well Backfill	52	CY
43	Tree Grate - 72" square grate & frame	11	EA
44	Tree Grate - 60" square grate	1	EA
45	Tree Grate - 48" square grate	14	EA
46	Tree Grate - 48" square frame	12	EA
47	Bench - Backed	1	EA
48	Bench - Backless	10	EA
49	Bench - Vagrant Bar	24	EA
50	Bike Rack - Post & Ring (new)	27	EA
51	Trash Receptacle - Relocated	8	EA
52	Planter Pot - A (60in. Dia) & Backfill	32	EA
53	Planter Pot - B (36in. Dia) & Backfill	11	EA
Lump Sum Bid Items - Traffic			
54	Traffic Control	1	LS
55	Signing	1	LS
56	Pavement Marking	1	LS
Measured Quantities Bid Items - Erosion Control BMP			
57	BMP, Curb Inlet Protection	6	EA
Measured Quantities Bid Items - Add Alternate #1 (Mid Block Planters)			
58	Planter Pot - C (48in. Dia) & Backfill	61	EA
Lump Sum Bid Items - Add Alternate #2 (Trellis Columns)			
59	Trellis Column Modification & Light Cabinets	1	LS
60	Trellis Electrical Mods., Fixtures, & Connection	1	LS
61	Lighting Controls & Connection	1	LS

PRINTS ISSUED

DATE	PURPOSE	NO.
12.02.16	FOR BID	

DOUGLAS AVE.
STREETSCAPE
IMPROVEMENTS
WICHITA, KS

LK Architecture
Architecture • Engineering • Planning • Interior Design • Landscape Architecture

LK Architecture Inc. ©
345 RIVERVIEW WICHITA, KS 67203
Phone (316) 268-0230 Fax: (316) 268-0205

CONTACT: Jeffery A. Best, AIA

PROJECT NUMBER:

15749.01

SHEET TITLE:

GENERAL NOTES & SCHEDULE

SHEET NUMBER:

GNS