






Note:
Place 4" perforated PVC pipe filled w/ 1/2"-1" Dia. gravel. Place pipe in front of Curb Inlet as Shown.

2x4 LENGTH	INLET TYPE	INLET OPENING
5'-6"	1-A	5'-0"
10'-6"	1-A	10'-0"
15'-6"	1-A	15'-0"



CURB INLET PROTECTION

4" Perforated Pipe w/ Gravel



- NOTES:**
1. THE ENTRANCE SHALL PREVENT THE FLOWING OF SEDIMENT INTO THE DRAINAGE SYSTEM. REPAIR AND/OR CLEAN AS NECESSARY.
 2. WHEN NECESSARY, WHEN THE ENTRANCE IS NOT SUFFICIENT TO PREVENT SEDIMENT FROM ENTERING THE DRAINAGE SYSTEM, A SEDIMENT BARRIER SHALL BE INSTALLED.
 3. WHEN WASHING IS REQUIRED, WATER SHALL BE SUPPLIED TO WASH WHEELS IF NECESSARY.
 4. DRIVE ENTRANCES ON DRIVEWAYS SHALL BE PROTECTED BY A SEDIMENT BARRIER SHOWN, BUT NOT LIMITED TO, A SEDIMENT BARRIER SHALL BE SUFFICIENT TO KEEP SEDIMENT FROM ENTERING THE DRAINAGE SYSTEM. IT SHALL EXTEND FROM BACK OF CURB TO FRONT OF CURB.