





6"x12" W4xW4 WIRE FABRIC REINFORCING SHALL BE PLACED SUCH THAT THE WIRES WITH THE 6" SPACING WILL RUN PARALLEL WITH THE LONGITUDINAL JOINT.




PLAN
REINFORCED VALLEY GUTTER




SECTION A-A


NOTE: OMIT REINFORCING MESH AT ALL JOINTS
NOTE: ALL CONCRETE VALLEY GUTTER REINFORCEMENT SHALL BE ADEQUATELY SUPPORTED BY BAR CHAIRS IN THE REQUIRED POSITION UNLESS APPROVED OTHERWISE BY THE ENGINEER.




SECTION C-C
STANDARD CURB




SECTION C-C
ROLL-TYPE CURB




KEYWAY DETAIL



LONGITUDINAL CONSTRUCTION JOINT DETAIL
REINFORCED PAVEMENT
(TRANSVERSE SECTION)
(ALTERNATE L.J.)




DETAIL B
(ROLL-TYPE CURB) (3 5/8")




WING REINFORCING DETAIL

NOTE: OMIT WIRE FABRIC REINFORCING IN THIS SECTION.




CONTRACTION JOINT DETAIL
REINFORCED PAVEMENT
(C.J.)




DETAIL C
(STANDARD CURB) (6 5/8")

MONOLITHIC EDGE CURB




DETAIL A

- 1 To be accomplished in 2 cuts for Longitudinal Joints and Contraction Joints. Initial cut to be 1/8" wide.
- 2 Eliminate bottom of cut when metal keyway is used as part of Longitudinal or Transverse Construction Joint and at Doweled Construction Joint Locations.
- 3 1 1/2" Minimum



LONGITUDINAL JOINT DETAIL
REINFORCED PAVEMENT
(TRANSVERSE SECTION)



No.	Revision	By	Date
FOREST LAKES WEST-PHASE 4 CITY OF WICHITA, KANSAS VALLEY GUTTER DETAILS			
CITY OF WICHITA PROJ. NO. 472-82873			
Professional Engineering Consultants, P.A. 303 S. TOPEKA • WICHITA, KANSAS 67202 316-262-2691 • FAX 316-262-3003			
Designed by	BER	Job No.	35-01372-007
Drawn by	BJS	Date	JAN 2003
			Sht. 7 of 14