

CONCRETE PAVEMENT (VG)(8" )(REINFORCED)			
STATION	SIDE	WIDTH (FT)	S.Y.
23+30.13	Rt.	Varies	69.4
23+92.43	Lt.	Varies	25.4
TOTALS (S.Y.)			94.8

CONCRETE DRIVEWAY 8" REINFORCED			
STATION	SIDE	WIDTH (FT)	S.F.
18+07.92	Rt.	40.0	824.9
20+70.64	Rt.	12.0	85.0
TOTALS (S.F.)			909.9

CRUSHED ROCK BASE 5" REINFORCED			
STATION to STATION	LENGTH (FT)	WIDTH (FT)	S.Y.
15+19.29	15+19.81	Rt.	3.4
TOTALS (S.Y.)			6.2

CRUSHED ROCK BASE 6" REINFORCED			
STATION to STATION	LENGTH (FT)	WIDTH (FT)	S.Y.
23+97.64	24+25.71	€	Varies
24+08.29	24+25.71	Lt.	Varies
24+13.45	24+30.80	Rt.	Varies
TOTALS (S.Y.)			117.9

CRUSHED ROCK BASE 7" REINFORCED			
STATION to STATION	LENGTH (FT)	WIDTH (FT)	S.Y.
150+00.00	151+41.91	€	22.7
100+15.06	150+00.00	€	24.0
14+94.98	17+08.88	Rt.	Varies
16+97.77	17+05.06	Lt.	Varies
17+13.56	17+31.06	Rt.	Varies
17+15.06	17+32.56	Lt.	Varies
17+52.08	17+69.62	Rt.	Varies
17+53.54	17+70.88	Lt.	Varies
17+77.95	17+85.72	Lt.	Varies
18+81.95	18+89.29	Lt.	Varies
19+05.28	19+22.33	Lt.	Varies
19+04.78	19+22.2	Rt.	Varies
19+43.15	19+60.65	Rt.	Varies
19+43.58	19+61.12	Lt.	Varies
19+76.07	20+87.88	Rt.	Varies
19+76.22	19+38.58	Lt.	Varies
20+79.85	20+87.23	Lt.	Varies
20+94.58	21+12.08	Lt.	Varies
20+94.70	21+12.46	Rt.	Varies
21+32.98	21+50.48	Lt.	Varies
21+33.03	21+50.53	Rt.	Varies
21+52.57	21+72.57	Lt.	Varies
21+52.57	22+97.90	Rt.	Varies
23+30.13	23+30.26	Rt.	21.0
23+58.69	23+75.64	Lt.	Varies
23+92.43		Lt.	30.1
TOTALS (S.Y.)			1715.2

† - Santa Fe Street & 2nd Street  
 € - Santa Fe Street & 1st Street  
 Δ - Valley Gutters

REMOVAL OF EXISTING STRUCTURES (FOR INFORMATION ONLY)		
STATION	LOCATION	DESCRIPTION
15+18.87	Rt.	Exist. Curb Inlet & 23.5 L.F. 12" PVC Pipe
16+91.13	Rt.	Exist. Curb Inlet
19+97.69	Rt.	Exist. Grate Inlet & 2.3 L.F. 15" RCP
20+78.59	Rt.	Exist. Grate Inlet & 9.1 L.F. 18" RCP
21+63.86	Rt.	Exist. Grate Inlet & 34.9 L.F. 12" RCP
21+65.81	Lt.	Exist. Curb Inlet
24+07.99	Lt.	Exist. Curb Inlet & 15.8 L.F. 15" RCP
24+11.52	Rt.	Exist. Grate Inlet & 34.2 L.F. 15" RCP
Project Wide Lightpole and lightpole bases within the construction limits		
Project Wide Signs and sign footings		

SUMMARY OF EARTHWORK			
STATION to STATION	SIDE	EXCAVATION	EMBANKMENT
14+34.53	24+30.69	-	810.0
TOTALS (C.Y.)		810.0	457.0

BRICK PAVERS		
STATION to STATION	SIDE	S.Y.
24+03.38	24+13.26	€
TOTALS (S.Y.)		29.6

CONCRETE PAVEMENT (9" )(REINFORCED)		
STATION to STATION	WIDTH (FT)	S.Y.
23+97.64	24+25.71	Varies
24+08.29	24+25.71	Varies
24+13.45	24+30.80	Varies
TOTALS (S.Y.)		112.9

CONCRETE PAVEMENT (8" )(REINFORCED)		
STATION to STATION	WIDTH (FT)	S.Y.
150+00.00	151+41.91	22.7
100+15.06	150+00.00	24.0
14+94.98	17+08.88	Varies
16+97.77	17+05.06	Varies
17+13.56	17+31.06	Varies
17+15.06	17+32.56	Varies
17+52.08	17+69.62	Varies
17+53.54	17+70.88	Varies
17+77.95	17+85.72	Varies
18+81.95	18+89.29	Varies
19+05.28	19+22.33	Varies
19+04.78	19+22.2	Varies
19+43.15	19+60.65	Varies
19+43.58	19+61.12	Varies
19+76.07	20+87.88	Varies
19+76.22	19+38.58	Varies
20+79.85	20+87.23	Varies
20+94.58	21+12.08	Varies
20+94.70	21+12.46	Varies
21+32.98	21+50.48	Varies
21+33.03	21+50.53	Varies
21+52.57	21+72.57	Varies
21+52.57	22+97.90	Varies
23+30.13	23+30.26	21.0
23+58.69	23+75.64	Varies
23+92.43		30.1
TOTALS (S.Y.)		1302.6

† - Santa Fe Street & 2nd Street  
 € - Santa Fe Street & 1st Street

SUMMARY OF REMOVAL		
STATION to STATION	PAVEMENT REMOVED (S.Y.)	CONCRETE C&G (L.F.)
1st Street & Santa Fe	59.2	25.7
14+34.53	17+31.06	241.1
16+90.15	17+32.56	43.9
17+52.08	19+22.22	217.5
17+53.54	17+93.27	46.6
18+64.29	19+22.33	41.9
19+43.15	21+12.46	238.1
19+43.58	19+91.22	41.2
20+08.39	20+37.58	-
20+75.54	21+12.08	36.3
21+32.98	21+72.57	46.2
21+33.03	24+30.80	616.4
22+93.12	23+22.18	-
23+58.69	24+25.71	106.4
2nd Street & Santa Fe	56.5	19.1
TOTALS		1791.3

CONCRETE C&G, COMB. TYPE I (6" & 1-1/2")

STATION to STATION	SIDE	LENGTH (FT)
100+15.06	101+15.04	Lt.
100+89.71	101+15.43	Rt.
150+41.31	151+41.91	Lt.
150+41.97	150+60.99	Rt.
14+34.51	14+94.99	Rt.
15+02.41	17+00.13	Rt.
16+90.17	16+97.81	Lt.
17+05.06	17+15.06	Lt.
17+07.75	17+13.56	Rt.
17+29.18	17+29.35	Rt.
17+30.69	17+31.25	Lt.
17+53.55	17+54.00	Rt.
17+54.81	17+55.32	Lt.
17+69.62	19+04.77	Rt.
17+70.88	17+78.27	Lt.
17+85.72	17+93.29	Lt.
18+64.29	18+81.95	Lt.
18+89.29	19+04.84	Lt.
19+20.39	19+20.87	Rt.
19+20.46	19+20.46	Lt.
19+44.74	19+45.02	Rt.
19+45.14	19+45.50	Lt.
19+60.67	19+76.07	Rt.
19+61.12	19+76.22	Lt.
19+83.57	20+79.58	Rt.
19+83.58	19+91.22	Lt.
20+08.40	20+37.55	Lt.
20+75.55	20+79.85	Lt.
20+87.07	20+94.70	Rt.
20+87.23	20+94.58	Lt.
21+10.20	21+10.43	Lt.
21+10.32	21+10.71	Rt.
21+31.48	21+34.90	Rt.
21+34.57	21+34.86	Lt.
21+50.48	21+52.57	Lt.
21+50.53	21+52.57	Rt.
21+60.03	21+72.57	Lt.
21+60.69	22+89.78	Rt.
22+93.12	23+22.17	Lt.
22+97.90	23+02.20	Rt.
23+17.82	23+17.66	Rt.
23+42.51	23+42.69	Rt.
23+58.31	24+13.45	Rt.
23+58.69	23+68.15	Lt.
23+75.64	23+79.96	Lt.
24+05.14	24+08.29	Lt.
24+23.91	24+23.94	Lt.
24+29.07	24+29.28	Rt.
TOTALS (L.F.)		1321.3

† - Santa Fe Street & 2nd Street  
 € - Santa Fe Street & 1st Street

WHEELCHAIR RAMPS W/ DETECTABLE WARNINGS

STATION	OFFSET	SIDE	EA
17+11.87	21.15'	Rt.	1
17+11.93	22.96'	Lt.	1
17+23.71	31.74'	Lt.	1
17+28.56	30.00'	Rt.	1
17+60.67	31.90'	Rt.	1
17+62.28	31.82'	Rt.	1
17+69.68	21.34'	Rt.	1
17+69.99	23.52'	Lt.	1
18+97.26	22.98'	Lt.	1
18+97.45	21.57'	Rt.	1
19+12.92	28.02'	Rt.	1
19+12.93	29.86'	Lt.	1
19+52.52	27.99'	Rt.	1
19+52.99	29.94'	Lt.	1
19+68.67	21.04'	Rt.	1
19+68.67	22.96'	Lt.	1
20+90.88	21.04'	Rt.	1
20+90.91	22.96'	Lt.	1
21+02.91	27.94'	Rt.	1
21+02.96	30.68'	Lt.	1
21+42.16	30.53'	Lt.	1
21+42.48	27.78'	Rt.	1
21+49.72	21.53'	Rt.	1
21+49.77	23.43'	Lt.	1
23+09.93	27.01'	Rt.	1
23+50.70	26.73'	Rt.	1
24+08.31	21.04'	Rt.	1
24+08.31	23.27'	Lt.	1
24+15.73	28.30'	Lt.	1
24+18.13	29.98'	Rt.	1
TOTALS (EA.)			30

DITCH LINER

STATION	OFFSET	SIDE	S.Y.
101+00.36	19.76'	Rt.	2.0
150+50.49	19.02'	Rt.	1.9
TOTALS (S.Y.)			3.9

† - Santa Fe Street & 2nd Street  
 € - Santa Fe Street & 1st Street

CONNECT TO EXISTING STRUCTURE		
STATION	OFFSET	SIDE
15+19.54	5.11'	Lt.
19+25.07	44.58'	Lt.
19+97.69	21.45'	Rt.
21+24.98	36.81'	Rt.
24+22.88	9.69'	Lt.
24+23.76	26.53'	Lt.
TOTALS (EA.)		6

TREE REMOVED, LARGE

STATION	OFFSET	SIDE
14+96.40	26.33'	Rt.
TOTALS (EA.)		1

MANHOLE ADJUSTED, SWS

STATION	OFFSET	SIDE
24+23.76	26.53	Lt.
TOTALS (EA.)		1

AC PAVEMENT, 5" (3" BIT. BASE)

STATION	LENGTH (FT)	WIDTH (FT)	S.Y.
15+19.54	16.6	3.4	6.2
TOTALS (S.Y.)			6.2

CONCRETE COLLAR

STATION	OFFSET	SIDE	EA
19+97.36	18.45'	Rt.	1
TOTALS (EA.)			1

AC PAVEMENT 2" MILL & OVERLAY (ADD ALTERNATE)

STATION to STATION	LENGTH (FT)	WIDTH (FT)	S.Y.
14+34.58	23+97.64	963.1	Varies
TOTALS (S.Y.)			3417.2

RECAPITULATION OF QUANTITIES

ITEM	QUANTITY	UNIT
Mobilization	1	LSUM
Removal of Existing Structures	1	LSUM
Site Clearing	1	LSUM
Site Restoration	1	LSUM
Field Office & Laboratory (Type A)	1	EACH
Excavation	810	C.Y.
Fill, Compacted (95% Density)	457	C.Y.
Tree Well Backfill	51	C.Y.
Electrical and Lighting	1	LSUM
Connect to Existing Structure	6	EACH
Pipe, PVC 4"	14	L.F.
Pipe, D/C 6"	15	L.F.
Pipe, SWS 12"	63	L.F.
Pipe, SWS 15"	381	L.F.
Pipe, SWS 18"	59	L.F.
Inlet, Curb (Type 1)(L=5' W=3')	3	EACH
Inlet, Curb (Type 2) (L=3'8" W=3'8")	2	EACH
Inlet, Curb (Type 2) (L=6'2" 1/2" W=3'4" 3/8")	7	EACH
Inlet, Curb (Type 2, Special)	2	EACH
MH, SWS		