

FHWA REGION NO.	STATE	PROJECT NUMBER	FISCAL YEAR	SHEET NUMBER	TOTAL SHEETS
7	KANSAS	87N-0128-01		12	118

DATE	
BY	
REFERENCES NOTED	
REFERENCES CHECKED	

FOR INTERSECTION
DETAILS, SEE SHEET 35

STA. 9+479.536, 20 075 LT.
SAW EXISTING PAVEMENT TO
NEAT LINE AND MATCH.

P.V.I.
Elev. 408.140
No V.C.

CONSTRUCT 1 500 SIDEWALK
(AE) (100 mm)

POWER POLE TO BE
RELOCATED BY K.G.E.

SS MANHOLE TO BE
ADJUSTED. TOP ELEV. 8.360

SWB MANHOLE TO BE
ADJUSTED. TOP ELEV. 8.202

POWER POLE TO BE
RELOCATED BY K.G.E.

Proposed 200mm Water

BPED TO BE
RELOCATED BY S.W.B.T

POWER POLE TO BE
RELOCATED BY K.G.E.

WATER VALVES TO BE
ADJUSTED. TOP = MATCH

SIGN TO BE REMOVED

CONSTRUCT 1 500 SIDEWALK
(AE) (100 mm)

CONSTRUCT FULL HEIGHT CURB
AND GUTTER (150 mm) (TYPE I)
ALONG BOTH SIDES.

STA. 9+478.550, 20 100 RT.
SAW EXISTING PAVEMENT TO
NEAT LINE AND MATCH.

FOR INTERSECTION
DETAILS, SEE SHEET 35

P.V.I.
Elev. 407.999
No V.C.

-0.890%

② COUNTRY ACRES

STA. 9+535.000, 1 275 LT. & RT.
BEGIN CONSTRUCT TYPE III CURB
AND GUTTER WITH MOUNTABLE
RAMP END.

STA. 9+585.495, 13 122 LT.
CONSTRUCT INLET (TYPE I) (L=4 500)
TOP ELEV. 407.356, SEE SHEET 48

STA. 9+491.298 TO 9+744.537
CONSTRUCT GRAVITY RETAINING
WALL. SEE SHEET. 3

P.V.I.
Elev. 407.311
20 000 V.C.

STA. 9+589.978, 1 780 RT.
MODIFY MANHOLE TOP (ECCENTRIC)
TOP ELEV. 407.660 SEE SHEET...

+0.885%

+0.337%

P.V.I.
Elev. 407.519
NO V.C.

LEAVE 300mm OPENING IN
RETAINING WALL FOR DRAINAGE
BEHIND WALL.

TRAFFIC JUNCTION BOX
(TYPICAL) SEE TRAFFIC
SIGNAL PLANS SHEETS 66.

Construction Limits

PVC 9+575.500

PVC 9+595.500

9+609

CENTRAL

LIGHT POLE TO BE
RELOCATED BY K.G.E.

BPED TO BE
RELOCATED BY S.W.B.T

③

3

MEADOW VIEW ESTATES

STA. 9+489.587 TO 9+744.096
CONSTRUCT GRAVITY RETAINING
WALL. SEE SHEET. 3

PVC 9+570

9+561.400

-1.198%

P.V.I.
Elev. 407.333
NO V.C.

P.V.I.
Elev. 407.050
30 000 V.C.

P.V.I.
Elev. 407.230
NO V.C.

POWER POLE TO BE
RELOCATED BY K.G.E.

BPED TO BE
RELOCATED BY S.W.B.T

CAUTION : P.N.G. 150mm LINE IS
VERY SHALLOW UNDER PROPOSED
SIDEWALK. USE EXTREME CAUTION
WHEN CONSTRUCTING SIDEWALK.

+0.375%

CENTRAL AVE.
STATION 9+475 TO STATION 9+625

SRB	924 NORTH MAIN WICHITA, KANSAS 67203 http://www.srb.com/	316-264-8008 FAX 316-264-4821 E-Mail: srb@telnet.com	REVISION
	SAVOY, RUGGLES & BOHM, P.A. ENGINEERING & SURVEYING		12
	PROJECT NUMBER 472-76-245-83057-000-000-001		118
DESIGN JRA	CMB/KWL	REVIEW Dec. 13, 2000	UTILITY SRB JOB 12187

