



**CONCRETE/ASPHALT PAVEMENT REMOVAL AND CONCRETE REPLACEMENT DETAIL**

ONE LONGITUDINAL JOINT SHALL BE CONSTRUCTED ALONG THE CENTERLINE OF DRIVES HAVING A WIDTH OF 24' OR LESS. TWO LONGITUDINAL JOINTS SHALL BE CONSTRUCTED WITH EQUAL SPACING'S NOT TO EXCEED 10' FOR DRIVES WITH A WIDTH GREATER THAN 24'. MATCH EXISTING JOINTS AS APPLICABLE.

REPAIR ASPHALT PAVEMENT DAMAGED BY THE SAW CUT AS REQUIRED. THIS SHALL BE CONSIDERED SUBSIDIARY TO CONCRETE REPLACEMENT.

Saved: 06-25-2018 2:49:48 PM by: KURTIS DEKAT  
 Plot Scale: 1:1 06-26-2018 8:55:56 AM by: KURTIS DEKAT  
 U:\Wichita-Civil\2017\170585\000\Drawings\170585-000-C21-MISCELLANEOUS DETAILS

	Revision		By	Date
	<b>WATER DISTRIBUTION IMPROVEMENTS</b> <b>12" WATERLINE ALONG BROADWAY, 55TH TO 63RD STREET SOUTH</b> <b>MISCELLANEOUS DETAILS</b>			
	GARY JANZEN, P.E. - CITY ENGINEER CITY OF WICHITA PROJECT NO. 448-90821			
	PROFESSIONAL ENGINEERING CONSULTANTS, P.A. 303 SOUTH TOPEKA WICHITA, KS 67202 316-262-2891 www.pec1.com			
Designed by	JAG, TBK	Job No.	35-170585-0-42	Sht. 21 of 26
Drawn by	CSL, KTD	Date	August 2017	