

**BENCHMARKS:**  
 BM#1: RR spike in high line pole, 40' west and 30' south of Lot 60, Block D, Firefly Way Addition.  
 Elev. = 1399.54 NAVD88

BM#2: V-notch in sidewalk along Eagle St., adjacent to NE corner of Lot 15, Block E, Firefly Way Addition.  
 Elev. = 1401.26 NAVD88

**SEWER SERVICE TABLE**

NUMBER	TYPE	LOCATION				FOR INFORMATION ONLY	
		LOT NO.	BLOCK NO.	LINE NO.	STATION \ DIRECTION	APPROXIMATE LENGTH 4" PIPE	VERTICAL
8	4" Stub W/Riser	24	D	2A	2+69.3/Rt.	5.5'	13.5'
9	4" Stub W/Riser	23	D	2A	3+22.9/Rt.	5.5'	13.1'
10	8" X 4" Tee W/Riser	22	D	2A	4+20.3/Rt.	5.5'	6.8'
11	4" Stub W/Riser	21	D	2A	4+72.3/Rt.	6.5'	17.3'
12	8" X 4" Tee W/Riser	20	D	2A	5+53.3/Rt.	6.5'	15.0'
13	8" X 4" Tee W/Riser	19	D	2A	6+29.3/Rt.	6.5'	15.0'
14	4" Stub W/Riser	18	D	2A	7+57.2/Rt.	7.5'	15.2'
15	8" X 4" Tee W/Riser	17	D	2A	7+79.7/Rt.	7.5'	21.5'
16	4" Stub W/Riser	16	D	2A	8+40.8/Rt.	7.0'	16.2'

NOTE: Vertical Riser Pipe shall be extended to 2' minimum above ground water elevation and 4' maximum below proposed ground elevation.

