

BENCHMARKS:
 BM#1: RR spike in high line pole, 40' west and 30' south of Lot 60, Block D, Firefly Way Addition.
 Elev. = 1399.54 NAVD88

BM#2: V-notch in sidewalk along Eagle St., adjacent to NE corner of Lot 15, Block E, Firefly Way Addition.
 Elev. = 1401.26 NAVD88

*Risers #4, #6, #7 & #8: the 8"x4" service tee shall be rotated to a 2% slope above horizontal for the service connection to fit under the 15" SWS pipe, which has a flow of approximately 1386.10-1386.80

SEWER SERVICE TABLE

| NUMBER | TYPE | LOCATION | | | | FOR INFORMATION ONLY | |
|--------|---------------------|----------|-----------|----------|---------------------|----------------------------|----------|
| | | LOT NO. | BLOCK NO. | LINE NO. | STATION \ DIRECTION | APPROXIMATE LENGTH 4" PIPE | VERTICAL |
| 4 | 8" X 4" Tee W/Riser | 27 | D | 2 | 5+28.4/Rt. | 2.5' | 15.0' |
| 5 | 8" X 4" Tee W/Riser | 28 | D | 2 | 6+04.4/Rt. | 3.5' | 15.0' |
| 6 | 8" X 4" Tee W/Riser | 29 | D | 2 | 6+85.4/Rt. | 2.5' | 15.0' |
| 7 | 4" Stub W/Riser | 30 | D | 2 | 7+52.8/Rt. | 3.0' | 5.5' |

NOTE: Vertical Riser Pipe shall be extended to 2' minimum above ground water elevation and 4' maximum below proposed ground elevation.

