

SIDEWALK CONSTRUCTION								
Location	Side	Concrete Sidewalk 4" (sf)	Concrete Sidewalk 5" (sf)	Concrete Sidewalk 8" (sf)	Sidewalk Thickening (lf)	Wheelchair Ramp w/ Detectable Warnings (ea)	Concrete Protection Curb (lf)	REMARKS
18+29.81 - 19+69.44	LT.	722.0			65.4	2	100.5	INCLUDES NW CORNER OF INTERSECTION
18+49.00 - 18+85.57	RT.	181.9						
19+15.57 - 19+67.35	RT.	160.3				2	36.3	INCLUDES SW CORNER OF INTERSECTION
20+30.29 - 22+85.85	RT.	1,338.4				2	16.0	INCLUDES SE CORNER OF INTERSECTION
20+32.49 - 21+70.45	LT.	592.4				2	25.3	INCLUDES NE CORNER OF INTERSECTION
21+85.91 - 22+47.19	LT.	306.4						
22+71.26 - 23+34.65	LT.	553.7				1	47.5	INCLUDES NW CORNER OF INTERSECTION
23+12.82 - 23+30.11	RT.	86.4				1		
23+80.67 - 24+80.89	LT.	464.5		74.0		2		1 WHEELCHAIR RAMP 8"
23+81.76 - 24+63.98	RT.	367.0		48.0		2		1 WHEELCHAIR RAMP 8"
24+79.46 - 25+06.83	RT.			40.9				IN RAIL CORRIDOR
24+96.56 - 24+41.75	LT.			87.8				IN RAIL CORRIDOR
25+23.20 - 25+95.53	RT.	166.7		378.1		1		WHEELCHAIR RAMP 8"
25+59.36 - 27+54.93	LT.	1,125.3		14.2		1		WHEELCHAIR RAMP 8"
26+07.42 - 27+04.65	RT.	511.0				1		
27+66.60 - 30+72.30	RT.	1,592.8				2		
27+74.93 - 29+47.27	LT.	1,034.1						
29+67.27 - 30+01.87	LT.	207.6						
30+41.87 - 32+18.00	LT.	1,056.8				2		
31+30.40 - 33+22.51	RT.	838.4		134.0		1	31.3	1 WHEELCHAIR RAMP 8"
32+58.00 - 33+03.19	LT.	228.6		86.7		1		WHEELCHAIR RAMP 8"
33+19.05 - 33+76.42	LT.			210.7				IN RAIL CORRIDOR
33+38.36 - 34+13.18	RT.			183.0		1		IN RAIL CORRIDOR, WHEELCHAIR RAMP 8"
33+92.15 - 34+65.89	LT.	104.7		366.3				
34+95.96 - 35+10.83	LT.	89.2				1		
35+40.69 - 35+51.23	LT.	63.2						
35+66.81 - 35+72.43	LT.			105.4				
35+71.92 - 37+58.87	RT.	879.8				2	110.0	1 WHEELCHAIR RAMP 8"
36+03.49 - 36+42.60	LT.	234.7				1		
36+66.60 - 37+81.97	LT.	692.2						
38+00.87 - 39+24.59	RT.	570.8		50.3		1		WHEELCHAIR RAMP 8"
38+05.87 - 38+69.67	LT.	382.2						
38+93.67 - 39+23.81	LT.	61.7		118.8		1		WHEELCHAIR RAMP 8"
39+46.14 - 39+52.93	LT.	41.1				2		WHEELCHAIR RAMP 8"
39+46.92 - 40+03.48	RT.	258.2		176.8	13.0	2		1 WHEELCHAIR RAMP 8"
39+78.94 - 39+85.62	LT.	40.2						
40+09.62 - 40+50.13	LT.	243.1						
40+55.06 - 40+72.47	RT.	86.9				1		
40+74.13 - 40+98.80	LT.	148.1						
41+00.47 - 41+10.60	RT.	50.6						
41+14.80 - 42+46.79	LT.	1,085.0				2	33.5	INCLUDES NW CORNER OF INTERSECTION
41+25.60 - 41+57.20	RT.	158.0						
41+87.20 - 42+63.97	RT.	281.7			14.1	2	84.6	INCLUDES SW CORNER OF INTERSECTION
43+13.14 - 44+91.14	LT.	1,257.3				2	47.2	INCLUDES NE CORNER OF INTERSECTION
43+22.99 - 44+10.92	RT.	647.9				2	42.1	INCLUDES SE CORNER OF INTERSECTION
44+40.92 - 44+56.07	RT.	75.8						
44+86.19 - 45+22.95	RT.	183.8						
45+27.14 - 46+26.18	LT.	254.1		376.3		1		WHEELCHAIR RAMP 8"
45+46.95 - 46+25.86	RT.	262.9		164.9		1		WHEELCHAIR RAMP 8"
46+63.60 - 47+98.19	RT.	681.7			41.9	1		
46+70.48 - 49+54.45	LT.	1,822.4				3		INCLUDES NW CORNER OF INTERSECTION
48+21.19 - 49+50.77	RT.	704.2				2	21.8	INCLUDES SW CORNER OF INTERSECTION
49+97.74 - 51+38.93	LT.	967.9				2	10.0	INCLUDES NE CORNER OF INTERSECTION
50+00.76 - 51+60.21	RT.	853.4				2	39.6	INCLUDES SE CORNER OF INTERSECTION
51+52.93 - 52+20.54	LT.	407.0					10.0	
51+85.01 - 52+91.81	RT.	534.0						
53+86.21 - 57+46.76	RT.		3813.4		232.2		35.1	
52+50.54 - 52+94.72	LT.	265.1				1		
53+37.84 - 57+49.48	LT.	2,547.2				2		
Broadway								
48+53.06 - 48+70.12	LT.	93.8			17.1			
48+53.06 - 49+58.11	RT.	596.6			94.3			
49+20.12 - 49+58.22	LT.	126.2			29.7			
50+51.92 - 50+96.02	RT.	221.7			35.7			
50+78.55 - 51+25.11	LT.	223.1			35.6			
Mosley								
48+79.82 - 48+98.26	LT.	89.5						
48+79.82 - 48+93.85	RT.	66.1						
49+19.26 - 49+54.23	LT.	273.5			4.9		16.5	INCLUDES BURGER STAND
Various Locations								
							150.0	
Totals		30,160.2	3,813.4	2,615.9	583.8	57	857.2	

REMOVAL OF EXISTING FENCES		
STATION	OFFSET	ITEM
25+65.55 TO 25+95.55	30' RT.	30' CHAIN LINK W/ BARBED WIRE
26+08.00 TO 29+76.68	50' LT.	415' CHAIN LINK
36+69.46 TO 38+84.46	30' RT.	215' CHAIN LINK
39+67.61	50' LT.	76' CHAIN LINK W/ BARBED WIRE
41+17.07 TO 42+42.07	50' LT.	175' CHAIN LINK W/ BARBED WIRE
43+18.20 TO 45+64.40	50' LT.	278' CHAIN LINK W/ BARBED WIRE
48+21.26 TO 48+31.26	30' RT. - 50' RT.	30' CHAIN LINK W/ BARBED WIRE
50+06.66	50' LT.	20' CHAIN LINK
51+55.80 TO 52+85.80	50' LT.	170' CHAIN LINK W/ BARBED WIRE

TEMPORARY FENCE PLACEMENT			
STATION	OFFSET	FENCE LENGTH	
23+25.40	60' RT. - 110' RT	50'	
23+86.06	62' RT. - 87' RT.	25'	
24+16.11 TO 24+91.11	35' LT.	75'	
39+02.91	55' LT.	20'	
45+15.00 TO 45+50.00	35' RT.	30'	
45+54.40 TO 46+04.40	50' LT.	50'	
51+38.18	50' LT. - 60' LT.	10'	
51+54.18	50' LT. - 60' LT.	10'	

CROSSWALK AND MEDIAN PAVEMENT				
Location	Side	Brick Pavers, Crosswalk (sy)	Concrete Base 8" (Reinf.) (sy)	Brick Pavers, Median (sy)
Broadway Intersection				
	C/L	258.2	258.2	
24+36.08 - 24+75.39	C/L			42.9
25+36.38 - 25+66.95	C/L			31.2
38+76.12 - 39+24.21	C/L			54.5
39+46.43 - 39+84.31	C/L			42.9
Mosley Intersection				
	C/L	244.1	244.1	
53+48.35 - 53+58.18	C/L	54.6	54.6	
Totals		556.9	556.9	171.5

* Concrete base below the pavers will be measured and paid for separately. Crushed Rock Base will be measured and paid for as part of the bid item "Crushed Rock Base, 6", Reinforced.

DRIVEWAY PAVEMENT											
Quantities on Private Property or past ROW Line											
Location	Side	P (ft)	X (ft)	Width (ft)	Concrete Driveway 8" (Reinf.) (sf)	Concrete Alley 8" (Reinf.) (sf)	Concrete Driveway 8" (Reinf.) (sf)	Concrete Alley 8" (Reinf.) (sf)	AC Pavement 6" (sy)	Aggregate Hookup (sy)	Concrete Curb, Mono Edge (6" & 1-1/2") (lf)
17th St.											
19+00.57	RT.	10.8	20.8	30.0'	374.9		567.9				
21+78.18	LT.	9.5	19.5	15.5		182.8		304.5			
22+58.90	LT.	9.5	19.5	23.4	258.6				34.37		10.0'
22+99.34	RT.	9.5	14.5	27.0	291.1				20.54		
26+01.47	RT.	9.5	14.5	11.9	149.0				8.96		
27+64.93	LT.	19.5	19.5	20.0	527.7						
29+57.27	LT.	19.5	34.5	20.0	519.1		598.5				
30+21.87	LT.	19.5	29.5	40.0	909.1		549.0				
32+38.00	LT.	23.1	23.1	40.0	1066.7						
34+80.93	LT.	20.0	20.0	30.1	602.7						
35+25.76	LT.	20.4	20.4	29.9	608.3						
36+54.60	LT.	21.5	21.5	24.0	695.4						
37+79.87	RT.	9.5	14.5	42.0	440.3		244.7				
37+93.97	LT.	19.5	19.5	24.0	639.6						
38+81.67	LT.	19.5	19.5	24.0	638.2						
39+97.62	LT.	19.5	19.5	24.0	559.2						
40+62.13	LT.	19.5	19.5	24.0	562.4						
40+86.47	RT.	9.5	14.5	28.0	289.7		228.5				
41+06.80	LT.	19.5	24.5	16.0		379.7				8.9	
41+18.10	RT.	9.5	19.5	15.0		165.9		150.0			
41+72.20	RT.	9.5	24.5	30.0	321.0				87.8		15.0
44+25.92	RT.	9.5	19.5	30.0	312.8		526.5				
44+63.44	RT.	9.5	19.5	14.8		149.9		147.5			
44+78.50	RT.	9.5	9.5	15.4	158.9						
45+09.14	LT.	19.5	19.5	36.0	873.6						
45+34.95	RT.	9.5	14.5	24.0	284.0				14.7		
48+09.69	RT.	9.5	22.5	23.0	259.9		416.2				
51+46.10	LT.	19.5	29.5	14.0		406.0		150.0			20.0
51+72.61	RT.	9.5	17.5	24.8	470.0						
52+35.54	LT.	19.5	19.5	30.0	722.7						
Broadway											
48+95.12	LT.	5.5	10.0	32.0	274.8		410.2				
50+63.96	LT.	5.5	20.5	29.3	164.3		482.1				
51+16.94	RT.	5.5	15.5	23.8	230.1		467.1				
Topeka											
49+34.50	LT.	14.7	14.7	11.6	218.4						
49+34.50	RT.	14.2	14.2	8.0	135.3						
50+68.52	RT.	9.2	9.2	24.5	227.9						
St. Francis											
49+44.29	RT.	10.0	10.0	21.5	244.4						
Mosley											
49+08.76	LT.	16.0	16								