

STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
KANSAS	87 N-0662-01	2019	126	194



STREET IMPROVEMENTS FOR
17TH ST - BROADWAY TO I-135
FROM BROADWAY TO I-135

©2016 MKEC Engineering All Rights Reserved www.mkec.com
These drawings and their contents, including, but not limited to, all concepts, designs, & ideas are the exclusive property of MKEC Engineering (MKEC), and may not be used or reproduced in any way without the express consent of MKEC.


ARCHITECTURAL DETAILS

PROJECT NO.	87 N-0662-01
DATE	8/30/2019
SCALE	AS SHOWN
DESIGNED	RKO
DRAWN	RKO
CHECKED	JAG


NO.	REVISION	DATE
SHEET NO.		
126 OF 194		

PLOTTED: Tuesday, September 03, 2019 @ 04:00PM


J:\CIVIL\04177\DWG\ASHEETS\ARCHITECTURAL_PANELS.DWG



1 TYPICAL SHADE PANEL
SCALE: 1" = 1'-0"



2 SHADE PANEL PATTERN DETAIL
SCALE: 3" = 1'-0"



3 SHADE PANEL OVERLAY
SCALE: 1" = 1'-0"


ARCHITECTURAL PANELS

DESCRIPTION: 1/8" THICK PERFORATED STEEL ARCHITECTURAL PANELS FOR SHADE STRUCTURES


COLOR: SHERWIN-WILLIAMS SW 7673 (PEWTER CAST) SEMI GLOSS OR AN APPROVED EQUAL.

PAINT: ALL PARTS OF THE SHADE STRUCTURES/ARCHITECTURAL PANELS SHALL BE PAINTED. THE PRIMER COAT SHALL CONFORM TO THE INORGANIC ZINC SYSTEM. SURFACE PREPARATION SHALL BE IN ACCORDANCE WITH THAT FOR STRUCTURAL STEEL. THE FINISH COAT SHALL BE IN ACCORDANCE WITH WATER-BORNE ACRYLIC FINISH COAT. FINISH COAT SHALL BE SEMI-GLOSS.


CONTRACTOR SHALL USE PAINT SYSTEM RECOMMENDED BY MANUFACTURER. SUBMIT SHOP DRAWINGS FOR APPROVAL.



4 SHADE PANEL LAYOUT (SMALL STRUCTURES)
SCALE: N.T.S.



5 SHADE PANEL LAYOUT (LARGE STRUCTURE)
SCALE: N.T.S.



6 ART DISPLAY PANELS
SCALE: N.T.S.