

STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
KANSAS	87 N-0660-01	2019	59	198



STREET IMPROVEMENTS FOR
MT. VERNON IMPROVEMENTS
BROADWAY TO SOUTHEAST BLVD.

CONST. 8.63 S.Y. OF "CONCRETE PAVEMENT (VG) 8" (REINF.) AND 16 L.F. OF "CONCRETE CURB, MONO EDGE (6" & 1/2") ON 10.3 S.Y. OF "CRUSHED ROCK BASE 7", REINFORCED".
SEE SHEET 62

CONST. 21.2 S.Y. OF AGGREGATE HOOKUP.
SEE SHEET 82

CONST. 222.4 S.F. OF 8" CONCRETE PAVEMENT BETWEEN STREET CURB AND SIDEWALK. PAID FOR AS "CONCRETE SIDEWALK 8"

CONST. 60.8 S.Y. OF "CONCRETE PAVEMENT (VG) 8" (REINF.) AND 32 L.F. OF "CONCRETE CURB, MONO EDGE (6" & 1/2") ON 64.1 S.Y. OF "CRUSHED ROCK BASE 7", REINFORCED".
SEE SHEET 62

CONST. 77.8 S.Y. OF "AC PAVEMENT 7" (5" BIT. BASE)" AND 54 L.F. OF "CONCRETE C&G TYPE 1 (6" & 1/2") ON 98.8 S.Y. OF "CRUSHED ROCK BASE 8", REINFORCED".

CONST. 61.2 S.Y. OF "CONCRETE PAVEMENT (VG) 8" (REINF.) AND 32 L.F. OF "CONCRETE CURB, MONO EDGE (6" & 1/2") ON 64.5 S.Y. OF "CRUSHED ROCK BASE 7", REINFORCED".
SEE SHEET 62

CONST. 69.6 S.Y. OF "AC PAVEMENT 7" (5" BIT. BASE)" AND 48 L.F. OF "CONCRETE C&G TYPE 1 (6" & 1/2") ON 88.2 S.Y. OF "CRUSHED ROCK BASE 8", REINFORCED".

15 L.F. OF "CONCRETE C&G TYPE 1 (6" & 1/2") ON 5.7 S.Y. OF "CRUSHED ROCK BASE 8", REINFORCED".

CONST. 59.4 S.F. OF "CONCRETE PAVEMENT 4" (STAMPED & COLORED)"

CONST. 48.7 S.Y. OF AGGREGATE HOOKUP.
SEE SHEET 82

CONST. 39.4 S.Y. OF "CONCRETE PAVEMENT (VG) 8" (REINF.) AND 32 L.F. OF "CONCRETE CURB, MONO EDGE (6" & 1/2") ON 42.8 S.Y. OF "CRUSHED ROCK BASE 7", REINFORCED".
SEE SHEET 62

CONST. 60.9 S.Y. OF "CONCRETE PAVEMENT (VG) 8" (REINF.) AND 32 L.F. OF "CONCRETE CURB, MONO EDGE (6" & 1/2") ON 64.2 S.Y. OF "CRUSHED ROCK BASE 7", REINFORCED".
SEE SHEET 62

MOSLEY ST., LT. & RT.
SCALE: 1"=10'

CONST. 67.3 S.Y. OF "CONCRETE PAVEMENT 8" (REINF.) AND 47 L.F. OF "CONCRETE C&G TYPE 1 (6" & 1/2") ON 85.4 S.Y. OF "CRUSHED ROCK BASE 7", REINFORCED".

CONST. 61.8 S.Y. OF "CONCRETE PAVEMENT (VG) 8" (REINF.) AND 32 L.F. OF "CONCRETE CURB, MONO EDGE (6" & 1/2") ON 65.1 S.Y. OF "CRUSHED ROCK BASE 7", REINFORCED".
SEE SHEET 62

IDA ST., LT. & RT.
SCALE: 1"=10'

CONST. 91.3 S.Y. OF "CONCRETE PAVEMENT 8" (REINF.) AND 52 L.F. OF "CONCRETE CURB, MONO EDGE (6" & 1/2") ON 97.1 S.Y. OF "CRUSHED ROCK BASE 7", REINFORCED".

LEGEND

- Valley Gutter Flow Location
- Flow Line Elevation Back of Curb Elevation
- Aggregate Hookup
- 8" Sidewalk
- Concrete Pavement 4" (Stamped & Colored)
- Curb Height Transition

See Sheet 62 for Valley Gutter Details. See Sheet 4 for Side Road Typical Sections.

MEAD ST., LT. & RT.
SCALE: 1"=10'

- Stamped Colored Concrete Pavement Notes:**
- Stamped colored concrete pavement shall be brickform system or approved equal.
 - Brickform system available from RAFCO Products, 11061 Jersey Blvd. Rancho Cucamonga, CA 91730, TEL: 1-800-483-9628.
 - Stamped Concrete Specifications are as follows:
Pattern: Running Bond (Longitudinal)
Color: Cocoa
 - Contractor to submit color options for approval prior to construction.

©2019 MKEC Engineering All Rights Reserved
www.mkec.com
These drawings and their contents, including, but not limited to, all concepts, designs, & ideas are the exclusive property of MKEC Engineering (MKEC), and may not be used or reproduced in any way without the express consent of MKEC.

VALLEY GUTTER PLANS

PROJECT NO.	87 N-0660-01	
DATE	8/19/2019	
SCALE	1"=10'	
DESIGNED	JRA	
DRAWN	RAM	
CHECKED	JRA	
NO.	REVISION	DATE
SHEET NO.		
59 OF 198		