



PROJECT NO.		SHEET NO.	TOTAL SHEETS
472-83222		8	32



SECTION A-A

BRICK PAVEMENT

1. CONCRETE PAVING BRICK SHALL BE 2 3/8" MIN. THICKNESS AND MEET OR EXCEED ASTM C-936-82. PAYMENT SHALL BE AT THE CONTRACT BID PRICE PER SQUARE YARD FOR "BRICK PAVEMENT". PAVING BRICK SHALL BE "HOLLAND-STONE" PAVERS AS MANUFACTURED BY "PAVESTONE."
2. THE BID ITEM "BRICK PAVEMENT" SHALL INCLUDE BRICK PAVERS, FINE SAND, CONCRETE, PLUS ANY TOOLS, LABOR, EQUIPMENT NECESSARY TO CONSTRUCT BRICK PAVEMENT COMPLETE AND IN PLACE.
3. SAND BEDDING SHALL MEET THE CITY'S REQUIREMENTS FOR FINE AGGREGATE. AN UNCOMPACTED SAND LAYING COURSE SHALL BE SPREAD EVENLY OVER THE AREA TO BE PAVED AND THEN SCREEDED TO A LEVEL OF APPROXIMATELY 1" THICKNESS. ONCE SCREEDED AND LEVELED TO THE DESIRED ELEVATION, THE SAND LAYING COURSE SHALL NOT BE DISTURBED IN ANY WAY.
4. THE BRICK PAVERS SHALL BE INSTALLED PARALLEL TO THE CENTERLINE OF ROCK ROAD. STONES SHALL BE PLACED WITH THE CHAMFERED SIDE UP, AND JOINT SPACES KEPT UNIFORM APPROXIMATELY 1/8" THICK. THE GAPS AT THE EDGE OF THE PAVED SURFACE SHALL BE FILLED WITH STONES CUT TO FIT. WHENEVER POSSIBLE, NO CUTS SHOULD RESULT WITH A PAVER LESS THAN ONE-THIRD OF ITS ORIGINAL DIMENSION.
5. AFTER VIBRATION, CLEAN CONCRETE SAND SHALL BE SPREAD OVER THE PAVING STONE SURFACE, ALLOWED TO DRY, AND VIBRATED INTO JOINTS WITH ADDITIONAL PASSES OF THE PLATE VIBRATOR SO AS TO COMPLETELY FILL THE JOINTS. A LIGHT COATING OF SAND SHALL BE SWEEPED OVER THE COMPLETED SURFACE AND LEFT TO WEATHER IN.



I			
No.	Revisions	By	Date
CITY OF WICHITA, KANSAS LANDSCAPING AND ISLAND DETAILS			
 <u>Professional Engineering Consultants, P.A.</u> 303 S. TOPEKA • WICHITA, KANSAS 67202 316-262-2691 • FAX 316-262-3003			
Designed by	BER, PMM	Checked by	
Drawn by	BJS	Date APRIL 2000	Job No. 99687-1