

K:\9674\Plans\96749700.dwg Layout: Signal Quantities -- Plotted by rcoisen on Thursday July 18, 2002, 8:54am -- Copyright 2002, George Butler Associates, Inc.

BILL OF MATERIALS (FOR INFORMATION ONLY)				
		ST. FRANCIS & 1st ST. NORTH	MARKET & ENGLISH	MARKET & LEWIS
ITEM	UNIT	QUANT.		
POLE MOUNTED CONTROLLER & CABINET	EACH	1	1	1
PEDESTAL MOUNTED CONTROLLER & CABINET	EACH	—	—	—
PAD MOUNTED CONTROLLER & CABINET	EACH	—	—	—
TRAFFIC SIGNAL HEAD (SEE CHART A) W/ MOUNTING HARDWARE	EACH	15	15	17
TRAFFIC SIGNAL POLE ((6m (20') STEEL) W/MAST ARM	EACH	—	—	—
TRAFFIC SIGNAL POLE (9m (30') STEEL JOINT USE) W/MAST ARM	EACH	2	2	3
TRAFFIC SIGNAL POLE (9m (30') STEEL JOINT USE) NO MAST ARM	EACH	2	2	1
TRAFFIC SIGNAL PEDESTAL ALUMINUM 4.5m	EACH	—	—	—
CONCRETE CONTROLLER PAD	EACH	—	—	—
CONCRETE FOOTING — PEDESTAL	EACH	—	—	—
CONCRETE FOOTING — POLE	EACH	4	4	4
SCREW-IN STREET LIGHT BASE	EACH	—	—	1
CONDUIT ELBOW 90°	EACH	*	*	*
CONDUIT ELBOW 90° 75mm	EACH	*	*	*
BACK PLATE 125mm 3 SECTION	EACH	4	4	6
BACK PLATE 125mm 4 SECTION	EACH	—	—	—
BACK PLATE 125mm 5 SECTION	EACH	—	—	—
TERMINAL BLOCK	EACH	—	—	—
SERVICE BOX	EACH	4	4	4
JUNCTION BOX	EACH	—	—	—
GROUND ROD & CLAMP	EACH	4	4	4
CONDUIT CLAMP	EACH	*	*	*
RED L.E.D. KIT	EACH	7	7	9
YELLOW L.E.D. KIT	EACH	7	7	9
GREEN L.E.D. KIT	EACH	7	7	9
ORANGE/WHITE L.E.D. KIT (PED. SIGNAL — "HAND/MAN" INDICATION)	EACH	8	8	8
CLASS 4, WOOD POLE	EACH	—	—	—
ENTRANCE HEAD	EACH	—	—	—
CIRCUIT BREAKER & BOX 30 AMP	EACH	1	1	1
GUY WIRE GUARD	EACH	—	—	—
GUY WIRE CLAMP	EACH	—	—	—
THIMBLE EYE ANCHOR ROD	EACH	—	—	—
COMMUNICATION CABLE 5 PAIR NO. 19 A.W.G.	L.M.	5.0	5.0	5.0
DETECTOR LOOP WIRE NO. 14 A.W.G. 1/c (TYPE THHN)	L.M.	—	—	—
LEAD-IN WIRE NO. 6 A.W.G. 1/c (TYPE THHN)	L.M.	—	—	—
MULTI-CONDUCTOR CABLE NO. 14 A.W.G. 5/c	L.M.	300.0	270.0	290.0
MULTI-CONDUCTOR CABLE NO. 14 A.W.G. 7/c	L.M.	—	—	—
MULTI-CONDUCTOR CABLE NO. 14 A.W.G. 2/c	L.M.	—	—	—
SHIELDED DETECTOR LEAD-IN NO. 16 A.W.G. 2/c	L.M.	—	—	—
CONDUIT PVC 50mm (2")	L.M.	87.0	81.0	141.0
CONDUIT RGC 50mm (2")	L.M.	15.0	21.0	13.0
CONDUIT RGC 75mm (3")	L.M.	56.0	49.0	51.0
STANDARD 1/c #8 (GROUND)	L.M.	80.0	80.0	80.0
TETHER WIRE 1/4" ASTM A475 Siemens—Martin Grade Min.	L.M.	—	—	—
REMOVAL OF EXISTING TRAFFIC SIGNAL EQUIPMENT **	L. S.	1	1	1
STREET NAME SIGNS — SEE CHART D	EACH	2	2	3
LEFT TURN YIELD ON GREEN W/ MOUNTING HARDWARE (R10—12)	EACH	—	—	—
ONE WAY SIGN W/MOUNTING HARDWARE (R6—1)	EACH	4	4	4
ACUTIME 2000 — RS232	EACH	—	1	—
ACUTIME INTERCONNECT CABLE	L.M.	—	20.0	—
SIDEWALK REMOVE / REPLACE	S.M.	39.490	6.450	27.950
— Quantities For Information Only —				

CHART A SIGNAL SUMMARY					
PLAN SHEET	NO. WAYS	NO. SECTIONS (per face)	SIGNAL FACE ARRANGEMENT	MOUNTING TYPE	QUANTITY
3	1	3	R—Y—G	RIGID MAST ARM	4
3	1	3	R—Y—G	VERTICAL BRACKET	3
3	1	2	W—DW	VERTICAL BRACKET	8
4	1	3	R—Y—G	RIGID MAST ARM	4
4	1	3	R—Y—G	VERTICAL BRACKET	3
4	1	2	W—DW	VERTICAL BRACKET	8
5	1	3	R—Y—G	RIGID MAST ARM	6
5	1	2	W—DW	VERTICAL BRACKET	8
5	1	3	R—Y—G	VERTICAL BRACKET	3

SERVICE BOX SUMMARY		
PLAN SHT.	STATION	DIST.—SIDE
3	50+009.4	10.13m Lt.
3	50+009.4	11.30m Rt.
3	49+990.9	10.97m Rt.
3	49+990.8	9.47m Lt.
4	40+007.5	9.62m Lt.
4	40+007.6	11.58m Rt.
4	39+991.7	10.63m Rt.
4	39.992.3	11.22m Lt.
5	30+006.7	9.15m Lt.
5	30+007.6	9.52m Rt.
5	29+993.3	9.33m Rt.
5	29+992.9	10.75m Lt.

CHART D STREET NAME SIGN SUMMARY		
LEGEND	SIZE	QUANTITY
St Francis	2.134	1
1st St	1.370	1
Market	2.134	3
English	2.134	1
Lewis	2.134	1

* As Needed

** Removal of existing Traffic Signal equipment shall include removal of foundations, service boxes, junction boxes, and old services and risers. See contruction Traffic Control regarding removal of existing signals.

NOTES:
The contractor shall supply and install all necessary materials and equipment for the complete installation and operation of the traffic signal system whether specifically mentioned or not.

Joint—Use poles to be drilled for Credenza Fixture. Poles will be an alternative flange plate design.

STATE	PROJECT NO.	YEAR	SHEET NO.	TOTAL SHEETS
KANSAS	87 N-0275-01	2002	6	18

CONTROLLER SUMMARY *		
ITEM	MODEL NO.	QUAN.
POLE MOUNTED CABINET	336A	1
CONTROLLER (2K RAM MIN.) with 400 modem	170E	1
PROM MODULE	412B	1
CONFLICT MONITOR (ECL or MS)	210P	1
SWITCH PACK	200	4
FLASHER UNIT	204	2
FLASH TRANSFER RELAY	403	4
MODEM	FO—400	—
TERMINATION RACK (BUCKHEAD ASSM.)	—	1
TWO—CHANNEL DETECTOR	822	—
TWO—CHANNEL DC ISOLATOR	242	1

* NOTE: The traffic signal controller at each intersection shall have the equipment as listed in the table.

3	06/25/2002	PER CITY/ KDOT COMMENTS	RLC	SAC
2	05/22/2002	PER CITY/ KDOT COMMENTS	JDB	SAC
1	02/01/2002	PER CITY/ KDOT COMMENTS	JDB	SAC
NO.		REVISIONS	BY	APP'D
CITY OF WICHITA, KANSAS SEDGWICK COUNTY TRAFFIC SIGNAL PLAN TRAFFIC SIGNAL QUANTITIES PROJECT NO. 472—83419				
GBA GEORGE BUTLER ASSOCIATES, INC. Engineers • Architects				
DESIGNED SAC	CHECKED SAC	PROJ. NO. 9674.00		
DRAWN JDB	DATE	Dec. 10, 2001		