




NOTE:  
ALL AREAS DISTURBED, BEYOND AREA COVERED  
BY EROSION MAT, SHALL BE FERTILIZED, SEEDED  
AND MULCHED.

REMOVE 25 L.F. OF 4'x4' RCB  
AND CONST. SPEC. REINF. CONC.  
MANHOLE (DROP STRUCTURE)  
W=5'-4", L=7'-6"  
M.H. TOP = PROP. GRADING  
FL. IN = 104.15  
FL. OUT = 97.70  
INSTALL 27 L.F. OF 4'x4' RCB  
(PRECAST, C-789)  
FL. OUT = 97.64  
W/CONCRETE TOEWALL  
W=2', D=4', L=10'  
WALLS OF RCB TO BE CUT TO  
MATCH CONC. SLOPE PAVING.

**MID-KANSAS ENGINEERING  
CONSULTANTS, INC.**  
411 N WEBB ROAD  
WICHITA, KS. 67206  
316-684-9600

|                                    |                  |                    |
|------------------------------------|------------------|--------------------|
| <b>AREA "K" PART 2 - PHASE 1</b>   |                  |                    |
| PROJECT NAME                       |                  |                    |
| <b>WICHITA DRAINAGE CANAL PLAN</b> |                  |                    |
| SHEET TITLE                        |                  |                    |
| JNJ<br>DESIGN BY:                  | MLW<br>DRAWN BY: | JNJ<br>CHECKED BY: |
| MAY 1999<br>DATE                   | 94011<br>JOB NO. | 15<br>SHEET/OF 64  |

G:\CIVIL\AREA\K\9401\PLANS\9401ID9.DWG 5-25-99 8:51:31 am CDS