



**EROSION CONTROL PLAN LEGEND**  
(Installation Details Found in the SWP2 Plan)



- LIGHT STONE RIP-RAP
- DROP INLET PROTECTION
- CURB INLET PROTECTION
- STRAW BALE BARRIERS
- SILT FENCING
- EARTH DIKES
- CURLEX BLANKET

Maintain one construction entrance onto existing paved roadway per detail, sheet 27.

Scale: 1" = 60'



SECTION A-A



SECTION B-B

= Easements To Be Graded

Approximate Easement Grading Quantities:  
(For Information Only)  
Excavation: 2,189 C.Y.  
Fill: 1,261 C.Y.

The contractor shall grade the easements as shown to the elevations given on the easement grading plan. All costs for easement grading shall be incidental to the Easement Grading Bid Item.

The contractor shall 'straight' grade the easements between the elevations given. Where a callout designates 'Match', the contractor will grade to the existing ground elevation.

Fill & grade existing ditch to match plan elevations.

RES. "B"

Fill & grade existing ditch to match plan elevations.

Prop MSE = 178.9

NOTE: Contractor shall remove & replace existing erosion control measures as necessary for construction. Contractor shall be required to maintain all on-site erosion control items until final acceptance by the City of Wichita. All costs shall be incidental to "Site Clearing and Restoration."

Existing Grade

		<b>KRUG NORTH 2ND ADD. - PH. III</b> <b>EROSION CONTROL PLAN/</b> <b>ESMT. GRADING PLAN</b>	
		<small>Baughman Company, P.A. 315 Ellis St. Wichita, KS 67211 P 316-262-0149          ENGINEERING   SURVEYING   PLANNING   LANDSCAPE ARCHITECTURE</small>	
PROJECT NUMBER 472-84249	DESIGN A/T/D TMS	APPROVED DATE 01/06	DRAWN TMS
REVISIONS:	SCALE Noted	<b>29 OF 39</b> SHEET	
<small>KrugNorth2ndPhaseIII/ECPlan</small>		<small>0509E368</small>	