




EROSION CONTROL PLAN
LEGEND
(Installation Details Found in the SWS2 Plan)

- HEAVY STONE RIP-RAP
- DROP INLET PROTECTION
- CURB INLET PROTECTION
- STRAW BALE BARRIERS
- SILT FENCING
- EARTH DIKES
- CURLEX BLANKET

NO SCALE



Scale: 1" = 60'

Area to be graded $\frac{1}{8}$ " Proposed Grades



Approximate Easement Grading Quantities:
(For Information Only)
Excavation: 200 C.Y.
Fill: 1,188 C.Y.

The contractor shall fill and grade the easements as shown to the elevations given on the easement grading plan. All costs for grading shall be incidental to the Easement Grading Bid Item.

The contractor shall 'straight' grade the easements between the elevations given. Where a callout designates 'Match', the contractor will grade to the existing ground elevation. The existing ditch cross sections are shown below.



SECTION A-A



SECTION B-B

NOTE: Contractor shall not remove any trees, unless approved by Engineer.

NOTE: Contractor shall remove & replace existing erosion control measures as necessary for construction. Contractor shall be required to maintain all on-site erosion control items until final acceptance by the City of Wichita. All costs shall be included in bid item "Site Clearing & Restoration".

Existing Grade

KRUG NORTH 2ND ADD. - PH. IV
ESMT. GRADING & EROSION CONTROL PLAN

Baughman Company, P.A. 315 Ella St. Wichita, KS 67211 P 316-262-7171 F 316-262-0149
ENGINEERING | SURVEYING | PLANNING | LANDSCAPE ARCHITECTURE

PROJECT NUMBER 472-841250	DESIGN ATD	DRAWN TMS
REVISIONS	APPROVED	DATE 04/06
SCALE Noted		SHEET 25 OF 35

KrugNorth2ndVPhaseIVSsECPlan 05-12-E449