


COORDINATE LIST		
POINT	NORTH	EAST
100	9,920.2369	9,009.5266
101	9,960.0217	9,019.4189
102	9,917.3726	9,013.3541
103	9,918.0965	9,053.3475

⑩ = COORDINATE POINT NO.
SEE SHEET NO. 3 FOR PLAT COORDINATES

SCALE: 1"=20'



⑩ 37th St. N. Sta. 49+37.12
Install 41 L.F. 23"x14" RCPHE
(Including End Sections)
Rotate 15° Rt.
E Lt.=166.20
F Rt.=166.50

Remove and Replace Concrete
Ditch Lining as Necessary.
This Work Shall be Subsidiary
to 23"x14" RCPHE.

CAUTION !!!
Exist. Buried Tele.
(Sprint)

Remove Existing 18" CMP.
This Work Shall be Subsidiary
to "Unclassified Excavation".


CAUTION !!!
Exist. Buried Tele.
(SBC)

⑩ 37th St. N. Sta. 49+56.21, 5' Rt.
Install 40 L.F. 23"x14" RCPHE
(Including End Sections)
E=166.50 (W)
F=166.72 (E)

5" Asphaltic Concrete Pavement
(3" Bituminous Base)

φ Typical—This Drive Only
* Match Existing

DSNR: BLB - OPER: BJS SCALE: 1"=20.00
 G:\2005\05-300\003\05-300-003-C-STR45-51 10-18-2005 10:31:02 am



No.	Revision	By	Date

37TH STREET ASPHALT MAT PAVING
37TH ST. NORTH
 STA. 46+95 TO STA. 51+00
 JAMES L. ARMOUR, P.E. - CITY ENGINEER
 CITY OF WICHITA PROJECT NO. 472-84044

Professional Engineering Consultants, P.A.
 303 S. TOPEKA • WICHITA, KANSAS 67202
 316-262-2691 • FAX 316-262-3003

Designed by	BDB, BLB	Job No.	35-05300-003	Sheet 5 of 16
Drawn by	BMM, BJS	Date	June 2005	