

**HAWTHORNE PHASE 1
STORM WATER SEWER PLANS
PLAN AND PROFILE**

INSTALL 6.3 S.Y. LIGHT
STONE RIP-RAP
W/GROUTED TOEWALL
(5'x2'x4')


STA. 10+00.0 SWS 1
INSTALL END SECTION

STA. 12+02.7 SWS 1=
BL. STA. 4+50.15, RT. 0.81'
INSTALL TYPE 1-A CURB INLET
(5'x3')
INSTALL SEDIMENT BARRIER

STA. 10+00.0 SWS 2
INSTALL END SECTION


NORMAL POOL
= 1360.00

STA. 11+96.3 SWS 2=
BL. STA. 9+62.39, RT. 9.0'
INSTALL TYPE 1-A CURB INLET
(5'x3')
INSTALL SEDIMENT BARRIER




PLAN SWS 1

SCALE: 1"=20'




SCALE: 1"=20'



PLAN SWS 2

SCALE: 1"=20'




SCALE: 1"=20'

NOTE
RIPRAP SHALL BE INSTALLED ACCORDING TO STD SPEC WITH TOE WALLS ON ALL UNPROTECTED EDGES. THE TOE WALL SHOWN ON THE PLANS SHALL BE IN ADDITION TO THE STD SPEC.

PROFILE SWS 1

SCALE: HORIZ. 1"=20'
SCALE: VERT. 1"=5'



PROFILE SWS 2

SCALE: HORIZ. 1"=20'
SCALE: VERT. 1"=5'

