N-52,192.7926, E-49,325.1789
LINE NO. 1, Sta. 9+15.0=
LINE NO. 2, Sta. 0+00.0
MH 4

N-52,273.6890, E-49,428.0102
Sta. 1+30.8
Const. MH 26
Standard MH (4' I.D.)

N-52,470.4718, E-49,440.1084
Sta. 3+28.0
Const. MH 27
Standard MH (4' I.D.)

N-52,615.4398, E-49,355.3083
Sta. 4+95.9, LINE NO. 2=
Sta. 0+00.0, LINE NO. 2A
Const. MH 28
Standard MH (4' I.D.)

N-52,686.4886, E-49,328.0455
Sta. 5+72.0+
Core existing concrete MH wall and Install New 12" Pipe. Seal new 12" Pipe to MH with an approved waterstop gasket and non-shrink grout. Construct a minimum of 3" Reinforced Concrete Encasement from MH wall. Reshape MH floor to provide smooth flow. This work shall be considered subsidiary to the price bid for pipe in place. Plug existing 8" Pipe (SW & SE)

LINE NO. 1
See sheet no. 1

CAUTION!!!
Existing 12" Sanitary Sewer. Remove sewer as required and plug. This work shall be completed after the temporary connection is accomplished.

Proposed 30' Sanitary Sewer Esmt.
Proposed 10' Temp. Construction Esmt.
Proposed 10' Temp. Construction Esmt.
Proposed Sanitary Sewer Esmt.
Proposed 30' Sanitary Sewer Esmt.
20' Sanitary Sewer Esmt.
8" Sanitary Sewer (recorded)
8" Sanitary Sewer (Westar) (recorded)
8" Sanitary Sewer (Westar) (recorded)
12" Sanitary Sewer (recorded)
Buried Fiber Optic (Westar) (recorded)
Buried Fiber Optic (Westar) (recorded)
Buried Fiber Optic (Westar)