




DOOR, FRAME + HARDWARE SCHEDULE

DOOR TAG	DOOR					FIRE LABEL	FRAME					H/W SET	REMARKS
	PR.	* W	* H	MAT.	GL.		MAT.	GL.	TYPE	THRESHOLD	JAMBS	HEAD	
001	PR	3-0	7-0	WD	T	G1	HM	-	9	1&3/A6.2	2&4/A6.2	4/A6.2 SIM.	3
002	-	2-10	7-0	WD	O/T	G1	HM	-	4	5&7/A6.2	6&8/A6.2	7/A6.2 SIM.	6
003	-	3-4	7-0	WD	O/T	G1	HM	-	6	5&7/A6.2	6&8/A6.2	7/A6.2 SIM.	6
004	PR	3-5	7-0	WD	T	G1	HM	-	13	1&3/A6.2	2&4/A6.2	3/A6.2 SIM.	1
005	-	3-2	7-0	WD	T	G1	HM	-	5	1&3/A6.2	2&4/A6.2	3/A6.2 SIM.	5
006	PR	3-2	7-0	WD	T	G1	HM	SG	19	13/A6.2	14/A6.2	15&16/A6.2	1
007	PR	3-0	7-0	WD	T	G1	HM	T	15	1/A6.1	7,8&9/A6.1	9/A6.1 SIM.	7
008	-	3-2	7-0	WD	T	G1	HM	-	5	1&3/A6.2	2&4/A6.2	3/A6.2 SIM.	5
009	PR	2-11	7-0	HM	T	G1	HM	-	10	1&3/A6.2	2&4/A6.2	3/A6.2 SIM.	10
010	-	3-8	7-0	HM	O/T	G1	HM	SG	18	5&7/A6.2	6&8/A6.2	11&12/A6.2	6
011	-	3-8	7-0	WD	O/T	G1	HM	SG	18	5&7/A6.2	6&8/A6.2	11&12/A6.2	6
012	-	3-0	7-0	WD	O/T	G1	HM	SG	16	5&7/A6.2	6&8/A6.2	11&12/A6.2	3
013	PR	2-8	7-0	WD	T	G1	HM	-	3	1&3/A6.2	2&4/A6.2	4/A6.2 SIM.	3
014	-	3-6	7-0	WD	O/T	G1	HM	SG	17	5&7/A6.2	6&8/A6.2	11&12/A6.2	6
015	PR	-	7-0	HM	-	F	HM	-	8	10&12/A6.1	11&13/A6.1	13/A6.1 SIM.	4
016	PR	-	7-0	HM	-	F	HM	-	12	1&3/A6.2	2&4/A6.2	4/A6.2 SIM.	2
017	PR	3-0	7-0	WD	O/T	G1	HM	-	11	5&7/A6.2	6&8/A6.2	8/A6.2 SIM.	6
018	-	2-8	6-6	HM	-	F	HM	-	1	3/A6.2	4/A6.2	4/A6.2 SIM.	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-

* VERIFY ACTUAL FRAME OPENING DIMENSIONS W/ H.M. FRAME SHOP DRAWINGS.
WOOD DOORS 2" THICK
H.M. DOORS 1 3/4" THICK

DOOR & FRAME MATERIAL
HM HOLLOW METAL
WD WOOD

GLAZING MATERIAL
IN INSULATED
O OBTURATE
SG SAFETY GLASS
T TEMPERED


REMARKS
1. REMOVABLE CENTER MULLION
2. FIXED, WOOD DIVIDED LITE TRANSOM
3. -
4. -

GENERAL NOTES

- OWNER RESPONSIBLE FOR MOVING EXHIBITS AND STORED ITEMS AWAY FROM ALL AREAS REQUIRING NEW WORK.
● ALL FLOORS.
- PREPARE, REFINISH & REPUTTY ALL EXISTING STEEL WINDOWS, TYPICAL. REFER WINDOW SPEC. TYPICAL, ALL FLOORS.
- MASONRY MATERIALS SALVAGED FROM REMOVED FRONT TERRACE STAIR WALLS ARE STORED BELOW THE TERRACE.

PLAN NOTES


- INFILL REMAINING OPENING WITH LIKE MASONRY MATERIALS.
- PROVIDE NEW LIGHTED, CEILING MOUNTED, DIRECTIONAL EXIT SIGN TO NORTH EXIT. PROVIDE BATTERY BACKUP.
- REPLACE PORTION OF EXISTING GYP. BD. PARTITION AS REMOVED FOR ACCESSING NEW WORK.
- EXISTING RETAINING WALL.
- REPLACE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM AS REQUIRED.
- RELOCATE EXISTING METAL FLUE.
- EXISTING FURRED WALLS TO REMAIN.
- NEW INACTIVE DOOR, STOPPED BOTH SIDES. NO LOCKSET, TYPICAL.
- NEW STEEL LINTEL & RECONSTRUCT REMOVED MASONRY VENEER & TERRACE WALLS.
- PATCH & PAINT GYP. BD. & INTERIOR FINISHES AROUND NEW STEEL WINDOW.
- GYP. BD. ON 7/8" MTL. FURRING CHANNELS.



GROUND FLOOR RENOVATION PLAN

SCALE: 1" = 8'-0"

SCHAEFER JOHNSON COX FREY & ASSOCIATES PA



KANSAS AVIATION MUSEUM
WICHITA, KANSAS
3350 S. GEORGE WASHINGTON BOULEVARD


REVISION DATE

PROJECT NO.
2632.10

DATE
APRIL 2004

A2-0

PROJECT NO. 2632.10
SHEET NO. 02
YEAR 2004
STATE KANSAS
FIRM SCHAEFER JOHNSON COX FREY & ASSOCIATES PA
7



ARCHITECTURE ENGINEERING PLANNING & INTERIOR DESIGN
807 N. BROADWAY
WICHITA, KANSAS 67202-2317
G161 664-8856
G161 664-0171