



Wichita-Sedgwick County Metropolitan Area Planning Department

August 3, 2020

Delano Development, LLC
Attn: Ben Pfister
P.O. Box 403
Wichita, KS 67201

Kaw Valley Engineering, Inc.
Attn: Levi Bond
200 N. Emporia, Suite 100
Wichita, KS 67202

Re: BZA2020-29: City Administrative Adjustment to reduce the front setback average by 20% of the front yard setback for building and site design on "LI" Limited Industrial zoning and B-Multi-Family zoning.

Legal Description: Even Lots 22-38 on Walnut Street AND Odd Lots 41 Through 55 Inclusive On Wichita Now Handley Street, West Wichita Addition, Wichita, Sedgwick County, Kansas

Dear Applicant,

We reviewed your request for an Administrative Adjustment to reduce the average building setback along N. Walnut Street located between West Douglas Avenue and West 1st Street North, pending the zone change from B to LI. The average setback between W. Douglas and W. 1st Street is 32.83 inches. The applicant is requesting a 20% reduction of the front yard setback [Sec III-E.1.e.5(b)] to 26.27 inches as shown on the submitted site plan.

Section V-1.2.a of the Unified Zoning Code allows an Administrative Adjustment to reduce the average front setback by up to 20%. We find that reducing the front yard setback average as proposed, meets the four criteria required by Section V-1.6 as set out below:


- 1) Impact on safety and convenience of vehicular and pedestrian circulation: The reduction of the front yard setback should have no impact on the safety and convenience of vehicular and pedestrian circulation in the vicinity as right-of-way and driveways are not affected.
- 2) Impact on existing uses in surrounding areas: There will be no impact on the existing uses in surrounding areas as a result of the front yard average setback.
- 3) Compatibility with existing or permitted uses on abutting sites: The average front yard setback reduction will be compatible with existing and permitted uses on abutting LI and GC General Commercial zoned properties in the block.

- 4) Effect on public health, safety or welfare: There will be no encroachment into public utility easements or right-of-way. There should be no impact on the public health, safety or welfare nor will properties or improvements in the vicinity be materially injured.


Our signatures below indicate that an Administrative Adjustment to reduce the front yard setback from 32.83 inches to 26.27 inches as shown on the submitted site plan. is hereby granted, subject to the following conditions:

- 1) The pending zone change from B to LI shall be perfected before the Administrative Adjustment is granted.
- 2) The site shall be developed in general conformance with the approved site plan.
- 3) The adjustment shall apply only to the front yard setback average along North Walnut Street as illustrated on the approved site plan. All other structures or additions on the subject property shall conform to the locations and setbacks permitted by the Unified Zoning Code unless a separate Zoning Adjustment or Variance is granted.
- 4) The applicant shall complete all improvements within one year of the Administrative Adjustment approval. The site shall conform to all codes including but not limited to building, health and fire.
- 5) If the Zoning Administrator finds that there is a violation of any of the conditions of the Zoning Adjustment, the Zoning Administrator, in addition to enforcing the other remedies set forth in the Unified Zoning Code, may, with the concurrence of the Planning Director, declare that the Zoning Adjustment is null and void.

The "Development Application" sign should now be removed from the property.




Scott Wadle, Director
Metropolitan Area Planning Department



Chris Labrum, Director
Metropolitan Area Building and Construction
Department

cc: MABCD
Cindy Claycomb, CM District VI
Ana Lopez, Community Service Representative District VI



20	STRENGTH LOSS AND ALTERS
21	THE FIBER-FABRICATION
22	REPAIR OF FIBER-FABRICATION
23	REPAIR OF FIBER-FABRICATION
24	REPAIR OF FIBER-FABRICATION
25	REPAIR OF FIBER-FABRICATION
26	REPAIR OF FIBER-FABRICATION
27	REPAIR OF FIBER-FABRICATION
28	REPAIR OF FIBER-FABRICATION
29	REPAIR OF FIBER-FABRICATION
30	REPAIR OF FIBER-FABRICATION
31	REPAIR OF FIBER-FABRICATION
32	REPAIR OF FIBER-FABRICATION
33	REPAIR OF FIBER-FABRICATION
34	REPAIR OF FIBER-FABRICATION
35	REPAIR OF FIBER-FABRICATION
36	REPAIR OF FIBER-FABRICATION
37	REPAIR OF FIBER-FABRICATION
38	REPAIR OF FIBER-FABRICATION
39	REPAIR OF FIBER-FABRICATION
40	REPAIR OF FIBER-FABRICATION
41	REPAIR OF FIBER-FABRICATION
42	REPAIR OF FIBER-FABRICATION
43	REPAIR OF FIBER-FABRICATION
44	REPAIR OF FIBER-FABRICATION
45	REPAIR OF FIBER-FABRICATION
46	REPAIR OF FIBER-FABRICATION
47	REPAIR OF FIBER-FABRICATION
48	REPAIR OF FIBER-FABRICATION
49	REPAIR OF FIBER-FABRICATION
50	REPAIR OF FIBER-FABRICATION
51	REPAIR OF FIBER-FABRICATION
52	REPAIR OF FIBER-FABRICATION
53	REPAIR OF FIBER-FABRICATION
54	REPAIR OF FIBER-FABRICATION
55	REPAIR OF FIBER-FABRICATION
56	REPAIR OF FIBER-FABRICATION
57	REPAIR OF FIBER-FABRICATION
58	REPAIR OF FIBER-FABRICATION
59	REPAIR OF FIBER-FABRICATION
60	REPAIR OF FIBER-FABRICATION
61	REPAIR OF FIBER-FABRICATION
62	REPAIR OF FIBER-FABRICATION
63	REPAIR OF FIBER-FABRICATION
64	REPAIR OF FIBER-FABRICATION
65	REPAIR OF FIBER-FABRICATION
66	REPAIR OF FIBER-FABRICATION
67	REPAIR OF FIBER-FABRICATION
68	REPAIR OF FIBER-FABRICATION
69	REPAIR OF FIBER-FABRICATION
70	REPAIR OF FIBER-FABRICATION
71	REPAIR OF FIBER-FABRICATION
72	REPAIR OF FIBER-FABRICATION
73	REPAIR OF FIBER-FABRICATION
74	REPAIR OF FIBER-FABRICATION
75	REPAIR OF FIBER-FABRICATION
76	REPAIR OF FIBER-FABRICATION
77	REPAIR OF FIBER-FABRICATION
78	REPAIR OF FIBER-FABRICATION
79	REPAIR OF FIBER-FABRICATION
80	REPAIR OF FIBER-FABRICATION
81	REPAIR OF FIBER-FABRICATION
82	REPAIR OF FIBER-FABRICATION
83	REPAIR OF FIBER-FABRICATION
84	REPAIR OF FIBER-FABRICATION
85	REPAIR OF FIBER-FABRICATION
86	REPAIR OF FIBER-FABRICATION
87	REPAIR OF FIBER-FABRICATION
88	REPAIR OF FIBER-FABRICATION
89	REPAIR OF FIBER-FABRICATION
90	REPAIR OF FIBER-FABRICATION
91	REPAIR OF FIBER-FABRICATION
92	REPAIR OF FIBER-FABRICATION
93	REPAIR OF FIBER-FABRICATION
94	REPAIR OF FIBER-FABRICATION
95	REPAIR OF FIBER-FABRICATION
96	REPAIR OF FIBER-FABRICATION
97	REPAIR OF FIBER-FABRICATION
98	REPAIR OF FIBER-FABRICATION
99	REPAIR OF FIBER-FABRICATION
100	REPAIR OF FIBER-FABRICATION

[illegible]

UNITED STATES
DEPARTMENT OF AGRICULTURE
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

2. CONTRACTORS SHALL VERIFY AND REPORT THE RESULTS OF ANY COMBINATION OF MATERIALS OR METHODS OF CONSTRUCTION TO THE ENGINEER AND COMBINATION OF ALL MATERIALS AND CONSTRUCTION METHODS.
3. ALL STRUCTURES ARE TO BE BUILT TO THE LATEST EDITION OF THE BUILDING CODE.
4. ALL STRUCTURES ARE TO BE BUILT TO THE LATEST EDITION OF THE BUILDING CODE.
5. ALL STRUCTURES ARE TO BE BUILT TO THE LATEST EDITION OF THE BUILDING CODE.

[illegible]

C-02
alter/
direction plans

Delano Development
200 N. Broadway, #1
Delano, CA 94008



YAYIN NO: 2019-2020
YAYIN YILI: 2019
YAYIN YERİ: ANKARA

