

Final tracing received 3-2-03

CORNEJO EAST ADDITION WICHITA, SEDGWICK COUNTY, KANSAS

State of Kansas) SS We, Baughman Company, P.A., Surveyors in Sedgwick County and state do hereby certify that we have surveyed and platted "CORNEJO EAST ADDITION", Wichita, Sedgwick County, Kansas and that the accompanying plat is a true and correct exhibit of the property surveyed, described as follows: That part of Lot 1, Block 1, Family Golf Center Addition, an addition to Wichita, Sedgwick County, Kansas and a tract in the NW1/4 of the SW1/4 of Sec. 16, Twp. 27-S, R-2-E of the 6th P.M., Sedgwick County, Kansas described as follows: The west 425.00 feet of the S1/2 of the south 15 Acres of the NW1/4 of the SW1/4 of Sec. 16, Twp. 27-S, R-2-E of the 6th P.M., Sedgwick County, Kansas, all being subject to road rights-of-way of record.

Know all men by these presents that we, the undersigned, have caused the land in the surveyors certificate to be platted into a Lot, a Block, and Streets, to be known as "CORNEJO EAST ADDITION", Wichita, Sedgwick County, Kansas. The drainage and utility easements are hereby granted as indicated for drainage purposes and for the construction and maintenance of all public utilities. The streets are hereby dedicated to and for the use of the public. Access controls shall be as depicted on the face of the plat and are hereby granted to the City of Wichita, Kansas. The permitted opening locations shall be as determined by the City Engineer of the City of Wichita, Kansas.

We the undersigned holders of a mortgage on the above described property, do hereby consent to this plat of "CORNEJO EAST ADDITION", Wichita, Sedgwick County, Kansas.

This plat approved and all dedications shown hereon accepted by the City Council of the City of Wichita, Kansas, this _____ day of _____, 2003.

Existing public easements and dedications being vacated by virtue of K.S.A. 12-512(b).

Baughman Company, P.A.

Triple J of Wichita, L.L.C., a Kansas limited liability company

INTRUST Bank, N.A.

At the direction of the City Council

Paul A. Johnson, Vice President
(Title)

_____, City Manager
Chris Cherches

_____, City Clerk
Pat Graves

State of Kansas) SS The foregoing instrument acknowledged before me, this 14th day of March, 2003, by *Paul A. Johnson*, Vice President, of INTRUST Bank, N.A., on behalf of the bank.

JOLEEN BARNHART
Notary Public - State of Kansas
My App. Expires 11/14/03

Joleen Barnhart, Notary Public

Reviewed in accordance with K.S.A. 58-2005 on this _____ day of _____, 2003.

Tricia L. Robello, L.S. #1246
Deputy County Surveyor
Sedgwick County, Kansas

Michael G. Conrey, Surveyor
Michael G. Conrey
18-871
2-5-03

State of Kansas) SS The foregoing instrument acknowledged before me, this 13th day of March, 2003, by Ronald J. Cornejo, Manager of Triple J of Wichita, L.L.C., a Kansas limited liability company, on behalf of the company.

Shell Porter, Notary Public

My App't. Exp. 1-22-05

SHELL PORTER
Notary Public - State of Kansas
My App. Expires 1-22-05

This plat of "CORNEJO EAST ADDITION", Wichita, Sedgwick County, Kansas has been submitted to and approved by the Wichita-Sedgwick County Metropolitan Area Planning Commission, Wichita, Kansas.
Dated this _____ day of _____, 2003.
Wichita-Sedgwick County Metropolitan Area Planning Commission

Entered on transfer record this _____ day of _____, 2003.

_____, County Clerk
Dan Brace


_____, Chair
Bernard A. Hentzen

_____, Secretary
Dale Miller

State of Kansas) SS This is to certify that this plat has been filed for record in the office of the Register of Deeds, this _____ day of _____, 2003 at _____ o'clock _____ M. and is duly recorded.

_____, Register of Deeds
Bill Meek

_____, Deputy
Linda Kizzire





Wichita-Sedgwick County Metropolitan Area Planning Department

November 7, 2002

Baughman Company, P.A.
315 Ellis
Wichita KS 67211

RE: SUB 2002-110 -- One-Step Final Plat of Cornejo East Addition

At the regular meeting of the Metropolitan Area Planning Commission on November 7, 2002, the above captioned plat was considered. The action of the Planning Commission was to approve the plat as recommended by the Subdivision Committee, subject to the conditions stated in our letter dated November 1, 2002.

In addition to complying with those conditions, it is necessary that you meet the following requirements before this plat can be forwarded to the City Council and/or County Commission for consideration:

1. Submission of the fully completed and signed tracing of the subdivision, along with four (4) copies, to the Metropolitan Area Planning Department.
2. Submission of a check, made out to the Register of Deeds, covering the costs of any documents to be recorded as a requirement of platting.
3. Subdivision regulations now require a detailed Lot Grading Plan be submitted to Engineering prior to the tracing being released. This applies to all multi-lot, residential developments.
4. Submission of a disk to the Planning Department detailing the final plat in digital format in Autocad. This will be used by the City and County GIS Departments.

If you have any questions concerning this matter, please call.

A handwritten signature in black ink, appearing to read 'Neil Evan Strahl'.

Neil Evan Strahl, Senior Planner
Current Plans Division

NES:ch

City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 F 316.268.4390

www.wichitagov.org



Wichita-Sedgwick County Metropolitan Area Planning Department

November 1, 2002

Baughman Company, P.A.
315 Ellis
Wichita KS 67211

RE: SUB 2002-110 -- One-Step Final Plat of Cornejo East Addition

At the regular meeting of the Subdivision Committee of the Metropolitan Area Planning Commission on Thursday, October 31, 2002, the above captioned plat was considered. The action of the Committee was to approve the final plat, subject to the following:

STAFF COMMENTS:

- A. The applicant shall guarantee the extension of sanitary sewer to serve the lots being platted.
- B. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning Department for recording.
- C. City Engineering needs to comment on the status of the applicant's drainage plan. City Engineering has required on-site detention or a cross-lot drainage agreement.
- D. Traffic Engineering needs to comment on the access controls. The plat proposes one access opening along Webb Road. The final plat shall reference the dedication of access controls in the plat's text. Traffic Engineering requests the dedication of access control along Webb Road, except for one opening within the north 15 feet of the property.
- E. Traffic Engineering needs to comment on the need for additional right-of-way along Chamberlain in accordance with the 70-ft commercial street standard. An additional 5-ft right-of-way is requested.
- F. The applicant shall guarantee the closure of any driveway openings located in areas of complete access control or that exceed the number of allowed openings.
- G. Traffic Engineering has requested the Applicant to guarantee the paving of Chamberlain abutting the property to the business/industrial street standard.

City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 F 316.268.4390

www.wichitagov.org

- H. The applicant shall submit an avigational easement covering all of the subject plat and a restrictive covenant assuring that adequate construction methods will be used to minimize the effects of noise pollution in the habitable structures constructed on subject property.
- I. The Applicant is advised that if platted, the building setbacks may be reduced to 20 feet.
- J. The owners noted in the platting binder need to be signatories to the plat, or a revision to the binder showing that the site's ownership is only in the party now shown on the final plat.
- K. The platator's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- L. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- M. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- N. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- O. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- P. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- Q. Perimeter closure computations shall be submitted with the final plat tracing.
- R. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- S. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- T. The applicant is reminded that a disk shall be submitted with the final plat tracing to the

SUB 2002-110 -- One-Step Final Plat of Cornejo East Addition

November 1, 2002

Page 3


Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.

If this plat requires the guaranteeing of improvements, a list of the five methods that have been adopted as being acceptable is available through the Planning Department. Certificates, which are required if petitions are submitted, and forms for the bond and Irrevocable Letter of Credit are also available from this office.

This case will be forwarded to the Planning Commission on Thursday, November 7, 2002, at 1:30 p.m.

The enclosed "marked" copy of the plat is for your information and files.

If you have any questions concerning this matter, please call.

A handwritten signature in black ink that reads "Neil Evan Strahl". The signature is written in a cursive style with a large, stylized 'S' at the end.

Neil Evan Strahl, Senior Planner
Current Plans Division

NES:ch

Enclosure: Marked Copy of Plat

Copies to: Chuck Hill, Triple J of Wichita, P.O. Box 16204, Wichita, KS 67216
Walter Rooney, Sedgwick County Fire Department
Neil Cable, City Engineer, Department of Engineering
Jim Weber, PE-Director, Sewer Operations & Maintenance Department, Bureau of Public Services

STAFF REPORT
(ONE-STEP FINAL PLAT)

CASE NUMBER: SUB 2002-110 -- CORNEJO EAST ADDITION

OWNER/APPLICANT: Triple J of Wichita, LLC, Attn: Chuck Hill, P.O. Box 16204, Wichita, KS 67216

SURVEYOR/ENGINEER: Baughman Company, P.A., Attn: Phil Meyer, 315 Ellis, Wichita, KS 67211

LOCATION: North of Central, East side of Webb Road

SITE SIZE: 1.81 acres

NUMBER OF LOTS


Residential:	
Office:	
Commercial:	1
Industrial:	
Total:	1

MINIMUM LOT AREA: 1.81 acres

CURRENT ZONING: SF-5, Single-Family Residential; GC, General Commercial

PROPOSED ZONING: GC, General Commercial

VICINITY MAP



**SUB 2002-110 -- One-Step Final Plat of CORNEJO EAST ADDITION
November 7, 2002 - Page 2**

NOTE: The site has been approved for a zone change (ZON 2002-33) from SF-5, Single-Family Residential to GC, General Commercial subject to platting.

Planning Staff recommends approval of the plat .

STAFF COMMENTS:

- A. The applicant shall guarantee the extension of sanitary sewer to serve the lots being platted.
- B. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning Department for recording.
- C. **City Engineering** needs to comment on the status of the applicant's drainage plan. **City Engineering has required on-site detention or a cross-lot drainage agreement.**
- D. **Traffic Engineering** needs to comment on the access controls. The plat proposes one access opening along Webb Road. The final plat shall reference the dedication of access controls in the platlor's text. **Traffic Engineering requests the dedication of access control along Webb Road, except for one opening within the north 15 feet of the property.**
- E. **Traffic Engineering** needs to comment on the need for additional right-of-way along Chamberlain in accordance with the 70-ft commercial street standard. **An additional 5-ft right-of-way is requested.**
- F. The applicant shall guarantee the closure of any driveway openings located in areas of complete access control or that exceed the number of allowed openings.
- G. **Traffic Engineering** has requested the Applicant to guarantee the paving of Chamberlain abutting the property to the business/industrial street standard.
- H. The applicant shall submit an avigational easement covering all of the subject plat and a restrictive covenant assuring that adequate construction methods will be used to minimize the effects of noise pollution in the habitable structures constructed on subject property.
- I. The Applicant is advised that if platted, the building setbacks may be reduced to 20 feet.
- J. The owners noted in the platting binder need to be signatories to the plat, or a revision to the binder showing that the site's ownership is only in the party now shown on the final plat.
- K. The platlor's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- L. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- M. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.

SUB 2002-110 -- One-Step Final Plat of CORNEJO EAST ADDITION
November 7, 2002 - Page 3

- N. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-946-4556) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- O. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- P. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size, may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- Q. Perimeter closure computations shall be submitted with the final plat tracing.
- R. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- S. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- T. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.