


12-5-d
final tracing received

HEARTLAND CHURCH ADDITION SEDGWICK COUNTY, KANSAS



State of Kansas) SS We, Baughman Company, P.A., Surveyors in
Sedgwick County) aforesaid county and state do hereby certify that we have surveyed and
platted "HEARTLAND CHURCH ADDITION", Sedgwick County, Kansas and
that the accompanying plat is a true and correct exhibit of the property
surveyed, described as the north 528 feet of a tract of land situated in
the NW 1/4 of Sec. 27, Twp. 27-S, R-2-W of the 6th P.M., Sedgwick
County, Kansas, described as follows: Beginning at a point in the north
line of said NW 1/4 984.5 feet west of the NE corner of said 1/4 section;
thence south parallel to the east line of said 1/4 section 1320 feet;
thence west parallel to the north line of said 1/4 section 326.05 feet
more or less to a point 1320 feet east of the west line of the said
1/4 section; thence north to a point in the north line of the said
1/4 section 1320 feet east of the NW corner of said 1/4 section; thence
east 324.55 feet more or less to the point of beginning.

Existing public easements and dedications
being vacated by virtue of K.S.A. 12-512(b).

Baughman Company, P.A.

This plat of "HEARTLAND CHURCH ADDITION",
Sedgwick County, Kansas has been submitted to and approved by the
Wichita-Sedgwick County Metropolitan Area Planning Commission, Wichita,
Kansas.

Dated this _____ day of _____,
Wichita-Sedgwick County Metropolitan Area Planning Commission

_____, Acting Chair
J. D. Michaelis

_____, Secretary
Marvin S. Krout

This plat approved and all dedications
shown hereon accepted by the City Council of the City of Wichita,
Kansas, this _____ day of _____, 2001.

At the direction of the City Council

_____, City Manager
Chris Cherches

_____, City Clerk
Pat Burnett

Michael G. Conrey, Surveyor
Michael G. Conrey

Know all men by these presents that we,
the undersigned, have caused the land in the surveyors certificate to be
platted into a Lot, a Block, and Streets, to be known as "HEARTLAND
CHURCH ADDITION", Sedgwick County, Kansas. The drainage reserve is
hereby reserved for drainage purposes and shall be the responsibility
of Lot 1, Block A, until such time as the appropriate governing body
elects to assume responsibility for maintenance and improvements to
the drainage. No buildings shall be constructed or placed on or within
said drainage reserve, nor shall any fill, change of grade, creation of
channel or any other work be carried on without the permission of the
Engineer for said appropriate governing body. The streets are hereby
dedicated to and for the use of the public. All abutters rights of access
to or from Maple over and across the north line of Lot 1, Block A, are
hereby granted to the appropriate governing body. The Minimum Building
Pad Elevation for the lowest opening to the structures on Lot 1, Block A,
shall be as indicated on the face of the plat.

LOT	BLOCK	ELEVATION NGVD
1	A	1419

BENCHMARK:
COUNTY BENCHMARK NAIL (600) IN HI-LINE POLE,
30' N. & 15' W. OF THE NE COR., NW 1/4,
SEC. 27, TWP. 27-S, R-2-W
ELEV. = 1410.56 NGVD

- = #4 REBAR W/ "BAUGHMAN" CAP (SET)
- = 1/2" IRON (FOUND)
- ⊗ = 1-1/2" IRON (FOUND)
- = #4 REBAR W/ "TILS" CAP (FOUND)
- ◇ = 3/4" IRON (FOUND)
- △ = #5 REBAR (FOUND)
- = #4 REBAR (FOUND)
- ⊙ = AXLE (FOUND)

- (M) = MEASURED
- (D) = DESCRIBED
- (P) = PLATTED
- (R) = PUBLIC RECORD
- (C) = CALCULATED
- (D1) = DESCRIBED DISTANCE PER
(FILM 1172, PAGE 9)
- (D2) = DESCRIBED DISTANCE PER
(FILM 1585, PAGE 1587)
- (C-D) = CALCULATED PER
DESCRIBED INFO
- (C-P) = CALCULATED PER
PLATTED INFO

NOTE:
A MASTER GRADING PLAN FOR DRAINAGE HAS BEEN DEVELOPED FOR THIS
SUBDIVISION AND IS ON FILE IN THE OFFICE OF THE COUNTY ENGINEER OR
THE ENGINEER FOR THE APPROPRIATE GOVERNING BODY. ALL DRAINAGE
EASEMENTS, RIGHTS-OF-WAY, OR RESERVES SHALL REMAIN AT ESTABLISHED
GRADES OR AS MODIFIED WITH THE APPROVAL OF THE COUNTY ENGINEER
OR THE ENGINEER FOR THE APPROPRIATE GOVERNING BODY. NO OBSTRUCTIONS
WHICH IMPED THE FLOW OF THIS DRAINAGE SYSTEM SHALL BE ALLOWED.

Heartland Church of Christ, Inc.

Robert C. Loudermilk, President
Robert C. Loudermilk

State of Kansas) SS The foregoing instrument acknowledged before
Sedgwick County) me, this 20th day of NOVEMBER, 2001, by Robert C. Loudermilk,
President of Heartland Church of Christ, Inc., on behalf of the corporation.

JUDITH M. TERHUNE
Notary Public - State of Kansas
My Appt. Expires 11-7-2005

Judith M. Terhune, Notary Public
JUDITH M. TERHUNE
My Appt. Exp. 11-7-2005

This plat approved and all dedications
shown hereon accepted by the Board of Commissioners of
Sedgwick County, Kansas, this _____ day of _____, 2001.

_____, Chair
Carolyn McGinn

ATTEST: _____, County Clerk
Don Brace

Reviewed in accordance with K.S.A. 58-2005
on this _____ day of _____, 2001.

Tricia L. Robello, L.S. #1246
Deputy County Surveyor
Sedgwick County, Kansas

Entered on transfer record this _____ day
of _____, 2001.

_____, County Clerk
Don Brace

State of Kansas) SS This is to certify that this plat has been
Sedgwick County) filed for record in the office of the Register of Deeds, this _____ day
of _____, 2001 at _____ o'clock _____ M; and is duly recorded.

_____, Register of Deeds
Bill Meek

_____, Deputy
Linda Kizzire



Wichita-Sedgwick County Metropolitan Area Planning Department

May 24, 2001

Phil Meyer
Baughman Company, P.A.
315 Ellis
Wichita, KS 67211

RE: SUB 2001-22 -- Final Plat of Heartland Church Addition

At the regular meeting of the Metropolitan Area Planning Commission on May 24, 2001, the above captioned plat was considered. The action of the Planning Commission was to approve the plat as recommended by the Subdivision Committee subject to the conditions stated in our letter dated May 18, 2001.

In addition to complying with those conditions, it is necessary that you meet the following requirements before this plat can be forwarded to the City Council and/or County Commission for consideration:

1. Submission of the fully completed and signed tracing of the subdivision, along with four (4) copies, to the Metropolitan Area Planning Department.
2. Submission of a check, made out to the Register of Deeds, covering the costs of any documents to be recorded as a requirement of platting.
3. Subdivision regulations now require a detailed Lot Grading Plan be submitted to Engineering prior to the tracing being released. This applies to all multi-lot, residential developments.
4. Submission of a disk to the Planning Department detailing the final plat in digital format in Autocad. This will be used by the City and County GIS Departments.

If you have any questions concerning this matter, please call.

A handwritten signature in cursive script that reads 'Neil Evan Strahl'.

Neil Evan Strahl, Senior Planner
Current Plans Division



Wichita-Sedgwick County Metropolitan Area Planning Department

May 18, 2001

Phil Meyer
Baughman Company, P.A.
315 Ellis
Wichita, KS 67211

RE: SUB 2001-22 -- Final Plat of Heartland Church Addition

At the regular meeting of the Subdivision Committee of the Metropolitan Area Planning Commission on Thursday, May 17, 2001, the above captioned plat was considered. The action of the Committee was to approve the final plat, subject to the following:

STAFF COMMENTS:

- A. Since sanitary sewer is unavailable to serve this property, the applicant shall contact the Environmental Health Division of the Health Department to find out what tests may be necessary and what standards are to be met for approval of on-site sewerage facilities. A memorandum shall be obtained specifying approval. The applicant proposes the use of holding tanks, until sanitary sewer is available.
- B. The site is currently served by Rural Water District No. 4. The applicant shall contact this water district to determine the ability of this property being platted to connect to their water line and submit a letter from the water district to that effect.
- C. City Engineering needs to comment on the need for petitions for future sanitary sewer services. A No Protest Petition for future sanitary sewer extension is requested.
- D. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning department for recording.
- E. County Engineering needs to comment on the status of the applicant's drainage plan. The drainage plan has been approved.
- F. Complete access control along Maple is required by County Engineering. County Fire has requested two openings along 162nd Street West.
- G. The applicant shall submit a guarantee for the paving of 162nd St. West to the church entrance.

- H. County Engineering needs to comment on the need for additional right-of-way. *A 35-ft half-street right-of-way is required for 162nd St. West.*

The requested right-of-way has been platted.

- I. The applicant needs to revised the legal description to accurately portray the land being platted.
- J. County Surveying requests a better description for the benchmark.
- K. The plattor's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- L. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- M. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- N. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-729-0102) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- O. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- P. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- Q. Perimeter closure computations shall be submitted with the final plat tracing.
- R. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- S. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.

SUB 2001-22 -- Final Plat of Heartland Church Addition

May 18, 2001

Page 3

T. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.

If this plat requires the guaranteeing of improvements, a list of the five methods which have been adopted as being acceptable is available through the Planning Department. Certificates, which are required if petitions are submitted, and forms for the bond and Irrevocable Letter of Credit are also available from this office.

The enclosed "marked" copy of the final plat is for your information and files.

This matter will be forwarded to the Planning Commission for its consideration on Thursday, May 24, 2001, at 1:30 p.m.

If you have any questions concerning this matter, please call.



Neil Evan Strahl, Senior Planner
Current Plans Division

NES:ch

Enclosure: Marked Copy of Plat

Copies to: Bob Loudermilk, Heartland Church of Christ, 15700 W. Central, Goddard, KS 67052
Jim Weber, PE-Director, Sewer Operations & Maintenance Department, Bureau of Public Services, 1144 S. Seneca, Wichita, KS 67213

STAFF REPORT
(Final Plat, Preliminary Plat Approved 3/1/01)

CASE NUMBER: SUB 2001-22 -- HEARTLAND CHURCH ADDITION

OWNER/APPLICANT: Heartland Church of Christ, Attn: Bob Loudermilk, 15700 W. Central, Goddard, KS 67052

SURVEYOR/ENGINEER: Baughman Company, P.A., 315 Ellis, Wichita, KS 67211

LOCATION: Southwest corner of Maple and 162nd St. West

SITE SIZE: 3.22 Acres

NUMBER OF LOTS


Residential:	1
Office:	
Commercial:	
Industrial:	
Total:	1

MINIMUM LOT AREA: 3.22 Acres

CURRENT ZONING: SF-20, Single-Family Residential

PROPOSED ZONING: Same

VICINITY MAP



Note: This property is located in the County within three miles of Wichita's City limits. It is located in an area designated as "2030 Urban Service Area" by the 1999 Update to the Wichita-Sedgwick County Comprehensive Plan. It is located within the Goddard Area of Influence.

STAFF COMMENTS:

- A. Since sanitary sewer is unavailable to serve this property, the applicant shall contact the Environmental Health Division of the **Health Department** to find out what tests may be necessary and what standards are to be met for approval of on-site sewerage facilities. A memorandum shall be obtained specifying approval. **At the time of final plat review, determination will be made regarding possible use of holding tanks or a lagoon.**
- B. The site is currently served by Rural Water District No. 4. The applicant shall contact this water district to determine the ability of this property being platted to connect to their water line and submit a letter from the water district to that effect.
- C. **City Engineering** needs to comment on the need for petitions for future sanitary sewer services. **At the time of final plat review, a determination will be made regarding ability to connect to the force main to the north or in the alternative, obtain a No Protest Petition for future sanitary sewer extension.**
- D. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning department for recording.
- E. **County Engineering** needs to comment on the status of the applicant's drainage plan. **A minimum pad elevation is required.**
- F. **Complete access control along Maple is required by County Engineering.**

The plat proposes one access opening along Maple.
- G. The applicant shall submit a guarantee for the paving of 162nd St. West to the church entrance.
- H. **County Engineering** needs to comment on the need for additional right-of-way. **A 35-foot, half-street right-of-way is required for 162nd St. West.**

The requested right-of-way has been platted.
- I. The applicant needs to revised the legal description to accurately portray the land being platted.
- J. **County Surveying** requests a better description for the benchmark.
- K. The plattor's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- L. The applicant shall install or guarantee the installation of all utilities and facilities that are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)

**SUB 2001-22 -- Final Plat of HEARTLAND CHURCH ADDITION
May 17, 2001 - Page 3**

- M. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- N. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-729-0102) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- O. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- P. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- Q. Perimeter closure computations shall be submitted with the final plat tracing.
- R. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- S. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- T. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.