


BAUGHMAN COMPANY P. A.
ENGINEERING, SURVEYING, & PLANNING
315-262-7271 • 315 ELLIS • WICHITA, KANSAS 67211
F:\PLAT\COPART ADD\DWG\COPART.DWG-MCC



Bonnie J. Monroe
Bonnie J. Monroe

BENCHMARK:
TOP OF 1/2" IRON AT THE NE CORNER OF
47TH STREET SOUTH & MADISON AVE.
ELEV. = 84.24 CITY DATUM (1271.64 M.S.L.)



Wichita-Sedgwick County Metropolitan Area Planning Department

March 23, 2001

Baughman Company, P.A.
315 Ellis
Wichita, KS 67211

RE: SUB 2001-26 -- One-Step Final Plat of Copart Addition

At the regular meeting of the Metropolitan Area Planning Commission on March 22, 2001, the above captioned plat was considered. The action of the Planning Commission was to recommend that the plat be approved as recommended by the Subdivision Committee subject to the conditions stated in our letter of March 16, 2001, with the following revision to Item B:

"The applicant shall dedicate an additional 10 feet along with both sides of the existing sewer easement. Also, a Restrictive Covenant shall be submitted addressing construction of the drive crossings over the easement."

In addition to complying with those conditions, it is necessary that you meet the following requirements before this plat can be forwarded to the City Council and/or County Commission for consideration:

1. Submission of the fully completed and signed tracing of the subdivision, along with four (4) copies, to the Metropolitan Area Planning Department.
2. Submission of a check, made out to the Register of Deeds, covering the costs of any documents to be recorded as a requirement of platting.
3. Subdivision regulations now require a detailed Lot Grading Plan be submitted to Engineering prior to the tracing being released. This applies to all multi-lot, residential developments.
4. Submission of a disk to the Planning Department detailing the final plat in digital format in Autocad. This will be used by the City and County GIS Departments.

If you have any questions concerning this matter, please call.

Neil Evan Strahl, Senior Planner
Current Plans Division

City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 F 316.268.4390

www.wichitagov.org



Wichita-Sedgwick County Metropolitan Area Planning Department

March 16, 2001

Baughman Company, P.A.
315 Ellis
Wichita, KS 67211

RE: SUB 2001-26- One-Step Final Plat of Copart Addition

At the regular meeting of the Subdivision Committee of the Metropolitan Area Planning Commission on Thursday, March 15, 2001, the above captioned plat was considered. The action of the Committee was to approve the final plat, subject to the following:

STAFF COMMENTS:

- A. Sanitary sewer services are available to serve the site. The applicant shall guarantee the extension of City water. City Engineering needs to comment on the need for guarantees or easements. A guarantee for the extension of sanitary sewer is required.
- B. City Water and Sewer Department requests a 50-ft sewer easement and storage permitted only outside of the easement. The Subdivision Committee has approved a 30-ft easement to be utilized as a 30-ft drive aisle.
- C. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning department for recording.
- D. City Engineering needs to comment on the status of the applicant's drainage plan. A 60-ft drainage easement is required along the north line of the plat.
- E. County Engineering requests that the plat reflect the established bank lines of Arkansas River.
- F. On the final plat, Reserves should be denoted to cover billboards and referenced in the plat's text.
- G. City Fire Department needs to comment on the need for the installation of a turnaround at the terminus of Madison. A hammerhead turnaround is required. The applicant shall submit a petition for future paving.
- H. Access controls dedicated along the Kansas Turnpike need to be denoted on the face of the plat.

- I. The southernmost structure situated within the required 20-ft zoning setback shall not be enlarged to increase its nonconformity and if removed cannot be replaced within the required setback.
- J. This property is within a zone identified by the City Engineers' office as likely to have groundwater at some or all times within 10 feet of the ground surface elevation. Building with specially engineered foundations or with the lowest floor opening above groundwater is recommended, and owners seeking building permits on this property will be similarly advised. More detailed information on recorded groundwater elevations in the vicinity of this property is available in the City Engineers' office.
- K. Based upon the platting binder, property taxes are still outstanding. Before the plat is scheduled for City Council consideration, proof shall be provided indicating that all applicable property taxes have been paid.
- L. The platting text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.
- M. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- N. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- O. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-729-0102) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- P. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- Q. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- R. Perimeter closure computations shall be submitted with the final plat tracing.
- S. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.

SUB 2001-26 -- One-Step Final Plat of Copart Addition
March 16, 2001
Page 3

- T. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- U. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department

If this plat requires the guaranteeing of improvements, a list of the five methods which have been adopted as being acceptable is available through the Planning Department. Certificates, which are required if petitions are submitted, and forms for the bond and Irrevocable Letter of Credit are also available from this office.

This matter will be forwarded to the Planning Commission for its consideration on Thursday, March 22, 2001, at 1:00 p.m.

The enclosed "marked" copy of the plat is for your information and files.

If you have any questions concerning this matter, please call.



Neil Evan Strahl, Senior Planner
Current Plans Division

NES:ch

Enclosure: Marked Copy of Plat

Copies to: Francis E. Monroe, 515 Riverview, Derby, KS 67037
Howard Cleous, Country Cars, Inc., 2255 S. 279th Street W., Garden Plain, KS 67060
Paul Styer, Copart of Kansas, Inc., 5500 E. 2nd Street, Benicia, CA 94510
Mike Lindebak, City Engineering, Mail Stop (1-71)
Jim Weber, PE-Director, Sewer Operations & Maintenance Department, Bureau of Public Services,
1144 S. Seneca, Wichita, KS 67213

STAFF REPORT
(One-Step Final Plat Approved 3/15/01)

CASE NUMBER: SUB 2001-26 -- COPART ADDITION

OWNER/APPLICANT: Francis E. Monroe, 515 Riverview, Derby, KS 67037; Country Cars, Inc., Attn: Howard Cleous, 2255 S. 279th St. West, Garden Plain, KS 67050

SURVEYOR/ENGINEER: Baughman Company, P.A., 315 Ellis, Wichita, KS 67211

LOCATION: North of 47th St. South, East of Kansas Turnpike

SITE SIZE: 32.48 Acres

NUMBER OF LOTS


Residential:	
Office:	
Commercial:	
Industrial:	<u>2</u>
Total:	<u>2</u>

MINIMUM LOT AREA: 1.21 Acres

CURRENT ZONING: LI, Limited Industrial

PROPOSED ZONING: Same

VICINITY MAP



Note: This is an unplatted site located within the City. The site was approved for a Conditional Use for a wrecking/salvage yard (CON 2000-04).

STAFF COMMENTS:

- A. Sanitary sewer services are available to serve the site. The applicant shall guarantee the extension of City water. City Engineering needs to comment on the need for guarantees or easements. *A guarantee for the extension of sanitary sewer is required.*
- B. City Water and Sewer Department requests a 50-ft sewer easement and storage permitted only outside of the easement. *The Subdivision Committee has approved a 30-ft easement to be utilized as a 30-ft drive aisle.*
- C. If improvements are guaranteed by petition, a notarized certificate listing the petitions shall be submitted to the Planning department for recording.
- D. City Engineering needs to comment on the status of the applicant's drainage plan. *A 60-ft drainage easement is required along the north line of the plat.*
- E. County Engineering requests that the plat reflect the established bank lines of Arkansas River.
- F. On the final plat, Reserves should be denoted to cover billboards and referenced in the plat's text.
- G. City Fire Department needs to comment on the need for the installation of a turnaround at the terminus of Madison. *A hammerhead turnaround is required. The applicant shall submit a petition for future paving.*
- H. Access controls dedicated along the Kansas Turnpike need to be denoted on the face of the plat.
- I. The southernmost structure situated within the required 20-ft zoning setback shall not be enlarged to increase its nonconformity and if removed cannot be replaced within the required setback.
- J. This property is within a zone identified by the City Engineers' office as likely to have groundwater at some or all times within 10 feet of the ground surface elevation. Building with specially engineered foundations or with the lowest floor opening above groundwater is recommended, and owners seeking building permits on this property will be similarly advised. More detailed information on recorded groundwater elevations in the vicinity of this property is available in the City Engineers' office.
- K. Based upon the platting binder, property taxes are still outstanding. Before the plat is scheduled for City Council consideration, proof shall be provided indicating that all applicable property taxes have been paid.
- L. The plat's text shall include language that a drainage plan has been developed for the plat and that all drainage easements, rights-of-way, or reserves shall remain at established grades or as modified with the approval of the applicable City or County Engineer, and unobstructed to allow for the conveyance of stormwater.

SUB 2001-26 -- One-Step Final Plat of COPART ADDITION
March 22, 2001 - Page 3

- M. The applicant shall install or guarantee the installation of all utilities and facilities which are applicable and described in Article 8 of the MAPC Subdivision Regulations. (Water service and fire hydrants required by Article 8 for fire protection shall be as per the direction and approval of the Chief of the Fire Department.)
- N. The applicant's engineer is advised that the Register of Deeds is requiring the name(s) of the notary public, who acknowledges the signatures on this plat, to be printed beneath the notary's signature.
- O. To receive mail delivery without delay, and to avoid unnecessary expense, the applicant is advised of the necessity to meet with the U.S. Postal Service Growth Management Coordinator (Phone 316-729-0102) prior to development of the plat so that the type of delivery, and the tentative mailbox locations can be determined.
- P. The applicant is advised that various State and Federal requirements (specifically but not limited to the Army Corps of Engineers, Kanopolis Project Office, Rt. 1, Box 317, Valley Center, KS 67147) for the control of soil and wind erosion and the protection of wetlands may impact how this site can be developed. It is the applicant's responsibility to contact all appropriate agencies to determine any such requirements.
- Q. The owner of the subdivision should be aware of the fact that the development of any subdivision greater than five (5) acres in size may require an NPDES Storm Water Discharge Permit from the Kansas Department of Health and Environment in Topeka. Further, on all construction sites, the City of Wichita requires that best management practices be used to reduce pollutant loadings in storm water runoffs.
- R. Perimeter closure computations shall be submitted with the final plat tracing.
- S. Recording of the plat within thirty (30) days after approval by the City Council and/or County Commission.
- T. The representatives from the utility companies should be prepared to comment on the need for any additional utility easements to be platted on this property.
- U. The applicant is reminded that a disk shall be submitted with the final plat tracing to the Planning Department detailing this plat in digital format in AutoCAD. This will be used by the City and County GIS Department.