



Wichita-Sedgwick County Metropolitan Area Planning Department

September 22, 2008

Ted Timsah
150 N Market
Wichita, KS 67202

Ron's Sign Co. c/o John Saindon
1329 S Handley
Wichita, KS 67213

RE: BZA2008-47: Sign Code adjustment to increase the permitted height of a sign along an elevated portion of Kellogg from 25 to 40 feet.

Legal Description: Lot 1, except S. 170 feet and PT Ded. for Street Casado - Walker Addition Sedgwick County Kansas (8909 W Kellogg).

Dear Applicants:

We have reviewed your request for a Sign Code Adjustment to increase the maximum allowed height for a sign above the height of the highway railing on the aforementioned property. From reviewing your application, we understand that you propose to replace a sign adjacent to an elevated portion of U.S. 54 / Kellogg Road. The new sign is proposed to be 40 feet high, which is 15 feet higher than the 25-foot Kellogg height at this location.

Section 24.04.251.2.h. of the Sign Code allows an adjustment to increase the maximum height of signs located within 75 feet of an elevated highway to 20 feet above the highest railing at a point perpendicular to the sign when the three conditions required by Section 24.04.251.6. of the Sign Code are met.

We find that increasing the height of the sign as proposed meets the three conditions required by Section 24.04.251.6 of the Sign Code as set out below:

- 1) Impact on existing uses in surrounding areas: The immediate area is freeway frontage with commercial and industrial zoning and land uses. Increasing the permitted height of the sign should not adversely impact the existing uses or permitted uses on abutting sites.

City Hall • 10th Floor • 455 North Main • Wichita, Kansas 67202-1688

T 316.268.4421 **F** 316.268.4390


www.wichita.gov

- 2) Compatibility with existing or permitted uses on abutting sites: Pole signs are typically located in commercial and industrial areas along freeways; permitting a sign height of 40 feet should not reduce the compatibility of the sign with existing or permitted uses on abutting sites.
- 3) Effect on public health, safety or welfare: There will be no encroachment into public utility easements or right-of-way; therefore, there should not be a negative impact on the public health, safety or welfare, nor will properties or improvements in the vicinity be materially injured.


Our signatures below indicate that a Sign Code Adjustment to increase the maximum allowed height of a pole sign above the height of the highway railing, from 25 to 40 feet is hereby granted, subject to the following conditions:

- 1) The pole sign shall comply with all regulations of the Sign Code except that the maximum allowed height shall be 40 feet.
- 2) The sign shall conform to the location, size, and design of the approved elevation drawing and site plan.
- 3) If the Zoning Administrator finds that there is a violation of any of the conditions of the Zoning Adjustment, the Zoning Administrator, in addition to enforcing the other remedies set forth in the Unified Zoning Code, may, with the concurrence of the Planning Director, declare that the Zoning Adjustment is null and void.

The "Development Application" sign should now be removed from the property.



John L. Schlegel
Planning Director



Kurt A. Schroeder
Superintendent of Central Inspection

cc: Kurt A. Schroeder, Superintendent, OCI
J. R. Cox, OCI
Paul Gray, District IV, Mail Stop 1-13

LUMBER LIQUIDATORS
1-800-FLOORING
HANDYMAN PLACEMENT FOR LEASE

Kindergarten
HAWK & BOY
OUTLET

DAYLIGHT DONUT

40'

CARSTAR
Quality Customer Service

25'

01/01/2005



www.lumberliquidators.com

LUMBER LIQUIDATORS
HARDWOOD FLOORING FOR LESS!

LUMBER LIQUIDATORS
HARDWOOD FLOORING FOR LESS!

4'

VANDERBILT'S

JEAN & BOOT
OUTLET

DAYLIGHT DONUT

40'



Company:

Lumber Liquidators

Description:

Specs:

By signing this you agree that all sizes, graphics and specifications are correct and satisfactory.
This layout is the property of Ron's Sign Co. and may not be used or duplicated without permission.

Approved by:

Date: