




PLOTTED: Friday, August 01, 2025 @ 09:49:01  
 J:\PROJECTS\2023\20231010\431\_COW\_WDG\_BRIDGE REPLACEMENT AT 15TH STREET\100\_230431\_CADD\SHR\06\_CIVIL\BRIDGE\230431\_SLAB DETAILS.DWG




TYPICAL DECK SECTION



ABUTMENT WALL ELEVATION  
(SUPERSTRUCTURE)



SECTION B-B



SECTION A-A

CONDUIT NOTE:  
 CONTRACTOR TO COORDINATE WITH  
 ELECTRICIAN TO ENSURE CONDUIT  
 IS INSTALLED 1" MIN. CLEAR OF  
 REINFORCING BARS PRIOR TO  
 CASTING SUPERSTRUCTURE  
 ABUTMENT CONCRETE (TYP. AT  
 EACH END OF BOTH ABUTMENTS).

NOTE:  
 ELASTOMERIC BEARING PAD  
 AND EXPANSION JOINT FILLER  
 SHALL BE SUBSIDIARY TO  
 CONCRETE (GRADE 4.0)(A.E.).



IMPROVEMENT PLANS FOR  
**15TH STREET BRIDGE OVER THE  
 WICHITA DRAINAGE CANAL**  
 WICHITA, KS

SUPERSTRUCTURE DETAILS		
PROJECT NO.	472-2023-085864	
SCALE	NTS	
DRAWN	DESIGNED	CHECKED
RAM	DMU	JTH
ISSUED FOR CONSTRUCTION	8-1-2025	
NO.	REVISION	DATE
SHEET NO. 45 OF 114		

©2025 MKEC ENGINEERING, INC. ALL RIGHTS RESERVED. WWW.MKEC.COM. THESE DRAWINGS AND THEIR CONTENTS, INCLUDING, BUT NOT LIMITED TO, ALL CONCEPTS, DESIGNS, & DETAILS ARE THE EXCLUSIVE PROPERTY OF MKEC ENGINEERING, INC. (MKEC), AND MAY NOT BE USED OR REPRODUCED IN ANY WAY WITHOUT THE EXPRESS CONSENT OF MKEC.