


Surveyed by
 Checked by



B.M. 155.73 M in Mueller Top Fire Hyd on N.W. Cor Zimmerly & Apache.
 B.M. 156.16 S.W. Cor Conc Porch No #6306 E. Zimmerly.
 B.M. 155.20 * Spike - U.S. P. Pole 60' W. 155' N. of E. Bayley & Gouverneur.

NOTE: Grade parking & clear right-of-way for proposed sidewalk. Sidewalk to be constructed by others.

NOTE: ALL CURB West of the West Line of Gouverneur Rd is to be Roll Curb. 0.30 to flt.

EXCAVATION

PROPERTY	CITY
2142 Cu Yds.	514 Cu Yds.
210	51
Total 2356 Cu Yds.	565 Cu Yds.

Curve Data Based on N.E. Radius 528.76' Δ 30° 00'
 Min Per Ft of Arc 33.2446 Arc 277.38'

Station	Arc	Chord	Chord	Deflection	Total
		to N. Cb.	to S. Cb.		Deflection
P.C. 6+11.62					0° 00' 00"
6+45.35	33.73	30.43	1" 49' 45"	3° 39' 50"	7° 39' 45"
6+79.12	33.73	30.43	1" 49' 45"	3° 39' 50"	11° 19' 35"
7+00	20.82	20.59	10.73	1" 07' 34"	12° 27' 09"
7+25	55.0	24.66	24.59	1" 21' 07"	13° 48' 16"
7+50					15° 10' 16"
7+75					16° 32' 39"
8+00					17° 55' 16"
8+25					19° 17' 48"
8+50	55.0	24.66	24.59	1" 21' 07"	20° 40' 55"
P.T. 9+05.30	13.90	12.71	12.60	0° 45' 07"	21° 26' 02"

ZIMMERLY STREET
 W.L. APACHE DR - E.L. EASTLINK VILLAGE.
26'-2'-30' ASPH CONC.
 B.E. SMITH CITY ENGINEER
 CITY OF WICHITA, KANSAS
 DATE SEPT. 1966 PROJ. No. C16-23

