

CONSTRUCTION PLANS FOR STREET IMPROVEMENTS ABERDEEN FIRST ADDITION - BRITTON ST. TO THE CITY OF WICHITA, KANSAS

MICHAEL E. LINDEBAK, P.E. -- CITY ENGINEER
PROJECT NO. 472-82634
INDEX CODE 764076

BRITTON from the W. Side of 119th St. W. to the E. Line of Lot 59, Block 1

INDEX


TITLE SHEET	SHEET 1
TYPICAL 29' PAVEMENT DETAILS	SHEET 2
BRITTON	SHEET 3
CROSS SECTIONS	SHEET 4
EARTHWORK SUMMARY	SHEET 5
STREET SIGN DETAILS	SHEET 6
ABERDEEN FIRST ADDITION PLAT	SHEET 7

GENERAL NOTES

- Utility service lines, poles, valve boxes, meters and etc. are to be adjusted as necessary by others prior to construction unless the plans specifically call for their adjustment by the Contractor. Existing utilities and their location, as shown on the plans, represent the best information obtainable for design. The Contractor will be required to work around existing utilities within the right-of-way which do not conflict with proposed construction.
- A saw cut of at least one-half the depth of existing surface courses or one-fourth the depth of the existing total pavement thickness shall be provided at locations where proposed construction abuts on existing surface course or pavement for which partial removal of that surface or pavement is required. Saws joint to facilitate removal within three (3) feet of existing joints will not be permitted and for such instances the limits of removal shall extend to the existing joint. Such saw cuts will not be paid for directly and this cost shall be considered as subsidiary to the project costs.
- Rubble from the removal of miscellaneous structures and excess excavation which is to be wasted shall be disposed of on sites to be provided by the Contractor. These sites shall be approved by the Engineer as to suitability, appearance and site location. Locations that, in the opinion of the Engineer, will leave an unsightly appearance will not be approved.
All suitable excavation shall be wasted on lots within the boundaries of this benefit district. Material shall be spread evenly in 8" maximum lifts.
All disposal sites must be approved by the Kansas Department of Health and Environment. Material either stockpiled or disposed of in a flood plain would require a Kansas State Board of Agriculture permit. Any material dumped in waters of the United States or wetlands is subject to U.S. Corps of Engineers permitting regulations. Any material buried or stockpiled beyond approved construction limits would require additional archaeological investigations unless buried in a previously approved borrow location.
- Trees and shrubs in public right-of-way which are in direct conflict with proposed new construction shall be removed by the Contractor with the Engineer's approval. Trees and shrubs which are not in direct conflict with proposed new construction shall be saved and protected from damage.
- Limits of earthwork shall match existing ground elevations at the right-of-way line unless otherwise noted on the plans with a new finished grade elevation. When a new finished grade elevation is shown, the earthwork shall extend one foot beyond the right-of-way line and then slope up or down using permissible slopes to reach the existing ground surface.
- The Contractor shall be responsible for preserving property lines. The Contractor will be required to reestablish any property lines which are damaged or destroyed by his construction operations. Such work shall be reestablished by a licensed land surveyor in accordance with state laws.
- All transition curb sold for 1/4 Roll Type Curb.
- All disturbed areas within street right-of-way shall be seeded with temp. ry grass within 14 days of disturbance at a rate of 200 lbs. per acre, except where otherwise noted on the plans. Contractor shall prepare ground per city spec. before seeding.

Scale 1" = 150'

BENEFIT DISTRICT
BOUNDARY



BENCH MARKS

(City of Wichita Datum)

- City of Wichita Disc 67' S. of Centerline 21st Street & 46' E. of Centerline 119th Street West. Elev. 172.03
- 50d Nail in P.P. 30' E. & 50' S. W. 1/4 Corner Section 6-T275-R1W Elev. 172.05
- 50d Nail in P.P. 40' W. & 40' N. of N.W. Corner Section 5-T275-R1W Elev. 175.05
- 50d Nail in P.P. 50' S. of N. 1/4 Corner Section 5-T275-R1W Elev. 179.98

TOTAL PROJECT LENGTH: 458.80 L.F. = .09 Mi.

EARTHWORK SUMMARY

Excavation	2440.1 C.Y.
Compacted Fill	0 C.Y.
Loose Fill	25.7 C.Y.
Waste	2414.4 C.Y.

JANUARY 1997


PLANS PREPARED

BY



F.O.E. & ASSOCIATES OF KANSAS, INC.

CONSULTING ENGINEERS

2040 E. Center, Suite 200 ■ Wichita, KS 67208 ■ 316/935-1114



TYPICAL 29' PAVEMENT DETAILS



	DISTANCE FROM CENTERLINE (LT. & RT.)									
	0'	2'	4'	6'	8'	10'	12'	14'	14.5'	15.5'
A: TOP OF CURBS TO TOP OF SURFACE LIFT	0.13	0.18	0.24	0.30	0.33	0.36	0.43	0.49	-	-
B: TOP OF CURBS TO TOP OF UPPER BASE LIFT	0.30	0.35	0.41	0.47	0.50	0.53	0.60	0.66	-	-
C: TOP OF CURBS TO TOP OF LOWER BASE LIFT	0.55	0.60	0.66	0.72	0.75	0.78	0.85	0.91	0.98	1.00
D: TOP OF CURBS TO BOTTOM OF ROCK	0.97	1.02	1.08	1.14	1.17	1.20	1.27	1.33	1.40	1.42


CRUSHED ROCK & RAP GRADATION REQUIREMENTS
Percent of Aggregate Retained

2-1/2"	0
3/4"	20 - 60
#40	50 - 80
#200	80 - 94
	90 - 98


ROCK QUALITY SHALL CONFORM TO THE REQUIREMENTS SPECIFIED BY THE KDOT 1990 EDITION STANDARD SPECIFICATION SUBSECTION 1102 FOR DURABILITY CLASS 1.

FABRIC BASE REINFORCEMENT SHALL BE 8 x 1100 3Y TENSAR COPP. OR APPROVED EQUAL. FABRIC BASE REINFORCEMENT SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS. CRUSHED ROCK SHALL BE UNIFORMLY GRADED FROM 1 1/2" MAXIMUM SIZE TO NOT MORE THAN 10% PASSING A NO. 200 SIEVE. ROCK QUALITY SHALL BE THE SAME AS SPECIFIED FOR COARSE AGGREGATE FOR CONCRETE MIXES.

COMBINED CURB & GUTTER



ROLL TYPE COMBINED CURB & GUTTER



GENERAL NOTES

ROCK BASE IS TO BE COMPACTED AND SMOOTHED WITH A STEEL FACED ROLLER PRIOR TO PLACEMENT OF ASPHALT. TACK COAT WILL NOT BE APPLIED TO ROCK BASE.

A TACK COAT OF EMULSIFIED ASPHALT (SC-1H OR CSS-1H) SHALL BE APPLIED AT AN APPROXIMATE RATE OF 0.05 GALLONS PER SQUARE YARD BETWEEN EACH LIFT OF ASPHALTIC MATERIAL.



BITUMINOUS BASE AND ASPHALTIC CONCRETE WEARING SURFACE SHALL BE PLACED WITH A LAYDOWN MACHINE HAVING AUTOMATIC CONTROLS FOR LINE AND GRADE.

CONSTRUCTION JOINTS IN EACH LIFT SHALL BE STAGGERED A MINIMUM DISTANCE OF ONE (1) FOOT FROM JOINTS IN PRECEDING LIFTS AND PLACED SO THAT A JOINT WILL BE CONSTRUCTED ON THE CENTERLINE OF THE TOP LIFT.

TRANSVERSE CONSTRUCTION JOINTS

TRANSVERSE CONSTRUCTION JOINTS SHALL BE CONSTRUCTED IN FLEXIBLE BASE PAVEMENTS AT LOCATIONS WHERE PAVEMENT JOINTS EXISTING FLEXIBLE BASE PAVEMENT AS SHOWN BY THE DETAIL. ALL COSTS ASSOCIATED WITH THE CONSTRUCTION OF THE TRANSVERSE JOINT SHALL BE INCLUDED IN THE BID PRICE FOR SQUARE YARDS 5\"/>

POE & ASSOCIATES OF KANSAS, INC.	
Consulting Engineers 5540 E. Central Suite 200 ■ Wichita KS 67208 ■ 316/693-4114	
ENGINEER: K. Hill	5 INCH ASPHALTIC CONCRETE PAVEMENT WITH CRUSHED ROCK BASE ON FABRIC REINFORCEMENT CITY OF WICHITA, KANSAS PROJECT NO. 472-82634 INDEX CODE 784078
DESIGNER: D. J. Skins	
CHECKED BY: S. Schmidt	
DATE: January 1997	
2-7	



$\Delta = 23^{\circ}13'57''$ $L = 93.26'$ $R = 230.00'$ $T = 47.28'$

CURVE TABLE BASED ON CL RADIUS

STATION	CL	CHORD LENGTH	CHORD BEARING	DEFLECTION	TOTAL
3+12.43 P.C.	12.43	11.37	12.57	18.77	133.50
3+25.00	25.00	22.80	24.86	27.36	306.50
3+40.00	40.00	36.80	37.36	37.36	306.50
3+55.00	55.00	50.00	47.28	47.28	105.42
4+00.00 P.T.	0.00	0.00	0.00	0.00	0.00
DEFLECTION/FOOT	= 12.4556042 DEGREES				
	7.473362545 MINUTES				

P.O.E. & ASSOCIATES OF KANSAS, INC.
Consulting Engineers
5940 E. Central Suite 200 ■ Wichita KS 67208 ■ 316/685-4114

Street Improvements
BRITTON ST.
CITY OF WICHITA, KANSAS

Project No. 472-82634
Index Code 764976

DATE: January 1997
SHEET: 3 of 7

F:\APR\00\PLANS\BRITTON Thu May 1 11:10:14 1997 Steve Schmidt-Poe & Assoc.



BRITTON

STATION	AREAS			VOLUMES			CUMULATIVE VOLUMES		
	Square Feet			Cubic Yards			Cubic Yards		
	CUT	LOOSE FILL	COMPACTED FILL	CUT	LOOSE FILL	COMPACTED FILL	CUT	LOOSE FILL	COMPACTED FILL
0+00.00	0.00	0.00	0.00	21.24	10.28	0.00	21.24	10.28	0.00
0+50.00	22.94	11.38	0.00	56.85	10.85	0.00	81.15	21.12	0.00
1+00.00	31.23	0.85	0.00	258.78	1.20	0.00	339.95	22.32	0.00
2+00.00	87.94	0.00	0.00	251.72	0.00	0.00	631.59	22.32	0.00
3+00.00	184.61	0.00	0.00	251.72	0.00	0.00	1788.30	22.32	0.00
4+00.00	282.28	0.00	0.00	0.00	0.00	0.00	2440.12	22.32	0.00

EARTHWORK SUMMARY

STREET	CUT CU. YDS.	LOOSE FILL CU. YDS.	COMPACTED FILL CU. YDS.
BRITTON	2440.1	22.3	0
TOTAL	2440.1	22.3	0
15% SHRINKAGE		3.4	0
PROJECT TOTAL	2440.1	25.7	0
WASTE 2414.4 C. YDS.			

POE & ASSOCIATES OF KANSAS, INC. Consulting Engineers 5840 E. Central Suite 200 ■ Wichita KS 67208 ■ 316/885-4114	
PROJECT: K. Hill DATE: 1/19/97 DRAWN BY: S. Schmidt DATE: January 1997	SUMMARY OF EARTHWORK ABERDEEN FIRST ADDITION - BRITTON CITY OF WICHITA, KANSAS Project No. 472-82834 Index Code 784078



• FOR INFORMATION ONLY

GENERAL NOTES - SIGNING

References below to "Standard Specifications" denote "Standard Specification for State Road and Bridge Construction, Edition 1990" by the Kansas Department of Transportation.

1. Post Anchors: Posts shall be anchored with a yielding base post support as detailed.
2. Posts for Traffic Control signs: Posts shall conform to the requirements of Subsection 1620 if the Standard Specifications except that all posts shall weigh 3 lbs./foot minimum.
3. Posts for Street Name Signs (SNS): Posts shall be 9 feet long. Constructed from 2 3/8" O.D. galvanized steel pipe weighing a minimum of 3 lbs./foot. Posts shall be positioned so that the bottom blade is 7 feet above grade.
4. Posts for End of Roadway sign to be 8' long and installed a minimum of 4' from roadway to bottom of sign.
5. Sign blanks for Traffic Control Signs: Sign blanks shall be fabricated from 0.080" aluminum alloy 6063-T6 conforming to the requirements of subsection 1626 of the Standard Specifications.
6. Sign Blades of SNS: Extruded aluminum blades shall be aluminum alloy conforming to 6063-T6 or 5052-H38 (ASTM Specification B221, latest issue). Blades shall have an anodine or phosphate etched finish. Blades shall have square corners and no holes. (See Blade Detail)
7. Mounting brackets for SNS: Die-cut aluminum brackets shall be aluminum alloy 360 having a tensile strength of 50,000 PSI. The brackets shall be smoothly finished free of pits, burrs, and flaws. Each bracket shall be topped and drilled for 5/16" zinc-plated allen-type set screws having self-locking saw-tooth ends.
8. Fasteners: All steel fasteners for traffic control signs shall be galvanized and shall conform to the requirements of Subsection 1614 of the Standard Specifications.
9. Reflective sheeting: Reflective sheeting shall be Type II - High Performance Class HA in accordance with Subsection 2201 of the Standard Specifications.
10. Process Ink: All process ink shall conform to the requirements of Subsection 2202 of the Standard Specifications.
11. Details: Regulatory and warning signs shall conform to the details in "Standard Highway Signs", FHWA 1979.
12. Details - SNS: The reflective sheeting for the 6 3/4" standard size SNS is to be the highway green background with silver-white #2 copy with 4" upper case and 3" lower case primary copy and suffix copy. Both series "C" where suffix letters are used on numbered streets, such as Rd, Th, etc., they shall be 1 1/2" lower case series "C" letters. Faces to trim to 6 1/4". (See Detail A)

The reflective sheeting for the 9" Metro size SNS is to be the highway green background with silver-white #2 copy with 5" upper case and 3 1/3" lower case primary copy and suffix copy. Both series "C". Where suffix letters are used on numbered streets, such as Rd, Th, etc., they shall be 3" lower case series "C" letters. The cardinal direction centered directly below the block number shall be on upper case, 3" series "C" letter. Faces to trim to 8 1/2". (See Detail B)

For cul-de-sac streets, a 9" metro size blade shall be used with house numbers displayed beneath the street name. Lettering to be the same as for the 6 3/4" size blade, except that the house number information shall be 3" series "C".



Shop drawings of layout for SNS shall be submitted to the Traffic Engineering Section of the City of Wichita for approval prior to fabrication. The finished signs as supplied shall be of good appearance, free from ragged edges, cracks, scales or blisters and shall be clean-cut. Signs shall be packed in such a manner as to prevent damage or defacement during shipment or storage.

Permanent Traffic Control and SNS: Permanent traffic control and SNS shall be measured and paid for at the lump sum price for signing. The payment as set forth above shall be considered full compensation for all excavation, backfilling, posts, anchors, fasteners, materials, labor, tools and incidentals necessary to complete this work.


Project No. 472-82634
Index Code 764076

BRITTON STREET		
SIGNING DETAILS		
SCALE: NONE	APPROVED BY:	EXTENDING BY:
DATE: JUNE '95		REV. FEB. '95
CITY OF WICHITA		
DEPARTMENT OF PUBLIC WORKS		
TRAFFIC ENGINEERING SECTION		DRAWING NUMBER: 6 OF 7

PC 44-7A



3-28-94



LINE	DIRECTION	DISTANCE
1	N 01°29'52" W	129.31'
2	N 24°31'39" E	92.19'
3	N 42°11'04" W	74.42'
4	N 42°11'04" W	333.56'
5	N 42°11'04" W	64.59'
6	N 12°18'58" E	108.19'
7	N 05°57'26" W	179.25'
8	N 16°04'17" E	144.65'
9	N 78°14'52" E	145.41'
10	S 45°36'42" W	120.75'
11	N 44°23'16" W	235.08'
12	N 05°49'15" W	37.45'
13	N 00°00'16" E	180.73'
14	N 05°49'15" W	38.26'
15	N 40°34'25" W	48.98'
16	N 00°00'16" E	213.82'
17	S 07°33'11" E	53.40'
18	S 86°12'54" W	130.53'
19	N 73°55'43" W	55.43'
20	N 41°59'59" W	110.67'
21	N 89°59'44" W	62.20'
22	S 82°52'30" E	76.10'
23	N 65°16'11" E	87.11'
24	N 88°30'08" E	312.43'
25	N 00°00'16" E	2633.46'
26	N 30°05'39" E	38.69'
27	N 00°00'16" E	249.03'
28	N 24°43'49" W	49.49'
29	N 05°45'46" W	130.62'
30	N 38°45'21" W	153.66'
31	N 00°00'16" E	403.41'
32	S 53°41'59" W	32.06'
33	S 78°04'41" W	33.44'
34	N 11°55'19" W	21.00'
35	N 88°30'08" E	181.49'
36	N 88°19'34" E	34.77'
37	N 47°48'56" E	207.91'
38	N 47°48'56" E	138.84'
39	N 88°30'08" E	282.84'
40	N 88°30'08" E	85.46'
41	N 47°48'56" E	28.97'
42	N 47°48'56" E	95.93'
43	N 82°26'49" E	21.00'
44	N 81°10'36" W	40.73'
45	N 65°28'21" W	22.80'

NW Cor. Govt. Lot 6
SW 1/4 Section
6-T27S-R1W

SW Cor. Govt. Lot 7
SW 1/4 Section
6-T27S-R1W

BENCH MARKS

City of Wichita Bench Mark Disc, 57' south of centerline 21st St. & 79' south of section line, and 46' east of centerline 119th St. Elevation 172.00'

80d nail in power pole, 30' east and 50' south of Northwest Corner of Government Lot 6 in SW Quarter of Section 6-T27S-R1W. Elevation 172.00'

80d nail in power pole 50' south of NE Corner of Government Lot 3 in NW Quarter of Section 6-T27S-R1W. Elevation 179.98'

All Easements are either 10 feet wide or 20 feet wide Utility Easements unless otherwise noted.


The Minimum Low Opening Elevation of the homes built in this addition shall be 167.5' (City of Wichita Datum) (1354.9 MSL).

Front yard Building Setback Lines are 25 feet and Sideyard Building Setback Lines are 15 feet unless otherwise shown.

CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING	DELTA	CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING	DELTA
100	183.00'	83.12'	42.29'	82.41'	S 11°30'54" W	26°01'31"	121	240.00'	28.83'	14.43'	28.81'	N 35°18'53" W	06°52'57"
101	245.00'	285.26'	161.28'	269.42'	N 06°49'42" W	66°42'43"	122	240.00'	109.37'	55.65'	108.43'	N 18°49'05" W	26°06'38"
102	330.00'	214.44'	111.16'	210.69'	S 23°34'06" E	37°13'56"	123	340.00'	230.01'	119.60'	225.65'	S 19°22'33" E	38°45'37"
103	330.00'	99.46'	50.11'	99.08'	S 03°40'55" W	17°16'05"	124	303.42'	129.10'	65.54'	128.13'	N 65°53'20" E	24°22'42"
104	540.00'	80.16'	45.19'	80.08'	N 07°31'58" E	09°34'00"	125	245.17'	158.29'	82.01'	155.56'	N 70°00'22" E	36°59'32"
105	540.00'	82.06'	41.11'	81.98'	N 01°36'14" W	08°42'23"	126	329.82'	233.63'	121.98'	228.75'	N 68°09'32" E	40°41'12"
106	415.00'	72.49'	36.34'	72.40'	S 11°04'03" W	10°00'29"	127	240.00'	170.43'	88.99'	166.87'	S 68°09'32" W	26°01'54"
107	330.00'	360.28'	200.18'	342.86'	S 47°09'35" W	62°10'35"	128	240.00'	227.12'	115.41'	228.05'	N 28°05'56" E	289°05'56"
108	296.32'	107.35'	54.27'	106.77'	N 67°52'08" E	20°45'28"	129	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
109	315.00'	212.04'	110.21'	208.06'	S 25°06'16" E	38°34'03"	130	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
110	480.00'	48.80'	24.42'	48.78'	S 02°54'29" E	05°49'31"	131	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
111	171.00'	121.11'	63.22'	118.59'	S 20°17'05" E	40°34'41"	132	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
112	331.00'	454.43'	271.22'	419.58'	N 46°53'02" W	78°39'43"	133	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
113	190.00'	105.92'	54.36'	104.92'	S 57°57'51" E	31°55'43"	134	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
114	198.00'	108.59'	54.65'	108.24'	N 50°01'04" W	16°02'10"	135	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
115	388.00'	216.43'	111.11'	213.63'	N 74°00'57" W	31°57'35"	136	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
116	352.00'	195.71'	100.45'	193.19'	S 81°11'50" W	31°51'19"	137	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
117	230.00'	93.26'	47.28'	92.62'	N 76°53'09" E	23°13'57"	138	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
118	156.00'	81.93'	41.93'	80.99'	N 15°02'58" E	30°05'23"	139	50.00'	252.29'	252.29'	252.29'	N 289°05'56" E	289°05'56"
119	128.00'	42.37'	21.38'	42.18'	S 15°14'47" E	18°58'04"	140	170.84'	46.62'	23.56'	46.68'	N 73°19'28" W	15°42'15"
120							141						

ABERDEEN FIRST ADDITION

TO WICHITA, SEDGWICK COUNTY, KANSAS



SHEET NO. 7 OF 7

18-8-1 PC 44-7A