









- GENERAL NOTES**
1. ENGINEER TO HAVE THE OPTION TO CHANGE TYPE OF RAMP THAT WILL BETTER SUIT A LOCATION THRU-OUT THIS PROJECT.
 2. THE STRIPING OF THE HANG-UP WHEELCHAIR RAMP AND PARKING STALLS TO BE DONE BY "OTHERS".
 3. ANY "MODIFYING" OF WALKS TO BE CONSIDERED A SUBSIDIARY ITEM TO THE PROJECT.
 4. THE CONTRACTOR IS TO SCHEDULE HIS WORK IN SUCH A WAY AS TO COMPLETE EACH RAMP OR PARKING STALL IN THE MINIMUM AMOUNT OF TIME.
 5. IN ALL CASES A RAMP SHALL HAVE A WOOD FLOAT OR ROUGHER FINISH.
 6. AT MANY LOCATIONS, THE DRAINAGE CONDITIONS WILL PERMIT RAISING THE FLOWLINE IN THE CURB RETURN TO PROVIDE A REDUCED CURB. THE REDUCED CURB HEIGHT WILL HELP TO SHORTEN RAMP.








(*) No Slope to exceed (1\"/>




REMOVAL OF ARCHITECTURAL BARRIERS AND CONSTRUCTION OF WHEELCHAIR RAMP AND PARKING STALLS FOR PHYSICALLY HANDICAPPED.

CITY OF WICHITA, KANSAS
 R.H. King
 Date: FEB. 1976
 City Engineer
 R.H. King



REMOVAL OF ARCHITECTURAL BARRIERS



Note to Field Engr - Wheelchair Ramp Const. @ Century II. To be some type const. as exists ramp shown. New ramps to have some coloring as exists w/ks next to Century II Bldg. (West side perimeter drive only) Contact DeLase Concrete Co. for Sidewalk Color Code

CENTURY II

WHEEL CHAIR RAMP CONSTRUCTION ON FIRST STREET				
LOCATION	TYPE:	(I)	(II)	(III)
ALLEY EAST OF MAIN STREET		-	-	4
MARKET INTERS.		2	4	-
ALLEY EAST OF MARKET STREET		-	-	3
BROADWAY INTERS.		3	2	-
ALLEY EAST OF BROADWAY INTERS.		-	-	2
TOPEKA INTERS.		3	-	-
ALLEY EAST OF TOPEKA STREET		-	-	4

METHODS:

1. CURB RAMP
2. PARKING STALLS FOR THE HANDICAPPED
3. BUILDING RAMP

THE FOLLOWING LIST OF PARKS ARE IN NEED OF ONE, TWO, OR IN SOME CASES ALL OF THE ABOVE METHODS OF ELIMINATING ARCHITECTURAL BARRIERS.

1. ALLEY PARK (SENECA AND 15TH STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - ON THE EAST END OF THE EXISTING INSET PARKING AREA ON DORIS STREET.

SERVES - THE RECREATION BUILDING, THE SWIMMING POOL, AND CHILDREN'S PLAY AREA.

2. CESSNA PARK EAST (MT. VERNON AND WOODLAWN STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - THE SOUTHEAST CORNER OF THE MAIN PARKING AREA WHICH HAS ACCESS FROM MT. VERNON STREET.

SERVES - SHELTER, RESTROOMS, TENNIS COURTS, MULTI-USE COURTS, AND ALL PARK WALKS.

3. CESSNA PARK WEST (DROLLINGER AND KINKAID STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - THE SOUTHEAST CORNER OF THE MAIN PARKING AREA.

SERVES - SHELTER, RESTROOMS AND PARK WALKS.

4. COLLEGE HILL PARK (CLIFTON AND LEWIS STREETS)

METHODS NEEDED - (1) AND (2)

LOCATIONS - A. ON ENGLISH STREET WHERE THE PARK WALK MEETS THE CURB.

B. ON BOTH SIDES OF CIRCLE DRIVE WHERE THE PARK WALKS MEET THE CURB. (THIS IS DIRECTLY EAST OF THE SWIMMING POOL.)

C. AT OR NEAR THE INTERSECTION OF CIRCLE DRIVE AND BLUFF STREET.

SERVES - SWIMMING POOL, TENNIS COURTS, AND PARK WALKS.

5. EDGEWOOD PARK (NINTH AND EDGEWOOD)

METHODS NEEDED - (1) AND (2)

LOCATIONS - SOUTHEAST CORNER OF THE EXISTING PARKING AREA.

SERVES - SWIMMING POOL.

6. EVENGREEN PARK (25TH STREET AND ARKANSAS AVENUE)

METHODS NEEDED - (1) AND (2)

LOCATION - CENTERED ON THE NORTH-SOUTH WALK RUNNING ALONG THE EAST SIDE OF THE SWIMMING POOL.

SERVES - SWIMMING POOL.

7. FAIRMOUNT PARK (15TH AND VASSAR STREETS)

METHODS NEEDED - (1), (2), AND (3)

LOCATION - CENTERED ON THE WALK FROM THE SHELTER BUILDING TO THE INSET PARKING AREA ON THE SOUTH SIDE OF 16TH STREET. THE BUILDING RAMP SHOULD BE LOCATED ON THE WEST DOOR OF THE THREE EXISTING DOORS IN THE SHELTER ENTRY WAY.

SERVES - RECREATION SHELTER.

Construction in Park Locations

8. HARVEST PARK (WESTLINK AND PROVINCIAL STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - CENTERED ON THE NORTH-SOUTH WALK ON THE EAST SIDE OF THE BATHHOUSE.

SERVES - SWIMMING POOL.

9. LINWOOD PARK (HARRY AND HYDRAULIC STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - ON THE WEST SIDE OF THE PARKING AREA DIRECTLY EAST OF THE BATHHOUSE.

SERVES - SWIMMING POOL.

10. MCADAMS PARK (15TH AND OHIO STREETS)

METHODS NEEDED - (1), (2), AND (3)

LOCATION - A. SOUTHEAST CORNER RECREATION CENTER PARKING AREA. MAY BE POSSIBLE TO UTILIZE EXISTING WALK FROM PARKING AREA. WALK IS 6 FEET WIDE BUT HAS POST IN CENTER OF WALK FOR STOPPING VEHICLES.

B. RAMP FROM WALK TO BUILDING PORCH WILL PROBABLY HAVE TO BE ACCESED IN THE PORCH.

SERVES - RECREATION CENTER AND PARK WALKS.

11. MINISA PARK (13TH AND JEANETTE STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - NORTHEAST CORNER RECREATION SHELTER AT THE INTERSECTION OF THE PARKING AREA DRIVE AND THE SERVICE DRIVE.

SERVES - RECREATION BUILDING

12. OSAGE PARK (31ST STREET SOUTH AND BONN STREETS)

METHODS NEEDED - (1), (2), AND (3)

LOCATION - A. FROM NORTH EDGE PARKING AREA CENTERED ON NORTH-SOUTH WALK LEADING TO FRONT PORCH.

B. FROM WALK TO PORCH AT ENTRY WAY.

SERVES - RECREATION CENTER

13. PLANEVIEW PARK (WEST OF OLIVER STREET AND NORTH OF 31ST STREET SOUTH)


METHODS NEEDED - (1) AND (2)

LOCATION - AT THE SOUTH END OF THE PARK WEST OF THE TURNPIKE. CENTERED ON THE EXISTING WALK LOCATED BETWEEN THE EXISTING SHELTER AND THE PARKING AREA.

SERVES - SHELTER, REST ROOMS, AND PLAYGROUND AREA.

NOTE FIELD ENGINEER & CONTRACTOR:

NOTIFY PARK DEPARTMENT IN ADVANCE BEFORE ANY CONSTRUCTION IS STARTED. PARK DEPARTMENT IS TO DIRECT ALL WORK PERTAINING TO ALL AREAS. FIELD ENGINEER TO DETERMINE IN FIELD THE PROPER TYPE OF CONSTRUCTION NEEDED AT EACH LOCATION.



CENTURY II

WHEELCHAIR RAMP CONSTRUCTION ON FIRST STREET

LOCATION	TYPE	(I)	(II)	(III)
ALLEY EAST OF MAIN STREET		-	-	4
HARVEST DRIVE		2	4	-
ALLEY EAST OF HENRY STREET		-	-	3
BOGART DRIVE		5	2	-
ALLEY EAST OF BOGART DRIVE		-	-	2
EXTREMA DRIVE		3	-	-
ALLEY EAST OF EXTREMA STREET		-	-	4

Note to Field Engr - Wheelchair Ramp Const. @ Century II to be same type const. as existing ramp shown. New ramps to have same coloring as existing next to Century II Bldg. (West side parking lot drive only) Confront DeLosa Concrete Co. for Sidewalk Color Code

Construction in Park Locations

METHODS

1. CONCRETE
2. WOODEN STAKES FOR THE HANDICAPPED
3. WOODEN STAKES

THE FOLLOWING LIST OF PARKS ARE IN NEED OF ONE, TWO, OR IN SOME CASES ALL OF THE ABOVE METHODS OF ELIMINATING ARCHITECTURAL BARRIERS.

1. ALLEY PARK (HENRY AND EXTREMA STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - ON THE EAST END OF THE EXISTING INSET PARKING AREA ON BORIS STREET.

SERVES - THE RECREATION BUILDING, THE SWIMMING POOL, AND CHILDREN'S PLAY AREA.

2. GESSA PARK EAST (MT. VERNON AND WOODLAWN STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - THE SOUTHEAST CORNER OF THE MAIN PARKING AREA WHICH HAS ACCESS FROM MT. VERNON STREET.

SERVES - SHELTER, RESTROOMS, TENNIS COURTS, MULTI-USE COURTS, AND ALL PARK WALKS.

3. GESSA PARK WEST (DROLLINGER AND KINGSWAY STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - THE SOUTHEAST CORNER OF THE MAIN PARKING AREA.

SERVES - SHELTER, RESTROOMS AND PARK WALKS.

4. CHESAPEAKE HILL PARK (CLIFTON AND LINDEN STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - A. ON ENGLISH STREET WHERE THE PARK WALK MEETS THE CURB.

B. ON DOWN SIDING OF CIRCLE DRIVE WHERE THE PARK WALK MEETS THE CURB. (THIS IS DIRECTLY EAST OF THE SWIMMING POOL.)

C. AT OR NEAR THE INTERSECTION OF CIRCLE DRIVE AND BLUFF STREET.

SERVES - SWIMMING POOL, TENNIS COURTS, AND PARK WALKS.

5. HEDGECOCK PARK (NINTH AND BOGART STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - SOUTHEAST CORNER OF THE EXISTING PARKING AREA.

SERVES - SWIMMING POOL.

6. EVERGREEN PARK (25TH STREET AND ARLAND AVENUE)

METHODS NEEDED - (1) AND (2)

LOCATION - CENTERED ON THE NORTH-SOUTH WALK RUNNING ALONG THE EAST SIDE OF THE SWIMMING POOL.

SERVES - SWIMMING POOL.

7. FAIRBANKS PARK (15TH AND VASSAR STREETS)

METHODS NEEDED - (1), (2), AND (3)

LOCATION - CENTERED ON THE WALK FROM THE SHELTER BUILDING TO THE INSET PARKING AREA ON THE SOUTH SIDE OF 15TH STREET. THE BUILDING RAMP SHOULD BE LOCATED ON THE WEST DOOR OF THE THREE EXISTING DOORS IN THE SHELTER ENTRY WAY.

SERVES - RECREATION SHELTER.

8. HARVEST PARK (WESTLINK AND PROVINCIAL STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - CENTERED ON THE NORTH-SOUTH WALK ON THE EAST SIDE OF THE BATHHOUSE.

SERVES - SWIMMING POOL.

9. LINWOOD PARK (HARRY AND HYDRAULIC STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - ON THE WEST SIDE OF THE PARKING AREA DIRECTLY EAST OF THE BATHHOUSE.

SERVES - SWIMMING POOL.

10. MCADAMS PARK (15TH AND OHIO STREETS)

METHODS NEEDED - (1), (2), AND (3)

LOCATION - A. SOUTHEAST CORNER RECREATION CENTER PARKING AREA. MAY BE POSSIBLE TO UTILIZE EXISTING WALK FROM PARKING AREA. WALK IS 8 FEET WIDE BUT HAS POST IN CENTER OF WALK FOR STOPPING VEHICLES.

B. RAMP FROM WALK TO BUILDING PORCH WILL PROBABLY HAVE TO BE RECESSED IN THE PORCH.

SERVES - RECREATION CENTER AND PARK WALKS.

11. MYRTLE PARK (13TH AND JENNETTE STREETS)

METHODS NEEDED - (1) AND (2)

LOCATION - NORTHEAST CORNER RECREATION SHELTER AT THE INTERSECTION OF THE PARKING AREA DRIVE AND THE SERVICE DRIVE.

SERVES - RECREATION BUILDING

12. OSAGE PARK (31ST STREET SOUTH AND BORN STREETS)

METHODS NEEDED - (1), (2), AND (3)

LOCATION - A. FROM NORTH EDGE PARKING AREA CENTERED ON NORTH-SOUTH WALK LEADING TO FRONT PORCH.

B. FROM WALK TO PORCH AT ENTRY WAY.

SERVES - RECREATION CENTER

13. PLANNING PARK (WEST OF OLIVER STREET AND NORTH OF 31ST STREET SOUTH)

METHODS NEEDED - (1) AND (2)

LOCATION - AT THE SOUTH END OF THE PARK WEST OF THE TURNPIKE. CENTERED ON THE EXISTING WALK LOCATED BETWEEN THE EXISTING SHELTER AND THE PARKING AREA.

SERVES - SHELTER, REST ROOMS, AND PLAYGROUND AREA.

NOTE: FIELD ENGINEER & CONTRACTOR

NOTIFY PARK DEPARTMENT IN ADVANCE BEFORE ANY CONSTRUCTION IS STARTED. PARK DEPARTMENT IS TO DIRECT ALL WORK PERTAINING TO PARK AREAS. FIELD ENGINEER TO DETERMINE IN FIELD THE PROPER TYPE OF CONSTRUCTION NEEDED AT EACH LOCATION.

REMOVAL OF ARCHITECTURAL BARRIERS

WHD 535430